

Tribe Anisoderini Chapuis 1875

Anisoderites Chapuis 1875: 294. Handlirsch 1925: 666 (classification).

Anisoderini Chapuis. Würmli 1975a: 10 (genera); Staines 2004a: 309 (host plants); Bouchard et al. 2011: 78, 510 (nomenclature); Liao et al. 2015: 162 (host plants).

Anisoderini Weise 1911a: 57. Weise 1911b: 62 (catalog); Maulik 1915: 370 (noted); Gestro 1920: 386 (faunal list); Chûjô 1933: 307 (Taiwan species); Liu 1936: 249 (China species); Wu 1937: 910 (faunal list); Gressitt 1939a: 162 (distribution), 1939c: 132 (distribution), 1957b: 210 (South Pacific species); Uhmann 1940g: 121 (claws), 1951b: 76 (noted), 1958e: 76 (catalog), 1959d: 8 (scutellum), 1960c: 6 (faunal list), 1964a: 437 (catalog), 1964(1965): 239 (faunal list), 1966d: 274 (noted); Seeno & Wilcox 1982: 162 (catalog); Chen et al. 1986: 596 (China species); Jolivet 1988b: 13 (host plants), 1989b: 308 (host plants); Petitpierre et al. 1988: 179 (chromosomes); Jolivet & Hawkeswood 1995: 150 (host plants); Jolivet & Verma 2002: 62 (noted); Mohamedsaid 2004: 162 (Malaysian species); Chaboo 2007: 171 (phylogeny); Borowiec & Sekerka 2010: 368 (catalog).

Anisoderidae. Chen 1964: 482 (classification), 1973: 50 (classification).

Anisoderinae. Chen et al. 1986: 596 (China species); Yu 1992: 610 (faunal list).

Type genus: *Anisodera* Chevrolat 1836.

Anisodera Chevrolat 1836

Anisodera Chevrolat 1836: 387. Type species: *Alurnus ferrugineus* Fabricius 1801b, by monotypy. Guérin-Méneville 1840b: 333 (noted); Blanchard 1845: 181 (noted); Duponchel & Chevrolat 1841(1847): 535 (redescription); Baly 1858: 101 (redescription); Chenu & Desmarest 1870: 341 (noted); Chapuis 1875: 295 (redescription), 1876: xx (faunal list); Gemminger & Harold 1876: 3606 (catalog); Chenu 1884: 341 (noted); Gorham 1892: 84 (noted); Gestro 1897b: 50 (distribution), 1901b: 435 (noted), 1903: 157 (noted), 1917: 393 (faunal list), 1920: 386 (faunal list); Donckier 1899: 560 (catalog); Maxwell-Lefroy 1909: 364 (noted); Weise 1916: 37 (noted), 1922b: 60 (noted); Koningsberger 1911-1915: 483 (host plants); Maulik 1915: 370 (noted), 1916: 569 (nomenclature), 1919: 30 (India species); Schultze 1916: 99 (faunal list); Achard 1921: 62 (nomenclature); Kempers 1922: 36 (noted); Uhmann 1930c: 78 (key), 1935g: 142 (faunal list), 1958e: 165 (catalog), 1964a: 437 (catalog); Liu 1936: 251 (China species); Gressitt 1939a: 162 (distribution); Barber & Bridwell 1940: 6 (nomenclature); Monrós & Bechyné 1956: 1136 (nomenclature); Descarpentries & Villiers 1959b: 500 (types); Chen et al. 1962: 120 (faunal list); Abdullah & Qureshi 1969: 99 (Bangladesh species); Würmli 1975a: 10 (genera); OConnor 1979: 430 (mites); Spahr 1981: 25 (amber catalog); Seeno & Wilcox 1982: 162 (catalog); Anand 1984: 11 (noted); Chen et al. 1986: 115 (China species); Jolivet 1989b: 308 (host plants); L. Medvedev 1992b: 142 (Vietnam species); Santiago-Blay & Fain 1994: 409 (mites); Jolivet & Hawkeswood 1995: 150 (host plants); Basu 1999: 151 (distribution); Staines 1997b: 412 (Uhmann species list); Mohamedsaid 2004: 162 (Malaysian species); Staines 2004a: 309 (host plants); Kimoto 2005: 100 (faunal list); Medvedev & Sprecher-Uebersax 2005: 332 (Nepal species); Chaboo 2007: 43 (noted); Borowiec & Sekerka 2010: 368 (catalog).

Anisodera Duponchel. Uhmann 1943c: 169 (revision).

Anisodera Baly. Baly 1879: 465 (noted); Weise 1911a: 40 (catalog), 1911b: 58 (redescription); Staines & Staines 1999: 522 (Baly species list).

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Anisoderini. http://entomology.si.edu/Collections_Coleoptera-Hispines.html

Anisodera (Lissochila) Weise 1911a: 40. Type species: *Alurnus ferrugineus* Fabricius 1801b, designated by Borowiec & Sekerka 2010. Weise 1911b: 58 (description); Maulik 1916: 570 (synonymy); Schultze 1916: 99 (faunal list); Achard 1921: 62 (synonymy); Borowiec & Sekerka 2010: 64 (type species).

Anisodera batangae Uhmann 1954n

Anisodera batangae Uhmann 1954n: 504 (type: Malaysia, Perak, Pahang, BMNH). Uhmann 1958e: 165 (catalog); Gaedike & Döbler 1971: 366 (types); Staines 1997b: 412 (Uhmann species list); Mohamedsaid 2000a: 358 (faunal list), 2004: 162 (Malaysian species).
Distribution. Malaysia.
Food plant. Unknown.

Anisodera bloetei Uhmann 1930c

Anisodera bloetei Uhmann 1930c: 81 (type: Indonesia, Sumatra, Sungai Kumbang, NHRS). Uhmann 1931e: 1 (faunal list), 1943c: 176 (key), 1946b: 19 (types), 1958e: 165 (catalog); Staines 1997b: 412 (Uhmann species list).
Distribution. Indonesia (Sumatra).
Food plant. Unknown.

Anisodera bowringii Baly 1858

Anisodera bowringii Baly 1858: 102 (type: Indonesia, Java, BMNH). Uhmann 1958e: 165 (catalog); Staines & Staines 1999: 522 (Baly species list); Mohamedsaid 2000a: 358 (faunal list), 2004: 163 (Malaysian species).
Anisodera bowringi Baly (sic). Gemminger & Harold 1876: 3606 (lapsus calami, catalog); Donckier 1899: 560 (catalog); Uhmann 1928f: 394 (faunal list), 1935g: 143 (faunal list), 1943c: 178 (key).
Anisodera (Lissochila) bowringii Baly. Weise 1911a: 40 (transfer), 1911b: 59 (catalog); Maulik 1913: 117 (distribution).
Distribution. Indonesia (Java), Malaysia.
Food plant. Unknown.

Anisodera brevelineata Pic 1924c

Anisodera brevelineata Pic 1924c: 29 (type: Malaysia, Malacca, Perak, MNMH). Uhmann 1958e: 165 (catalog), 1964a: 437 (catalog); Descarpentries & Villiers 1959b: 500 (types); Mohamedsaid 2004: 163 (Malaysian species).
Distribution. Malaysia.
Food plant. Unknown.

Anisodera candezei Gestro 1897b

Anisodera candezei Gestro 1897b: 54 (type: Indonesia, Sumatra, MCSN, ISNB). Donckier 1899: 560 (catalog); Uhmann 1930c: 81 (redescription), 1931f: 224 (museum list), 1943c: 177 (key), 1958e: 165 (catalog); Mohamedsaid 2004: 163 (Malaysian species).
Anisodera (Lissochila) candezei Gestro. Weise 1911a: 40 (catalog), 1911b: 59 (catalog).
Distribution. Indonesia (Sumatra), Malaysia.
Food plant. Unknown.



Anisodera carinifera Uhmann 1960c

Anisodera carinifera Uhmann 1960c: 7 (type: Borneo, Bogor, depository unknown). Uhmann 1964a: 437 (catalog); Gaedike & Döbler 1971: 367 (types); Reid 1997: 41 (distribution); Staines 1997b: 412 (Uhmann species list); Mohamedsaid 2004: 163 (Malaysian species). Distribution. Indonesia (Borneo), Malaysia.

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Anisoderini. http://entomology.si.edu/Collections_Coleoptera-Hispines.html

Food plant. Unknown.

Anisodera cornuta Uhmann 1928f

Anisodera cornuta Uhmann 1928f: 394 (type: Indonesia, Sumatra, Residentschaft Solok, RMNH). Uhmann 1930c: 78 (key), 1943c: 173 (key), 1946b: 19 (type), 1954n: 516 (distribution), 1958e: 165 (catalog); Gaedike & Döbler 1971: 369 (types); Staines 1997b: 412 (Uhmann species list); Mohamedsaid 2004: 163 (Malaysian species).
Distribution. Indonesia (Sumatra), Malaysia.
Food plant. Unknown.

Anisodera densa Uhmann 1937d

Anisodera humilis Uhmann 1933a: 59 (not Gestro) (type: Philippines, Mindanao, Surigao, DEI).
Anisodera densa Uhmann 1937d: 103 [replacement name]. Uhmann 1943c: 178 (noted), 1958e: 165 (catalog), 1964(1965): 253 (faunal list); Gaedike & Döbler 1971: 370 (types); Staines 1997b: 412 (Uhmann species list).
Distribution. Philippines (Ducas, Luzon, Mindanao).
Food plant. Unknown.

Anisodera elongata Gestro 1885

Anisodera elongata Gestro 1885: 163 (type: Indonesia, Sumatra, MCSN, DEI, MNHN). Gestro 1897b: 55 (distribution); Donckier 1899: 560 (catalog); Uhmann 1928b: 61 (faunal list), 1930c: 83 (redescription), 1935g: 143 (faunal list), 1943c: 176 (noted), 1958e: 165 (catalog), 1964a: 437 (catalog); Kalshoven 1957: 7 (host plants); Descarpentries & Villiers 1959b: 500 (types); Gaedike & Döbler 1971: 371 (types); Mohamedsaid 2004: 163 (Malaysian species); Staines 2004a: 309 (host plants).
Anisodera (Lissochila) elongata Gestro. Weise 1911a: 40 (catalog), 1911b: 59 (catalog).
Distribution. Indonesia (Java, Sumatra), Malaysia.
Food plants. *Musa* sp. (Musaceae) (Kalshoven 1957).

Anisodera fallax Gestro 1899c

Anisodera fallax Gestro 1899c: 319 (type: Indonesia, Sumatra, MCSN). Donckier 1899: 560 (types); Uhmann 1939d: 5 (noted), 1943c: 178 (key), 1958e: 165 (catalog).
Anisodera (Lissochila) fallax Gestro. Weise 1911a: 41 (catalog), 1911b: 59 (catalog).
Lasiochila fallax (Gestro). Haitlinger 1996: 986 (mites).
Distribution. Indonesia (Sumatra).
Food plant. Unknown.

Anisodera ferruginea (Fabricius 1801b)

Alurnus ferrugineus Fabricius 1801b: 26 (type: Indonesia, Sumatra, ZMUC). Schönherr 1808: 342 (species list).
Anisodera ferruginea (Fabricius). Chevrolat 1836: 387 (transfer); Duponchel & Chevrolat 1841(1847): 535 (noted); Guérin-Méneville 1840b: 333 (noted); Baly 1858: 106 (noted); Gemminger & Harold 1876: 3606 (catalog); Donckier 1899: 560 (catalog); Maulik 1916: 570 (nomenclature); Weise 1916: 37 (nomenclature); Uhmann 1943c: 169 (types), 1957h: 105 (type), 1958e: 166 (catalog), 1964a: 437 (catalog).
Anisodera (Lissochila) ferruginea (Fabricius). Weise 1911a: 41 (catalog), 1911b: 59 (catalog).

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Anisoderini. http://entomology.si.edu/Collections_Coleoptera-Hispines.html

Anisodera whitei Baly 1858: 104 (type: locality unspecified, BMNH). Gemminger & Harold 1876: 3606 (catalog); Donckier 1899: 560 (catalog); Gestro 1899c: 319 (distribution); Uhmann 1928e: 370 (faunal list), 1930c: 81 (redescription), 1943c: 176 (key), 1957: 106 (synonymy), 1960c: 7 (faunal list), 1964a: 437 (catalog). Staines & Staines 1999: 522 (Baly species list)

Anisodera (Lissochila) whitei Baly. Weise 1911a: 41 (catalog), 1911b: 59 (catalog).
Distribution. Indonesia (Sumatra).
Food plant. Unknown.

Anisodera fraterna Baly 1888a

Anisodera fraterna Baly 1888a: 655 (type: India, Tenasserim, MCSN). Gestro 1890: 233 (distribution), 1897b: 51 (distribution), 1920: 387 (faunal list); Weise 1897: 118 (faunal list); Donckier 1899: 560 (catalog); Maulik 1919: 34 (India species); Pic 1924c: 29 (comparative note); Uhmann 1943c: 178 (key), 1958e: 166 (catalog); Chen et al. 1962: 120 (faunal list); Kimoto 1999: 69 (southeast Asia species), 2005: 100 (faunal list); Medvedev & Sprecher-Uebersax 1999a: 343 (faunal list), 1999b: 369 (faunal list), 2005: 332 (Nepal species); Staines & Staines 1999: 522 (Baly species list); Hua 2002: 287 (faunal list); Borowiec & Sekerka 2010: 368 (catalog); Sprecher-Uebersax 2011: 487 (faunal list).

Anisodera (Lissochila) fraterna Baly. Weise 1911a: 41 (catalog), 1911b: 59 (catalog).

Anisodera brevipennis Pic 1924c: 29 (type: Vietnam, Tonkin, Hoa-Binh, MNHN). Uhmann 1958e: 165 (catalog); Descarpentries & Villiers 1959b: 500 (types); L. Medvedev 1992b: 142 (Vietnam species).

Anisodera sinuaticollis Pic 1926a: 10 (type: Vietnam, Tonkin, MNHN). Uhmann 1958e: 167 (catalog); Descarpentries & Villiers 1959b: 500 (types).

Distribution. China, India, Indonesia (Sumatra), Laos, Malaysia, Myanmar, Nepal, Vietnam.
Food plant. Unknown.

Anisodera gracilis (Guérin-Ménéville 1840b)

Bothryonopa gracilis Guérin-Ménéville 1840b: 333 (type: Indonesia, Java, depository unknown). Uhmann 1966d: 274 (noted).

Anisodera gracilis (Guérin-Ménéville). Baly 1858: 106 (noted); Gemminger & Harold 1876: 3606 (catalog); Donckier 1899: 560 (catalog); Uhmann 1928e: 370 (faunal list), 1935g: 143 (redescription), 1943c: 176 (key), 1948b: 73 (noted), 1958e: 166 (catalog), 1964a: 438 (catalog); Kalshoven 1951: 540 (host plant), 1957: 7 (host plants); Reid 1998: 299 (faunal list); Staines 2004a: 309 (host plants).

Anisodera (Lissochila) gracilis (Guérin-Ménéville). Weise 1911a: 41 (catalog), 1911b: 59 (catalog).

Distribution. Indonesia (Java, Sumatra).

Food plants. *Musa* sp. (Musaceae), *Zingiber* sp. (Zingiberaceae) (Kalshoven 1951).

Anisodera guerini Baly 1858

Anisodera ferruginea Guérin-Ménéville 1840b: 333 (not Fabricius) (type: Indonesia, Java, BMNH). Baly 1858: 101 (redescription); Uhmann 1966d: 274 (noted).

Anisodera guerini Baly 1858:168 (replacement name). Gemminger & Harold 1876: 3606 (catalog); Baly 1879: 465 (distribution), 1888a: 655 (faunal list); Gestro 1885: 163 (distribution), 1890: 233 (distribution), 1897b: 50 (distribution), 1897c: 118 (faunal list), 1920: 387 (faunal list); Donckier 1899: 560 (catalog); Weise 1905b: 114 (faunal list); Maulik 1915: 370 (museum list), 1919: 35 (India species), 1937: 144 (host plants); Beeson 1941: 221 (host plants); Uhmman 1943c: 173 (noted), 1958e: 166 (catalog); Chen et al. 1962: 120 (faunal list); Abdullah & Qureshi 1969: 99 (Bangladesh species); Vazirani 1972: 145 (faunal list); Anand 1984: 11 (noted); L. Medvedev 1992b: 143 (Vietnam species); Basu 1999: 151 (distribution); Kimoto 1999: 70 (southeast Asia species); Staines & Staines 1999: 522 (Baly species list); Hua 2002: 287 (faunal list); Mohamedsaid 2004: 163 (Malaysian species); Chaboo 2007: 150 (phylogeny); Borowiec & Sekerka 2010: 368 (catalog).

Anisodera (Lissochila) guerini Baly. Weise 1911a: 41 (catalog), 1911b: 50 (catalog); Maulik 1913: 117 (distribution).

Anisodera guerinii Baly. Kalshoven 1957: 7 (host plant).

Anisodera gulrrini Baly [sic]. Hung et al. 2002: 17 (faunal list)

Anisodera foveolata Pic 1924c: 29 (type: Laos, Vientiane, MNHN). Uhmman 1958e: 166 (catalog), 1964a: 438 (catalog); Descarpentries & Villiers 1959b: 500 (types); L. Medvedev 1992b: 143 (synonymy); Kimoto 1999: 70 (synonymy).

Anisodera sinuaticollis Pic 1926b: 10 (type: Vietnam, Tonkin, Hoa-Binh, MNHN).

Descarpentries & Villiers 1959b: 500 (types); Uhmman 1964a: 438 (catalog); L. Medvedev 1992b: 143 (synonymy).

Distribution. Bangladesh, China (Guangai, Yunnan), India (Arunachal Pradesh, Assam, Kerala, Meghalaya, Sikkim), Indonesia (Java, Sumatra), Malaysia, Myanmar, Sri Lanka, Thailand, Vietnam.

Food plant. *Costus speciosus* Sm. (Zingiberaceae) (Maulik 1919).

Anisodera humilis Gestro 1897b

Anisodera humilis Gestro 1897b: 53 (type: Indonesia, Sumatra, MCSN, ISNB, MNHN).

Donckier 1899: 561 (catalog); Gestro 1899c: 319 (distribution), 1902b: 138 (faunal list), 1909(1910): 142 (faunal list); Uhmman 1930c: 84 (redescription), 1934d: 1 (faunal list), 1943c: 178 (key), 1954n: 516 (distribution), 1958e: 166 (catalog), 1960c: 6 (faunal list), 1964a: 438 (catalog); Kalshoven 1951: 740 (host plant), 1957: 7 (host plant); Descarpentries & Villiers 1959b: 500 (types); Monrós 1959: 28 (illustration); Reid 1998: 299 (faunal list); Mohamedsaid 2000a: 358 (faunal list), 2004: 163 (Malaysian species); Staines 2004a: 309 (host plants).

Anisodera (Lissochila) humilis Gestro. Weise 1911a: 41 (catalog), 1911b: 50 (catalog).

Anisodera lucidiventris (Guérin-Méneville 1840). Gestro 1896: 332 (misidentification), 1897c: 174 (distribution), 1902b: 138 (correction).

Anisodera obscura Gestro. Uhmman 1930c: 84 (misidentification), 1934d: 1 (correction).

Distribution. Indonesia (Borneo, Sarawak, Sumatra), Malaysia.

Food plants. *Musa* sp. (Musaceae), *Zingiber* sp. (Zingiberaceae) (Kalshoven 1951); Zingiberaceae (Reid 1998).

Anisodera integra Weise 1922b

Anisodera integra Weise 1922b: 58 (type: Indonesia, Borneo, Kuching, SMSM). Uhmman 1930c: 79 (distribution), 1958e: 167 (catalog), 1960c: 9 (faunal list), 1964a: 438 (catalog); Mohamedsaid 2004: 164 (Malaysian species).
Distribution. Indonesia (Borneo), Malaysia.
Food plant. Unknown.

Anisodera lucidiventr Guérin-Ménéville 1840b

Anisodera lucidiventr Buquet. Dejean 1837: 387 (collection list). Duponchel & Chevrolat 1841(1847): 535 (noted).
Anisodera lucidiventr Guérin-Ménéville 1840b: 333 (type: Indonesia, Java, BMNH). Baly 1858: 104 (redescription); Chapuis 1875: 6; 1876: xxi (faunal list); Gemminger & Harold 1876: 3606 (catalog); Gestro 1896a: 332 (distribution), 1897b: 51 (distribution), 1897c: 174 (faunal list), 1902b: 138 (noted), 1909(1910): 142 (faunal list), 1917: 393 (faunal list), 1919: 338 (faunal list), 1922: 100 (faunal list); Donckier 1899: 561 (catalog); Schultze 1916: 99 (faunal list); Uhmman 1930c: 80 (redescription), 1935g: 143 (faunal list), 1943c: 177 (key), 1954n: 516 (distribution), 1958e: 167 (catalog), 1960c: 6 (faunal list), 1964(1965): 239 (faunal list), 1966d: 274 (noted); Kalshoven 1957: 7 (host plant); Reid 1998: 300 (faunal list); Mohamedsaid 2004: 164 (Malaysian species).
Anisodera (Lissochila) lucidiventr Guérin-Ménéville. Weise 1911a: 41 (catalog), 1911b: 59 (catalog), 1916: 37 (nomenclature).
Distribution. Indonesia (Borneo, Java, Sumatra), Malaysia, Philippines (Mindanao).
Food plant. *Amomum* sp. (Zingiberaceae) (Kalshoven 1957).

Anisodera marginella Weise 1922b

Anisodera marginella Weise 1922b: 59 (type: Indonesia, Sarawak, Matang, NHRS, SMSM, RMNH). Uhmman 1930c: 78 (distribution), 1943c: 172 (noted), 1958e: 167 (catalog), 1960c: 9 (redescription), 1964a: 438 (catalog); Gaedike & Döbler 1971: 380 (types); Mohamedsaid 2004: 164 (Malaysian species).
Distribution. Indonesia (Borneo), Malaysia.
Food plant. Unknown.

Anisodera modesta Weise 1922b

Anisodera modesta Weise 1922b: 57 (type: Indonesia, Borneo, Matang; Kuching; Rook Road; Mount Saribu; SMSM). Uhmman 1930c: 79 (key), 1933a: 60 (faunal list), 1958e: 167 (catalog), 1960c: 9 (redescription), 1964a: 438 (catalog), 1964(1965): 254 (faunal list).
Distribution. Indonesia (Borneo), Philippines (Mindanao).
Food plant. Unknown.

Anisodera nigrolineata Gestro 1906b

Anisodera sheppardi (Baly). Gestro 1902b: 137 (misidentification, faunal list).
Anisodera nigrolineata Gestro 1906b: 472 (type: Malacca; Borneo, Matang; Pontianak; MCSN). Gestro 1909(1910): 142 (faunal list); Uhmman 1930c: 78 (redescription), 1930f: 174 (museum list), 1939d: 2 (distribution), 1943c: 171 (key), 1958e: 167 (catalog), 1960c: 7 (faunal list); Reid 1997: 41 (distribution); Mohamedsaid 2004: 164 (Malaysian species).
Anisodera (Lissochila) nigrolineata Gestro. Weise 1911a: 41 (catalog), 1911b: 59 (catalog).

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Anisoderini. http://entomology.si.edu/Collections_Coleoptera-Hispines.html

Distribution. Malaysia.
Food plant. Unknown.



Anisodera lucidiventris



Anisodera modesta



Anisodera propinqua



Anisodera sheppardi



Anisodera scutella



Anisodera testacea

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Anisoderini. http://entomology.si.edu/Collections_Coleoptera-Hispines.html

Anisodera obscura Gestro 1897a

Anisodera obscura Gestro 1897a: 67 (type: Indonesia, Sumatra, Mt. Loeboe Rajah, MCSN).
Gestro 1897b: 55 (distribution), 1899c: 319 (distribution); Donckier 1899: 561 (catalog);
Uhmman 1943c: 176 (key), 1958e: 167 (catalog).
Anisodera (Lissochila) obscura Gestro. Weise 1911a: 41 (catalog), 1911b: 59 (catalog).
Anisodera humeralis (Gestro). Uhmman 1930c: 84 (misidentification, key), 1934: 1 (correction).
Distribution. Indonesia (Sumatra).
Food plant. Unknown.

Anisodera propinqua Baly 1888a

Anisodera propinqua Baly 1888a: 657 (type: India, Tenasserim, MCSN, ISNB). Gestro 1890:
233 (distribution), 1920: 286 (faunal list); Donckier 1899: 561 (catalog); Maulik 1919: 33
(India species); Pic 1924c: 29 (comparative note); Uhmman 1928b: 61 (faunal list),
1930c: 86 (redescription), 1943c: 173 (noted), 1958e: 167 (catalog), 1963b: 150 (museum
list); Kimoto 1999: 70 (southeast Asia species); Staines & Staines 1999: 522 (Baly
species list); Hua 2002: 287 (faunal list); Borowiec & Sekerka 2010: 368 (catalog).
Anisodera (Lissochila) propinqua Baly. Weise 1911a: 41 (catalog), 1911b: 59 (catalog).
Anisodera barbicornis Weise 1897: 119 (type: India, Araean, ZMHB?). Weise 1905b: 114
(faunal list); Gestro 1901b: 436 (noted), 1920: 386 (synonymy); Maulik 1919: 31 (India
species).
Anisodera (Lissochila) barbicornis Weise. Weise 1911a: 41 (catalog), 1911b: 59 (catalog).
Distribution. China (Yunnan), India (Assam), Laos, Myanmar, Thailand.
Food plant. *Musa basjoo* Sieblod (Musaceae) (Hua 2002).

Anisodera rugulosa Chen & Yu 1964

Anisodera rugulosa Chen & Yu 1964: 106 (type: China, Yunnan, Shishong-Baana, IZAS).
Gressitt & Kimoto 1965: 805 (noted); Yang & Sun 1991: 58 (type); Borowiec & Sekerka
2010: 368 (catalog).
Distribution. China (Szechuan, Yunnan).
Food plant. Unknown.

Anisodera rusticana Weise 1897

Anisodera rusticana Weise 1897: 119 (type: Burma, Tharrawaddy, ZMHB, BMNH). Donckier
1899: 561 (catalog); Maulik 1919: 36 (India species); Uhmman 1943c: 173 (noted),
1958e: 167 (catalog).
Anisodera (Lissochila) rusticana Weise. Weise 1911a: 41 (catalog), 1911b: 59 (catalog).
Distribution. Myanmar.
Food plant. Unknown.

Anisodera sculpticollis Gestro 1909(1910)

Anisodera sculpticollis Gestro 1909(1910): 130 (type: Borneo, Mattang, MCSN). Uhmman
1958e: 167 (catalog), 1960c: 7 (faunal list); Mohamedsaid 2004: 164 (Malaysian
species).
Anisodera (Lissochila) sculpticollis Gestro. Weise 1911a: 41 (catalog), 1911b: 59 (catalog).
Distribution. Indonesia (Borneo), Malaysia.

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae:
Cassidinae). Anisoderini. http://entomology.si.edu/Collections_Coleoptera-Hispines.html

Food plant. Unknown.



Estigma chinensis



Lasiochila bakeri



Lasiochila cylindrica



Lasiochila excavata



Lasiochila gestroi



Lasiochila rufa

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Anisoderini. http://entomology.si.edu/Collections_Coleoptera-Hispines.html

Anisodera scutellata Baly 1858

Anisodera scutellata Baly 1858: 102 (type: Indonesia, Java, BMNH). Gemminger & Harold 1876: 3606 (catalog); Gestro 1897b: 51 (distribution); Donckier 1899: 561 (catalog); Gahan 1900: 437 (stridulation); Uhmann 1930c: 86 (redescription), 1935g: 143 (faunal list), 1943c: 172 (noted); Schmitt 1991: 266 (stridulation), 1994: 323 (stridulation); Reid 1998: 300 (faunal list); Staines & Staines 1999: 522 (Baly species list); Mohamedsaid 2000a: 358 (faunal list), 2004: 164 (Malaysian species); Chaboo 2007: 62 (noted). Distribution. Indonesia (Java, Sumatra), Malaysia. Food plant. Unknown.

Anisodera sheppardi Baly 1858

Anisodera sheppardi Baly 1858: 103 (type: Borneo, BMNH). Gemminger & Harold 1876: 3606 (catalog); Donckier 1899: 561 (catalog); Gestro 1899c: 319 (distribution), 1902(1903): 137 (distribution), 1909(1910): 142 (faunal list), 1919: 338 (faunal list); Pic 1924c: 29 (comparative note); Uhmann 1930c: 78 (redescription), 1943c: 173 (distribution), 1958e: 167 (catalog), 1960c: 7 (faunal list); Staines & Staines 1999: 522 (Baly species list); Mohamedsaid 2004: 165 (Malaysian species).
Anisodera (Lissochila) sheppardi Baly. Weise 1911a: 41 (catalog), 1911b: 59 (catalog).
Anisodera shappered (sic). Mohamedsaid 2000a: 358 (lapsus calami, faunal list). Distribution. Indonesia (Borneo, Sumatra), Malaysia. Food plant. Unknown.

Anisodera sinuata Weise 1922b

Anisodera sinuata Weise 1922b: 59 (type: Indonesia, Sarawak, Matang, SMSM, ?BMNH). Uhmann 1930c: 79 (distribution), 1943c: 177 (key), 1958e: 167 (catalog), 1960c: 10 (redescription), 1964a: 438 (catalog); Mohamedsaid 2004: 165 (Malaysian species). Distribution. Indonesia (Borneo), Malaysia. Food plant. Unknown.

Anisodera submarginella Uhmann 1960c

Anisodera submarginella Uhmann 1960c: 10 (type: Borneo, Bogor, depository unknown). Uhmann 1964a: 438 (catalog); Gaedike & Döbler 1971: 391 (types); Reid 1997: 41 (distribution); Staines 1997b: 412 (Uhmann species list); Mohamedsaid 2004: 165 (Malaysian species). Distribution. Indonesia (Borneo), Malaysia. Food plant. Unknown.

Anisodera suturella Uhmann 1939c

Anisodera suturella Uhmann 1939c: 38 (type: Indonesia, Java, Preanger, DEI, MNHN). Uhmann 1943c: 177 (key), 1958e: 167 (catalog), 1964a: 438 (catalog); Kalshoven 1957: 7 (host plants); Descarpentries & Villiers 1959b: 500 (types); Gaedike & Döbler 1971: 391 (types); Staines 1997b: 412 (Uhmann species list). 2004a: 309 (host plants); Reid 1998: 300 (faunal list). Distribution. Indonesia (Java). Food plant. *Amomum* sp. (Zingiberaceae) (Kalshoven 1957).

Anisodera testacea Gestro 1897b

Anisodera testacea Gestro 1897b: 52 (type: Indonesia, Sumatra, Sarawak, MCSN). Donckier 1899: 561 (catalog); Gestro 1901b: 436 (noted), 1902b: 138 (faunal list), 1909(1910): 142 (faunal list); Uhmann 1930c: 83 (redescription), 1943c: 178 (key), 1958e: 167 (catalog), 1960c: 7 (faunal list), 1964a: 438 (catalog); Reid 1997: 42 (distribution); Mohamedsaid 2004: 165 (Malaysian species).

Anisodera (Lissochila) testacea Gestro. Weise 1911a: 41 (catalog), 1911b: 59 (catalog). Distribution. Indonesia (Borneo, Sumatra), Malaysia. Food plant. Unknown.

Anisodera tuberosa Gestro 1897b

Anisodera tuberosa Gestro 1897b: 50 (type: Indonesia, Sumatra, Liangagas, MCSN). Donckier 1899: 561 (catalog); Uhmann 1958e: 167 (catalog), 1960c: 12 (faunal list), 1964a: 438 (catalog); Reid 1997: 42 (distribution); Mohamedsaid 2004: 165 (Malaysian species).

Anisodera (Lissochila) tuberosa Gestro. Weise 1911a: 41 (catalog), 1911b: 59 (catalog). Distribution. Indonesia (Sumatra), Malaysia. Food plant. Unknown.

Anisodera wegneri Uhmann 1960c

Anisodera wegneri Uhmann 1960c: 12 (type: Borneo, Bogor, depository unknown). Uhmann 1964a: 438 (catalog); Gaedike & Döbler 1971: 394 (types); Reid 1997: 42 (distribution); Staines 1997b: 412 (Uhmann species list); Mohamedsaid 2004: 165 (Malaysian species). Distribution. Indonesia (Borneo), Malaysia. Food plant. Unknown.

***Estigmene* Hope 1840**

Estigmene Hope 1840: 174. Type species: *Estigmene chinensis* Hope 1840, by monotypy. Guérin-Ménéville 1844a: 272 (noted); Baly 1858: 100 (redescription), 1869b: 376 (noted); Chenu & Desmarest 1870: 341 (noted); Chapuis 1875: 296 (redescription); Gemminger & Harold 1876: 3606 (catalog); Chenu 1884: 341 (noted); Gestro 1897b: 49 (distribution), 1920: 386 (faunal list); Weise 1897: 117 (noted), 1911a: 40 (catalog), 1911b: 58 (redescription); Donckier 1899: 559 (catalog); Gahan 1900: 437 (stridulation); Maulik 1913: 116 (distribution); 1919: 26 (India species), 1932: 319 (larva); Liu 1936: 251 (China species); Wu 1937: 910 (faunal list); Gressitt 1950: 62 (China species), 1961: 78 (biogeography); Uhmann 1958e: 160 (catalog), 1964a: 437 (catalog); Descarpentries & Villiers 1959b: 499 (types); Chen et al. 1962: 120 (faunal list); Gressitt & Kimoto 1963b: 897 (China species); Abdullah & Qureshi 1969: 99 (Bangladesh species); Würmli 1975a: 11 (genera); Seeno & Wilcox 1982: 162 (catalog); Chen et al. 1986: 132 (China species); Jolivet 1988b: 14 (host plants), 1989b: 308 (host plants); Anand 1989: 6 (India species); L. Medvedev 1992b: 141 (Vietnam species); Jolivet & Hawkeswood 1995: 150 (host plants); Staines 1997b: 416 (Uhmann species list); Basu 1999: 150 (distribution); Kimoto 1999: 71 (southeast Asia species); Staines & Staines 1999: 525 (Baly species list); Medvedev & Sprecher-Uebersax 2005: 332 (Nepal species); Chaboo 2007: 54 (noted); Borowiec & Sekerka 2010: 368 (catalog).

Estigmene Hope. Anand 1984: 11 (misspelling).

Estigmene bicolor Bhasin 1950

Estigmene bicolor Bhasin 1950: 133 (type: Haflong, Cachar, depository unknown).

Distribution. India (Assam).

Food plant. Unknown.

Estigmene chinensis Hope 1840

Estigmene chinensis Hope 1840: 175 (type: China, OXUM). Baly 1858: 100 (redescription), 1888a: 653 (faunal list), 1889: 490 (distribution), 1894: 80 (biology); Tennent 1868: 452 (faunal list); Gemminger & Harold 1876: 3606 (catalog); Gestro 1890: 232 (distribution), 1897b: 49 (distribution), 1919: 343 (host plant), 1920: 386 (faunal list); Duvivier 1892: 446 (faunal list); Weise 1897: 117 (faunal list), 1911a: 40 (catalog), 1911b: 58 (catalog); Donckier 1899: 559 (catalog); Gahan 1900: 437 (stridulation), 1913: 37 (mimicry); Allard 1904: 161 (faunal list); Maulik 1913: 116 (distribution), 1919: 27 (India species), 1932: 319 (larva); 1937: 143 (host plants); Stebbing 1914: 254 (biology); Beeson 1941: 225 (biology); Liu 1936: 251 (China species); Wu 1937: 911 (faunal list); Mathur 1944: 117 (host plants); Gressitt 1950: 62 (China species); Kalshoven 1951: 740 (host plant), 1957: 7 (host plant); Uhmman 1958e: 161 (catalog), 1959e: 755 (noted); Chen et al. 1962: 120 (faunal list), 1964a: 437 (catalog); Macdonald 1960: 139 (noted); Gressitt & Kimoto 1963b: 898 (China species); Abdullah & Qureshi 1969: 99 (Bangladesh species); Yadava 1971: 259 (chromosomes); Würmli 1975b: 371 (faunal list); Roonwal 1977: 168 (biology); Chen et al. 1986: 599 (China species); Petitpierre et al. 1988: 179 (chromosomes); Schmitt 1991: 266 (stridulation), 1994: 323 (stridulation); L. Medvedev 1992b: 141 (Vietnam species), 2000a: 181 (distribution); Maddison 1993: 363, 383, 406 (host plant); Hutacharern & Tubtim 1995: 36, 56, 64 (host plants); Haojie et al. 1998: 107 (biology); Basu 1999: 150 (distribution); Kimoto 1999: 71 (southeast Asia species); Medvedev & Sprecher-Uebersax 1999a: 346 (faunal list), 2005: 332 (Nepal species); Hua 2002: 292 (faunal list); Staines 2002c: 8 (types); Yu & Huang 2002: 456 (faunal list); Hartmann & Medvedev 2003: 179 (faunal list); Chaboo 2007: 43 (noted); Borowiec & Sekerka 2010: 368 (catalog); Julio et al. 2010: 30 (noted); Sprecher-Uebersax 2011: 490 (faunal list).

Estigmene chinensis Hope (sic). Anand 1984: 10 (lapsus calami, noted), 1989: 6 (India species).

Estigmene chinensis atricollis Pic 1924c: 29 (type: India, Assam, Khasi Hills, MNHN). Liu 1936: 251 (China species); Wu 1937: 911 (faunal list); Uhmman 1958e: 161 (catalog), 1964a: 437 (catalog); Descarpentries & Villiers 1959b: 499 (types).

Estigmene chinensis latior Pic 1924c: 30 (type: Patria?, MNHN). Uhmman 1958e: 161 (catalog), 1964a: 437 (catalog); Descarpentries & Villiers 1959b: 499 (types).

Estigmene chinensis nigripennis Pic 1924c: 39 (type: Laos, Cochinchine, MNHN). Uhmman 1958e: 161 (catalog), 1964a: 437 (catalog); Descarpentries & Villiers 1959b: 499 (types).

Estigmene chinensis ruficolor Pic 1924c: 30 (type: Indonesia, Sumatra, MNHN). Uhmman 1958e: 161 (catalog), 1964a: 437 (catalog); Descarpentries & Villiers 1959b: 499 (types).

Distribution. Bangladesh, Cambodia, China (Guangdong, Guangxi, Hainan, Kwangtung, Yunnan), India (Assam, Andhra Pradesh, Arunachal Pradesh, Kerala, Madras, Sikkim, Tripura, West Bengal), Indonesia (Java, Sumatra), Laos, Myanmar, Nepal, Sri Lanka, Thailand, Vietnam.

Food plants. *Dendrocalamus strictus* Nees (Stebbing 1914); *Bambusa glaucescens* Sieb. (Gestro 1919); Bamboos (Maulik 1919); *Cephalostachyum* sp. (Maulik 1932); *Bambusa arundinacea* Willd., *B. burmanica*, *Schizostachyum pergracile* Munro, (Beeson 1941; Mathur

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Anisoderini. http://entomology.si.edu/Collections_Coleoptera-Hispines.html

1944); *Bambusa bambos*, *B. natans*, *Gigantochloa scortechinii* Gamble (Haojie et al. 1998) (Poaceae).



Lasiochila thoracica

Estigmena cribricollis Waterhouse 1881

Estigmena cribricollis Waterhouse 1881: 461 (type: India, Travancore, BMNH). Donckier 1899: 559 (catalog); Weise 1906c: 34 (status), 1911a: 40 (catalog), 1911b: 58 (catalog); Maulik 1919: 28 (India species); Uhmman 1958e: 161 (catalog); Takizawa 1987: 525 (faunal list); Basu 1999: 150 (distribution).

Distribution. India (Kerala, Mysore).

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Anisoderini. http://entomology.si.edu/Collections_Coleoptera-Hispines.html

Food plant. Unknown.

Estigmena dohertyi Uhmann 1951b

Estigmena dohertyi Uhmann 1951b: 75 (type: Birma, Momeit, BMNH). Uhmann 1958e: 161 (catalog); Gaedike & Döbler 1971: 371 (types); Staines 1997b: 416 (Uhmann species list).

Distribution. Myanmar.

Food plant. Unknown.

Estigmena mannaensis (Uhmann 1930a)

Anisodera mannaensis Uhmann 1930a: 3 (type: Indonesia, Sumatra, Manna, DEI). Uhmann 1930c: 85 (redescription), 1943c: 176 (key), 1946b: 20 (type), 1951b: 76 (noted), 1958e: 167 (catalog); Gaedike & Döbler 1971: 380 (types); Staines 1997b: 412 (Uhmann species list).

Estigmena mannaensis (Uhmann). Uhmann 1931e: 1 (faunal list), 1938d: 425 (distribution), 1951b: 75 (noted), 1958e: 161 (catalog); Staines 1997b: 416 (Uhmann species list).

Distribution. Indonesia (Java, Sumatra).

Food plant. Unknown.

Estigmena terminalis Baly 1869b

Estigmena terminalis Baly 1869b: 376 (type: Indonesia, Tondano, BMNH). Gemminger & Harold 1876: 3606 (catalog); Donckier 1899: 559 (catalog); Weise 1911a: 40 (catalog), 1911b: 58 (catalog); Gressitt 1957b: 210 (South Pacific species); Uhmann 1958e: 161 (catalog), 1964a: 437 (catalog); Staines & Staines 1999: 525 (Baly species list).

Distribution. Indonesia (Celebes).

Food plant. Unknown.

***Lasiochila* Weise 1916**

Lasiochila Weise 1916: 38. Type species: *Anisodera excavata* Baly 1858, by original designation. Achard 1921: 62 (nomenclature); Uhmann 1930c: 92 (key), 1943c: 179 (noted), 1958e: 161 (catalog), 1959e: 751 (noted); Chûjô 1933: 307 (Taiwan species); Gressitt 1939c: 162 (distribution), 1950: 63 (China species); Descarpentries & Villiers 1959b: 499 (types); Chen et al. 1962: 120 (faunal list); Gressitt & Kimoto 1963b: 898 (China species); Würmli 1975a: 11 (genera); Seeno & Wilcox 1982: 162 (catalog); Anand 1984: 11 (noted); Chen et al. 1986: 119 (China species); L. Medvedev 1992b: 141 (Vietnam species); Jolivet & Hawkeswood 1995: 150 (host plants); Kimoto & Chu 1996: 127 (faunal list); Staines 1997b: 417 (Uhmann species list); Basu 1999: 151 (distribution); Kimoto 1999: 73 (southeast Asia species), 2005: 105 (faunal list); Mohamedsaid 2004: 162 (Malaysian species); Medvedev & Sprecher-Uebersax 2005: 332 (Nepal species); Chaboo 2007: 59 (noted); Lit & Caasi-Lit 2009: 107 (host plant); Borowiec & Sekerka 2010: 368 (catalog).

Anisoderopsis Maulik 1916: 570. Type species: *Anisodera excavata* Baly, by original designation. Maulik 1919: 36 (India species); Gestro 1920: 388 (faunal list); Achard 1921: 62 (synonymy); Uhmann 1943c: 169 (synonymy); Abdullah & Qureshi 1969: 99 (Bangladesh species).

Lasiochila angusta Uhmann 1954c

Lasiochila angusta Uhmann 1954c: 51 (type: Malaysia, Kedah, Pahang, BMNH). Uhmann 1954n: 501 (noted), 1958e: 162 (catalog); Gaedike & Döbler 1971: 364 (types); Staines 1997b: 417 (Uhmann species list); Mohamedsaid 2004: 162 (distribution).
Distribution. Malaysia.
Food plant. Unknown.

Lasiochila anthracina Yu 1985

Lasiochila anthracina Yu 1985: 1 (type: China, Guangxi, IZAS). Yang & Sun 1991: 58 (type); Hua 2002: 293 (faunal list); Borowiec & Sekerka 2010: 368 (catalog).
Distribution. China (Guangxi).
Food plant. Unknown.

Lasiochila bakeri Uhmann 1930-1932

Lasiochila bakeri Uhmann 1930-1932: 4 (type: Philippines, Samar, depository unknown). Uhmann 1931h: 193 (catalog), 1933a: 60 (faunal list), 1958e: 162 (catalog), 1964(1965): 253 (faunal list); Gaedike & Döbler 1971: 365 (types); Staines 1997b: 417 (Uhmann species list).
Distribution. Philippines (Mindanao, Palawan, Samar).
Food plant. Unknown.

Lasiochila bicolor Pic 1924c

Lasiochila bicolor Pic 1924c: 30 (type: Taiwan, MNHN). Uhmann 1930c: 92 (catalog), 1958e: 162 (catalog); Chûjô 1933: 307 (Taiwan species); Gressitt 1950: 64 (China species); Descarpentries & Villiers 1959b: 499 (types); Gressitt & Kimoto 1963b: 898 (China species); Kimoto & Chu 1996: 127 (faunal list); Hua 2002: 293 (faunal list); Lee & Cheng 2007: 161 (Taiwan species); Borowiec & Sekerka 2010: 368 (catalog).

Lasiochila balli Uhmann 1931c: 87 (type: Taiwan, Kanshirei, SMTD). Chûjô 1933: 309 (Taiwan species); Gressitt 1939c: 132 (distribution), 1950: 64 (China species); Uhmann 1958e: 162 (catalog); Gressitt & Kimoto 1963b: 898 (China species); Kimoto & Chu 1996: 127 (synonymy); Staines 1997b: 417 (Uhmann species list).

Lasichila balyi Uhmann (sic). Hua 2002: 293 (lapsus calami).

Lasiochila formosana Pic 1924c: 30 (type: Taiwan, MNHN). Uhmann 1927d: 111 (noted), 1930c: 92 (catalog), 1958e: 163 (catalog); Chûjô 1933: 308 (Taiwan species); Gressitt 1950: 64 (China species); Descarpentries & Villiers 1959b: 499 (types); Gressitt & Kimoto 1963b: 898 (China species); Kimoto 1970: 176 (faunal list); Kimoto & Chu 1996: 127 (synonymy); Hua 2002: 293 (faunal list).

Lasiochila insularis Uhmann 1927d: 110 (not Gestro) (type: Taiwan, Hoozan, DEI). Gaedike & Döbler 1971: 376 (types); Staines 1997b: 417 (Uhmann species list).

Lasiochila insulana Uhmann 1929a: 149 (replacement name). Uhmann 1930c: 93 (catalog), 1958e: 163 (catalog); Chûjô 1933: 308 (Taiwan species); Kimoto 1970: 176 (faunal list), 1987: 194 (faunal list), 1991: 25 (faunal list); Takizawa 1978: 602 (host plant); Kimoto & Chu 1996: 127 (synonymy); Borowiec & Sekerka 2010: 368 (catalog).

Lasiochila insularis insularis Uhmann (sic). Gressitt 1950: 65 (lapsus calami, China species); Uhmann 1958e: 163 (catalog); Gressitt & Kimoto 1963b: 898 (China species); Yu 1992: 610 (faunal list); Hua 2002: 293 (faunal list).

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Anisoderini. http://entomology.si.edu/Collections_Coleoptera-Hispines.html

Lasiochila insularis fukiensis Gressitt 1950: 65 (type: China, Fukien, ICRI). Uhmman 1958e: 163 (catalog); Gressitt & Kimoto 1963b: 898 (China species); Hua 2002: 293 (faunal list).
Distribution. China (Fukien, Hunan), Taiwan.
Food plant. *Miscanthus* sp. (Poaceae) (Takizawa 1978).

Lasiochila cylindrica Hope 1831

Trogosita cylindrica Hope 1831: 27 (type: Nepal, OXUM?).
Anisodera cylindrica (Hope). Baly 1858: 106 (redescription); Gemminger & Harold 1876: 3606 (catalog); Gestro 1890: 236 (distribution); Donckier 1899: 560 (catalog); Weise 1911a: 40 (catalog), 1911b: 59 (catalog); Maulik 1913: 116 (distribution).
Anisoderopsis cylindrica (Hope). Maulik 1919: 40 (India species); Gestro 1920: 389 (faunal list); Abdullah & Qureshi 1969: 99 (Bangladesh species).
Lasiochila cylindrica (Hope). Pic 1924c: 31 (comparative note); Uhmman 1930c: 92 (transfer), 1943c: 180 (noted), 1958e: 162 (catalog); Chen et al. 1962: 120 (faunal list); Gressitt & Kimoto 1963b: 898 (China species); Würmli 1975b: 371 (faunal list); Takizawa 1988: 11 (faunal list), 1989: 326 (faunal list); L. Medvedev 1992a: 34 (faunal list), 1992b: 142 (Vietnam species), 2000b: 23 (faunal list); Mann & Crowson 1996: 301 (internal sac); Sprecher-Uebersax 1997: 161 (faunal list); Basu 1999: 152 (distribution); Medvedev & Sprecher-Uebersax 1999a: 346 (faunal list); Hua 2002: 293 (faunal list); Hartmann & Medvedev 2003: 180 (faunal list); Kimoto 2005: 105 (faunal list); Borowiec & Sekerka 2010: 368 (catalog); Sprecher-Uebersax 2011: 491 (faunal list).
Lasiochila apicalis Pic 1927g: 132 (type: Vietnam, Tonkin, Chapa, MNHN). Descarpentries & Villiers 1959b: 499 (types); Uhmman 1964a: 437 (catalog); L. Medvedev 1992b: 142 (synonymy).
Anisoderopsis convexiticollis Gestro 1920: 390 (type: Vietnam, Tonkin, Chapa, MCSN). L. Medvedev 1992b: 142 (synonymy); Kimoto 1999: 74 (synonymy).
Lasiochila convexiticollis (Gestro). Uhmman 1930c: 92 (transfer), 1958e: 162 (catalog).
Anisoderopsis krishna Maulik 1919: 382 (type: Vietnam, Upper Mekong, MCSN). Gestro 1920: 390 (faunal list); L. Medvedev 1992b: 142 (synonymy).
Lasiochila mausonica Uhmman 1930c: 91 (type: Vietnam, Tonkin, Montes Mauson, DEI, RMHN). Uhmman 1931h: 193 (catalog), 1943c: 180 (noted); Uhmman 1958e: 164 (catalog); Gaedike & Döbler 1971: 382 (types); Kimoto 1999: 77 (southeast Asia species); L. Medvedev 1992b: 142 (synonymy); Staines 1997b: 417 (Uhmman species list).
Lasiochila subparallela Pic 1924c: 30 (type: Vietnam, Tonkin, MNHN). Uhmman 1930c: 93 (catalog), 1958e: 164 (catalog); Descarpentries & Villiers 1959b: 499 (types).
Distribution. Bangladesh, China (Guangxi, Xizang, Yunnan), India (Assam, Meghalaya, Sikkim, West Bengal), Myanmar, Nepal, Thailand, Vietnam.
Food plant. *Bambusa* sp. (Poaceae) (Hua 2002).

Lasiochila dimidiatipennis Chen & Yu 1962

Lasiochila dimidiatipennis Chen & Yu 1962: 122 (type: China, Yunnan, Rui-li, IZAS). Gressitt & Kimoto 1963b: 932 (noted); Yang & Sun 1991: 58 (type); Hua 2002: 293 (faunal list); Borowiec & Sekerka 2010: 368 (catalog).
Distribution. China (Yunnan).
Food plant. Unknown.

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Anisoderini. http://entomology.si.edu/Collections_Coleoptera-Hispines.html

Lasiochila estigmenoides Chen & Yu 1962

Lasiochila estigmenoides Chen & Yu 1962: 122 (type: China, Yunnan, Gin-ping, IZAS). Gressitt & Kimoto 1963b: 932 (noted); Yang & Sun 1991: 58 (type); Hua 2002: 293 (faunal list); Borowiec & Sekerka 2010: 368 (catalog).

Distribution. China (Yunnan).

Food plants. *Bambusa* sp., *Phragmites communis* Trin. (Poaceae) (Hua 2002).

Lasiochila excavata (Baly 1858)

Anisodera excavata Baly 1858: 105 (type: northern India, BMNH). Gemminger & Harold 1876: 3606 (catalog); Baly 1879: 465 (distribution); Weise 1897: 118 (noted), 1911a: 40 (catalog), 1911b: 58 (catalog); Donckier 1899: 560 (catalog); Maulik 1913: 117 (distribution), 1915: 371 (museum list); Liu 1936: 251 (China species); Abdullah & Qureshi 1969: 99 (Bangladesh species); Samuelson 1996: 290 (morphology); Staines & Staines 1999: 522 (Baly species list); Julio et al. 2010: 30 (noted).

Anisoderopsis excavata (Baly). Maulik 1916: 570 (transfer), 1919: 37 (India species); Gestro 1920: 388 (faunal list); Vazirani 1972: 147 (faunal list).

Lasiochila excavata (Baly). Weise 1916: 38 (transfer); Pic 1924c: 31 (comparative note); Uhmman 1930c: 89 (redescription), 1951b: 74 (noted), 1958e: 162 (catalog); Chen et al. 1962: 120 (faunal list); Petitpierre et al. 1988: 179 (chromosomes); L. Medvedev 1991a: 34 (faunal list), 1992b: 141 (Vietnam species); Takizawa 1985c: 101 (faunal list); Sprecher-Uebersax 1997: 161 (faunal list); Basu 1999: 151 (distribution); Medvedev & Sprecher-Uebersax 1999a: 346 (faunal list); Hua 2002: 293 (faunal list); Kimoto 2005: 105 (faunal list); Borowiec & Sekerka 2010: 368 (catalog); Sprecher-Uebersax 2011: 491 (faunal list).

Lasiochila excavate (Baly) (sic). Dey 1986: 26 (lapsus calami, genetics).

Anisoderopsis alternata Maulik 1919: 383 (type: Vietnam, Upper Mekong, Vien Pokha, MCSN). Gestro 1920: 389 (faunal list); Uhmman 1958e: 162 (catalog); L. Medvedev 1992b: 141 (synonymy); Kimoto 1999: 75 (synonymy).

Lasiochila rufipes Pic 1924c: 39 (type: Vietnam, Tonkin, Chapa, MNHN). Uhmman 1930c: 92 (catalog), 1958e: 164 (catalog); Descarpentries & Villiers 1959b: 499 (types); L. Medvedev 1992b: 141 (synonymy).

Distribution. Bangladesh, China (Guangxi, Xizang, Yunnan), India (Assam, Bihar, Meghalaya, Sikkim, West Bengal), Laos, Myanmar, Nepal, Vietnam.

Food plant. *Phragmites communis* Trin. (Poaceae) (Hua 2002).

Lasiochila feae (Baly 1888a)

Anisodera feae Baly 1888a: 658 (type: India, Tenasserim, Thagara, MCSN). Gestro 1890: 236 (distribution); Donckier 1899: 560 (catalog); Weise 1911a: 40 (catalog), 1911b: 59 (catalog); Staines & Staines 1999: 522 (Baly species list).

Anisoderopsis feae (Baly). Maulik 1919: 39 (India species).

Lasiochila feae (Baly). Uhmman 1930c: 92 (catalog), 1958e: 163 (catalog); Gressitt 1939c: 132 (distribution); Kimoto 1999: 75 (southeast Asia species).

Distribution. India, Myanmar, Vietnam.

Food plant. Unknown.

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Anisoderini. http://entomology.si.edu/Collections_Coleoptera-Hispines.html

Lasiochila gestroi (Baly 1888a)

Anisodera gestroi Baly 1888a: 656 (type: Upper Burma, Bhamo, MCSN, ISBN, MNHN). Gestro 1890: 235 (distribution); Donckier 1899: 560 (catalog); Weise 1897: 118 (faunal list), 1911a: 40 (catalog), 1911b: 58 (catalog); Staines & Staines 1999: 522 (Baly species list).
Anisoderopsis gestroi (Baly). Maulik 1919: 38 (India species); Gestro 1920: 388 (faunal list).
Lasiochila gestroi (Baly). Uhmann 1928b: 61 (faunal list), 1930c: 89 (redescription), 1943c: 179 (noted), 1958e: 163 (catalog), 1959e: 751 (noted); Descarpentries & Villiers 1959b: 499 (types); Chen et al. 1962: 120 (faunal list); L. Medvedev 1992b: 141 (Vietnam species); Kimoto 1999: 76 (southeast Asia species); Hua 2002: 293 (faunal list); Liang et al. 2002: 19 (introduction); Borowiec & Sekerka 2010: 368 (catalog).
Lasiochila ruficolor Pic 1924c: 31 (type: Vietnam, Tonkin, Bac Mac, MNHN). Uhmann 1958e: 164 (catalog), 1964a: 437 (catalog); Descarpentries & Villiers 1959b: 499 (types); L. Medvedev 1992b: 141 (synonymy); Kimoto 1999: 75 (synonymy).
Lasiochila gestroi ruficolor Pic. Uhmann 1930c: 92 (catalog), 1958e: 163 (catalog).
Distribution. China (Yunnan), Laos, Myanmar, Thailand, Vietnam.
Food plant. Unknown.

Lasiochila goryi (Guérin-Méneville 1840b)

Botryonopa goryi Guérin-Méneville 1840b: 332 (type: Indonesia, Java, BMNH). Uhmann 1966d: 274 (noted).
Anisodera goryi (Guérin-Méneville). Baly 1858: 105 (transfer); Gemminger & Harold 1876: 3606 (catalog); Donckier 1899: 560 (catalog); Weise 1911a: 40 (catalog), 1911b: 58 (catalog); MacDonald 1960: 138 (noted), 1962: 413 (biology); Maddison 1993: 405 (host plant).
Lasiochila goryi (Guérin-Méneville). Uhmann 1930c: 90 (transfer), 1931h: 193 (catalog), 1943c: 179 (noted), 1958e: 163 (catalog), 1959e: 751 (larva), 1964a: 437 (catalog); Kalshoven 1951: 740 (biology), 1957: 7 (host plant); Medway & Marshall 1970: 240 (host plant); Maddison 1993: 407 (host plant); Mohamedsaid 2004: 162 (Malaysian species); Zhang et al. 2005: 61 (ecology).
Distribution. Indonesia (Java), Malaysia.
Food plants. Bamboo (Kalshoven 1951); *Gigantochloa scortechinii* Gamble,
Dendrocalamus pendulus Ridley (MacDonald 1962) (Poaceae).

Lasiochila imitans Uhmann 1951b

Lasiochila imitans Uhmann 1951b: 74 (type: India, Assam, Patkai Mountains, BMNH). Uhmann 1958e: 163 (catalog); Gaedike & Döbler 1971: 376 (types); Würmli 1975b: 372 (noted); Staines 1997b: 417 (Uhmann species list); Medvedev & Sprecher-Uebersax 1998: 40 (faunal list), 1999a: 346 (faunal list); Kimoto 2005: 105 (faunal list); Borowiec & Sekerka 2010: 368 (catalog); Sprecher-Uebersax 2011: 491 (faunal list).
Distribution. Bhutan, India (Assam), Nepal.
Food plant. *Dendrocalamus* sp. (Poaceae) (Würmli 1975b).

Lasiochila insularis (Gestro 1917)

Anisodera insularis Gestro 1917: 393 (type: Philippines, Tayabas, Malinao, MCSN).
Anisoderopsis insularis (Gestro). Gestro 1922: 100 (faunal list).

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Anisoderini. http://entomology.si.edu/Collections_Coleoptera-Hispines.html

Lasiochila insularis (Gestro). Uhmman 1930c: 93 (catalog), 1958e: 163 (catalog), 1964(1965): 239 (faunal list).
Distribution. Philippines (Luzon, Tayabas).
Food plant. Unknown.

Lasiochila jitrana Uhmman 1954n

Lasiochila jitrana Uhmman 1954n: 503 (type: Malay Peninsula, Kedah, BMNH). Uhmman 1958e: 163 (catalog); Gaedike & Döbler 1971: 377 (types); Staines 1997b: 417 (Uhmman species list); Mohamedsaid 2000a: 358 (faunal list), 2004: 162 (Malaysian species).
Distribution. Malaysia.
Food plant. Unknown.

Lasiochila latior Yu 1985

Lasiochila latior Yu 1985: 2 (type: China, Guangxi, IZAS). Yang & Sun 1991: 58 (type); Hua 2002: 293 (faunal list); Borowiec & Sekerka 2010: 368 (catalog).
Distribution. China (Guangxi).
Food plant. Unknown.

Lasiochila longipennis (Gestro 1906b)

Anisodera longipennis Gestro 1906b: 474 (type: Vietnam, Bao-Lac, MCSN). Weise 1911a: 40 (catalog), 1911b: 59 (catalog); Gressitt & Kimoto 1963b: 898 (China species).

Lasiochila longipennis (Gestro). Pic 1924c: 30 (comparative note); Gressitt 1939a: 162 (transfer); Uhmman 1958e: 163 (catalog); Chen et al. 1962: 120 (faunal list); Kimoto 1999: 76 (southeast Asia species); Hua 2002: 293 (faunal list); Borowiec & Sekerka 2010: 368 (catalog).

Anisoderopsis krishna Maulik 1919: 382 (type: Vietnam, Upper Mekong, MCSN). Kimoto 1999: 77 (synonymy).

Lasiochila krishna (Maulik). Gestro 1920: 390 (noted); Uhmman 1930c: 93 (catalog), 1958e: 163 (catalog).

Lasiochila rufipennis Pic 1924: 30 (type: Vietnam, Tonkin, Chapa, MNHN). Descarpentries & Villiers 1959b: 499 (types); Uhmman 1964a: 437 (catalog).

Lasiochila apicalis Pic 1927: 132 (type: Vietnam, Tonkin, Chapa, MNHN). Uhmman 1930c: 92 (catalog), 1958e: 162 (catalog); Descarpentries & Villiers 1959b: 499 (types).

Distribution. China (Yunnan), Laos, Vietnam.

Food plant. Unknown.

Lasiochila macilenta (Gestro 1906a)

Anisodera macilenta Gestro 1906a: 178 (type: India, Travancore, MCSN, MNHN). Weise 1911a: 41 (catalog); Maulik 1919: 32 (India species); Gestro 1920: 386 (noted); Uhmman 1930c: 79 (key).

Anisodera (Lasiochila) macilenta Gestro. Weise 1911b: 59 (catalog).

Lasiochila macilenta (Gestro). Uhmman 1930c: 93 (catalog), 1958e: 163 (catalog);

Descarpentries & Villiers 1959b: 499 (types).

Distribution. India (Madras).

Food plant. Unknown.

Lasiochila mediovittata (Gestro 1920)

Anisoderopsis mediovittata Gestro 1920: 391 (type: Vietnam, Upper Mekong, Nam Long, MCSN).

Lasiochila mediovittata (Gestro). Uhmman 1930c: 93 (transfer), 1958e: 164 (catalog).

Distribution. Vietnam.

Food plant. Unknown.

Lasiochila monticola Chen & Yu 1964

Lasiochila monticola Chen & Yu 1964: 106 (type: China, Kwangsi, Lung-sheng, IZAS). Gressitt & Kimoto 1965: 805 (noted); Yang & Sun 1991: 58 (type); Hua 2002: 293 (faunal list); Borowiec & Sekerka 2010: 368 (catalog).

Distribution. China (Kwangsi).

Food plant. *Phyllostachys viridis* (R. A. Young) McClure (Poaceae) (Hua 2002).

Lasiochila nasuelli (Gestro 1890)

Anisodera nasuelli Gestro 1890: 233 (type: Burma, MCSN, ISNB). Donckier 1899: 561 (catalog); Maulik 1919: 33 (India species); Gestro 1920: 386 (noted).

Anisodera (*Lasiochila*) *nasuelli* Gestro. Weise 1911a: 41 (catalog), 1911b: 59 (catalog).

Lasiochila nasuelli (Gestro). Uhmman 1930c: 93 (catalog), 1958e: 164 (catalog).

Distribution. Myanmar.

Food plant. Unknown.

Lasiochila nigra (Maulik 1919)

Anisoderopsis nigra Maulik 1919: 40 (type: India, Bengal, Mamide; South India, Pirmaad, BMNH, ZUIC). Abdullah & Qureshi 1969: 99 (Bangladesh species);

Lasiochila nigra (Maulik). Uhmman 1930c: 93 (transfer), 1958e: 164 (transfer); Basu 1999: 152 (transfer)

Distribution. Bangladesh, India (Kerala, West Bengal).

Food plant. Unknown.

Lasiochila parallela (Chapuis 1876)

Anisodera parallela Chapuis 1876: xx (type: Philippines, Mindanao, ISNB, MNHN).

Gemminger & Harold 1876: 3606 (catalog); Donckier 1899: 561 (catalog); Weise 1911a: 40 (catalog), 1911b: 59 (catalog); Allard 1904: 161 (faunal list); Schultze 1916: 99 (faunal list); Gestro 1917: 393 (faunal list), 1922: 100 (faunal list).

Lasiochila parallela (Chapuis). Uhmman 1927d: 110 (noted), 1930c: 88 (redescription), 1933a: 60 (faunal list), 1958e: 164 (catalog), 1964(1965): 239 (faunal list); Descarpentries & Villiers 1959b: 499 (types).

Distribution. Philippines (Mindanao, Panay).

Food plant. Unknown.

Lasiochila rufa (Guérin-Ménéville 1840b)

Bothryonopa rufa Dejean 1837: 387 Nomen Nudum.

Bothryonopa rufa Guérin-Ménéville 1840b: 332 (type: Indonesia, Java, depository unknown).

Uhmman 1966d: 274 (noted).

Anisodera rufa (Guérin-Méneville). Baly 1858: 106 (transfer); Gemminger & Harold 1876: 3606 (catalog); Gestro 1885: 163 (distribution); Donckier 1899: 561 (catalog); Weise 1911a: 40 (catalog), 1911b: 58 (catalog).

Lasiochila rufa (Guérin-Méneville). Uhmann 1930c: 90 (redescription), 1931h: 193 (catalog), 1943c: 180 (noted), 1955f: 133 (pupa), 1958e: 164 (catalog); Kalshoven 1957: 7 (host plant); Klass et al. 2011: 92 (morphology); Hüber & Klass 2013: 6 (morphology).
Distribution. Indonesia (Java), Myanmar, Vietnam.
Food plant. Bamboo (Poaceae) (Kalshoven 1957).

Lasiochila thoracica (Chapuis 1876)

Anisodera thoracica Chapuis 1876: xx (type: Philippines, Luzon, ISNB). Gemminger & Harold 1876: 3606 (catalog); Donckier 1899: 561 (catalog); Weise 1911a: 40 (catalog), 1911b: 59 (catalog), 1913: 237 (faunal list); Schultze 1916: 99 (faunal list); Gestro 1917: 393 (faunal list), 1922: 100 (faunal list).

Lasiochila thoracica (Chapuis). Uhmann 1930c: 88 (redescription), 1930-1932: 5 (faunal list), 1931f: 224 (museum list), 1933a: 60 (faunal list), 1958e: 164 (catalog), 1964(1965): 239 (faunal list); Chaboo 2007: 150 (phylogeny).
Distribution. Philippines (Luzon, Mindanao).
Food plant. Unknown.

Lasiochila vitalisi (Maulik 1919)

Anisoderopsis vitalisi Maulik 1919: 383 (type: Vietnam, Upper Mekong, MCSN). Gestro 1920: 389 (faunal list).

Lasiochila vitalisi (Maulik). Uhmann 1930c: 93 (catalog), 1958e: 164 (catalog); L. Medvedev 1992b: 142 (Vietnam species); Basu 1999: 152 (distribution); Kimoto 1999: 78 (southeast Asia species).

Anisodera cylindrica (Hope). Gestro 1890: 236 (misidentification), 1920: 389 (correction).
Distribution. Laos, Myanmar, Thailand, Vietnam.
Food plant. Unknown.

Fossil species

Anisodera sp.

Anisodera sp. Spahr 1981: 25 (Baltic amber: Russia, Poland). Santiago-Blay 1994: 28 (catalog); Chaboo 2007: 34 (noted).

Protanisodera Quiel 1909

Protanisodera Quiel 1909: 50. Type species: *Protanisodera glaesi* Quiel 1909, by monotypy. Kolbe 1925: 150 (noted), 1958e: 353 (catalog); Spahr 1981: 28 (catalog); Santiago-Blay 1994: 28 (catalog).

Protanisodera glaesi Quiel 1909

Protanisodera glaesi Quiel 1909: 51 (type: ZMHU). Uhmann 1958e: 353 (catalog); Santiago-Blay 1994: 28 (catalog).
Baltic amber.