

### Tribe Callispini Chapuis 1875

Callispites Chapuis 1875: 269. Handlirsch 1925: 666 (classification).

Callispini Chapuis. Würmli 1975a: 12 (genera); Staines 2004a: 311 (host plants); Borowiec & Sekerka 2010: 371 (catalog); Bouchard et al. 2011: 78, 511 (nomenclature).

Callispini Weise 1911a: 41. Weise 1911b: 60 (catalog); Gestro 1914: 276 (faunal list), 1920: 392 (faunal list); Handlirsch 1925: 666 (classification); Winkler 1929: 1352 (catalog); Uhmann 1931i: 837 (museum list), 1940g: 121 (claws), 1949a: 3 (key), 1952b: 343 (note), 1954a: 187 (faunal list), 1954f: 6 (faunal list), 1954h: 176 (faunal list), 1956f: 338 (catalog), 1958e: 169 (catalog), 1959d: 8 (scutellum), 1960d: 373 (faunal list), 1961a: 18 (faunal list), 1964a: 438 (catalog), 1964(1965): 239 (faunal list), 1966b: 210 (faunal list), 1966d: 274 (note), 1969: 297 (faunal list); Liu 1936: 250 (China species); Wu 1937: 911 (faunal list); Gressitt 1939a: 163 (distribution), 1939b: 197 (distribution), 1939c: 132 (distribution), 1949a: 3 (note), 1950: 66 (China species), 1953: 121 (distribution), 1957b: 211 (South Pacific species); Chûjô 1953: 125 (higher classification); Gressitt & Kimoto 1963a: 899 (China species); Seeno & Wilcox 1982: 162 (catalog); Gressitt & Samuelson 1988: 50 (New Guinea species); Jolivet 1988b: 13 (host plants), 1989b: 308 (host plants); L. Medvedev 1992b: 143 (Vietnam species); Jolivet & Hawkeswood 1995: 150 (host plants); Cox 1996a: 167 (pupa); Jolivet & Verma 2002: 62 (note); Chaboo 2007: 173 (phylogeny); Lee et al. 2012: 832 (Taiwan species).

Callispidae. Chen 1973: 51 (classification).

Callispinae. Gestro 1905b: 503 (faunal list); Chen 1985: 472 (phylogeny); Yang & Sun 1991: 58 (types); Yu 1992: 610 (faunal list).

Hispodontides Chapuis 1875: 284. Handlirsch 1925: 666 (classification); Bouchard et al. 2011: 512 (nomenclature).

Type genus: *Callispa* Baly 1858.

### *Amblispa* Baly 1858

*Amblispa* Baly 1858: 10. Type species: *Amblispa dohrnii* Baly 1858, by original designation.

Chapuis 1875: 271 (redescription); Gemminger & Harold 1876: 3600 (catalog); Donckier 1899: 546 (catalog); Gestro 1905b: 543 (catalog); Weise 1905b: 114 (distribution), 1911a: 44 (catalog), 1911b: 64 (catalog); Maulik 1919: 70 (India species); Uhmann 1958e: 183 (catalog), 1959d: 8 (scutellum), 1964a: 441 (catalog); Abdullah & Qureshi 1969: 99 (Bangladesh species); Würmli 1975a: 17 (genera); Seeno & Wilcox 1982: 162 (catalog); Anand 1984: 11 (note); Jolivet 1989b: 308 (host plants); L. Medvedev 1992b: 143 (Vietnam species); Jolivet & Hawkeswood 1995: 151 (host plants); Basu 1999: 158 (distribution); Staines & Staines 1999: 522 (Baly species list); Kimoto 2005: 100 (faunal list); Medvedev & Sprecher-Uebersax 2005: 332 (Nepal species); Borowiec & Sekerka 2010: 371 (catalog).

### *Amblispa dohrnii* Baly 1858

*Amblispa dohrnii* Baly 1858: 12 (type: Ceylon, BMNH). Tennent 1868: 452 (faunal list);

Gemminger & Harold 1876: 3600 (catalog); Donckier 1899: 546 (catalog); Gestro 1902a: 52 (faunal list); Weise 1911a: 44 (catalog), 1911b: 64 (catalog); Maulik 1919: 71 (India species); Uhmann 1952b: 352 (note), 1958e: 183 (catalog); Staines & Staines 1999: 522 (Baly species list).

Distribution. Sri Lanka.

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

Food plant. Unknown.

*Amblispa laevigata* (Guérin-Méneville 1844a)

*Microrhopala laevigata* Guérin-Méneville 1844a: 278 (type: India, Pondichery, depository unknown). Gemminger & Harold 1876: 3611 (catalog); Donckier 1899: 575 (catalog); Uhmman 1966d: 274 (note).

*Amblispa laevigata* (Guérin-Méneville). Baly 1858: 12 (transfer); Gemminger & Harold 1876: 3600 (catalog); Donckier 1899: 546 (catalog); Maxwell-Lefroy 1909: 364 (host plant); Weise 1897: 117 (faunal list), 1905b: 114 (faunal list), 1911a: 44 (catalog), 1911b: 64 (catalog); Maulik 1919: 71 (India species); Uhmman 1952b: 352 (note), 1958e: 183 (catalog), 1963b: 150 (museum list), 1964a: 441 (catalog); Kalshoven 1957: 8 (host plant); Abdullah & Qureshi 1969: 99 (Bangladesh species); Würmli 1976e: 362 (distribution); Takizawa 1985a: 1 (faunal list); Basu 1999: 158 (distribution); Medvedev & Sprecher-Uebersax 1998: 40 (faunal list), 1999a: 343 (faunal list); 2005: 332 (Nepal species); Kimoto 2005: 100 (faunal list); Borowiec & Świętojańska 2007: 280 (distribution); Borowiec & Sekerka 2010: 371 (catalog); Sprecher-Uebersax 2011: 487 (faunal list).

*Amblispa laevigata purpurascens* Maulik 1919: 73 (type: Ceylon; India, United Provinces, Ranikhet, BMNH). Uhmman 1952b: 361 (catalog), 1958e: 183 (catalog).

*Amblispa laevigata viridis* Maulik 1919: 73 (type: South India; Trichur, ZUIC). Uhmman 1958e: 183 (catalog)

Distribution. Bangladesh, India (Bihar, Himachal Pradesh, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Tamil Nadu, Uttar Pradesh, West Bengal), Nepal, Sri Lanka.

Host plant. Grass (Poaceae) (Maxwell-Lefroy 1909).

***Callispa* Baly 1858**

*Callispa* Baly 1858: 4. Type species: *Callispa fortunei* Baly 1858, by original designation. Baly 1869b: 364 (note); Chapuis 1875: 272 (redescription), 1876: xvii (faunal list); Gemminger & Harold 1876: 3599 (catalog); Weise 1893: 1060 (catalog), 1911a: 42 (catalog), 1911b: 62 (catalog); Gestro 1897b: 41 (distribution), 1901b: 434 (note), 1905b: 504 (faunal list), 1914: 276 (faunal list), 1917: 396 (faunal list); Péringuey 1898: 114 (faunal list), 1908: 334 (South African species); Donckier 1899: 543 (catalog); Maxwell-Lefroy 1909: 364 (note); Schultze 1916: 100 (faunal list); Maulik 1919: 43 (India species); Handlirsch 1925: 666 (classification); Winkler 1929: 1352 (catalog); Uhmman 1930-1932: 34 (note), 1931i: 837 (museum list), 1940g: 121 (claws), 1942a: 5 (faunal list), 1949a: 3 (note), 1952b: 343 (note), 1954f: 6 (faunal list), 1954h: 176 (faunal list), 1958e: 171 (catalog), 1959d: 7 (scutellum), 1961a: 18 (faunal list), 1964a: 439 (catalog), 1966b: 210 (faunal list); Spaeth 1935b: 255 (African species); Liu 1936: 250 (China species); Wu 1937: 911 (faunal list); Gressitt 1938: 321 (Hainan Island), 1939a: 163 (distribution), 1939b: 197 (distribution), 1950: 66 (China species); Lepesme 1947: 536 (host plants); Descarpentries & Villiers 1959b: 500 (types); Chen et al. 1961: 457 (faunal list); Gressitt & Kimoto 1963a: 899 (China species); Nair & Oommen 1965: 230 (biology); Abdullah & Qureshi 1969: 99 (Bangladesh species); Look 1974: 417 (noted); David & Kumaraswami 1975: 93 (pest species); Nair 1975: 76 (pest species); Würmli 1975a: 17 (genera); Nayar et al. 1976: 353 (note); Medler 1980: 261 (faunal list); Seeno & Wilcox 1982: 162 (catalog); Anand 1984: 11 (note), 1989: 5 (India species);

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

- Silfverberg 1985: 270 (note); Chen et al. 1986: 375 (China species); Jolivet 1989b: 308 (host plants), 1997b: 98 (noted); Nair 1989: 37 (pest status); Jolivet & Hawkeswood 1995: 150 (host plants); Basu 1999: 152 (distribution); Kimoto 1999: 92 (southeast Asia species), 2005: 100 (faunal list); Staines & Staines 1999: 522 (Baly species list); Steiner 2001: 60 (host plants); Jolivet & Verma 2002: 62 (note); Mohamedsaid 2004: 166 (Malaysian species); Medvedev & Sprecher-Uebersax 2005: 332 (Nepal species); Staines 1997b: 413 (Uhmman species list), 2005: 47 (Spaeth species list); Schöller 2007: 333 (Malaysia species); Ballentes et al. 2006: 53 (faunal list); Chaboo 2007: 116 (note); Lit & Caasi-Lit 2009: 106 (host plant); Borowiec & Sekerka 2010: 371 (catalog); Lee et al. 2012: 832 (Taiwan species); Shameem & Prathapan 2013: 2 (noted).
- Miltinaspis* Weise 1904b: 443. Type species: *Cephaloleia cassidoides* Guérin-Ménéville 1844a, by monotypy. Uhmman 1958e: 182 (catalog), 1964a: 441 (catalog); Würmli 1975a: 17 (synonymy).
- Melispa* Weise 1897: 114. Type species: *Melispa andrewesi* Weise 1897, by monotypy. Donckier 1899: 547 (catalog); Weise 1911a: 44 (catalog), 1911b: 64 (redescription); Maulik 1919: 73 (India species); Uhmman 1958e: 182 (catalog); Würmli 1975a: 17 (synonymy); Anand 1984: 11 (note).
- Rhinocassis* Spaeth 1905: 255. Type species: *Cephaloleia cassidoides* Guérin-Ménéville 1844a, by monotypy. Spaeth 1929: 30 (synonymy).
- Callispa* (*Callispella*) Spaeth 1935b: 255. Type species: *Callispa gracilicornis* Weise 1910, by original designation. Uhmman 1952b: 357 (note), 1958e: 182 (catalog); Würmli 1975a: 17 (genera); Medler 1980: 262 (faunal list).

### *Callispa* (*Callispa*)

#### *Callispa africana* Baly 1876

- Callispa africana* Baly 1876: 127 (type: Banks of the Niger, BMNH). Kraatz 1895: 190 (redescription); Donckier 1899: 543 (catalog); Gestro 1905b: 542 (catalog); Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Spaeth 1935b: 256 (note); Uhmman 1954h: 176 (key), 1958e: 171 (catalog); Medler 1980: 261 (faunal list); Staines & Staines 1999: 522 (Baly species list).
- Distribution. Niger, Nigeria, Togo.
- Food plant. Unknown.

#### *Callispa ajaya* Basu 1999

- Callispa ajaya* Basu 1999: 156 (type: India, West Bengal, Darjeeling District, Ghoombhanjang, ZUIC). Borowiec & Sekerka 2010: 371 (catalog).
- Distribution. India (West Bengal).
- Food plant. Unknown.

#### *Callispa almora* Maulik 1923

- Callispa almora* Maulik 1923: 599 (type: India, Himalaya, Almora, BMNH). Uhmman 1958e: 171 (catalog); Borowiec & Sekerka 2010: 371 (catalog).
- Callispa almora nigrimembris* Chen & Yu 1964: 107 (type: China, Szechwan, Omei-shan, IZAS). Gressitt & Kimoto 1965: 805 (note); Yang & Sun 1991: 58 (type); Borowiec & Sekerka 2010: 371 (catalog).

*Callispa bigrimembris* Chen & Yu. Hua 2002: 288 (lapsus calami).

*Callispa almora fukienica* Chen & Yu 1964 (type: China, Fukien, Kien-yang, IZAS). Hua 2002: 288 (faunal list).

Distribution. China (Fukien, Szechuan, Yunnan), India.

Food plant. Unknown.

*Callispa amabilis* Gestro 1909(1910)

*Callispa amabilis* Gestro 1909(1910): 123 (type: Borneo, Sarawak, MCSN). Weise 1911a: 42 (catalog), 1911b: 62 (catalog); Uhmann 1928e: 370 (faunal list), 1928f: 394 (faunal list), 1935g: 143 (faunal list), 1952b: 357 (key), 1954n: 516 (distribution), 1958e: 171 (catalog), 1959d: 8 (scutellum), 1964a: 439 (catalog); Chen et al. 1961: 457 (faunal list); Hua 2002: 288 (faunal list); Mohamedsaid 2004: 166 (Malaysian species); Schöller 2008: 317 (key); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Yunnan), Indonesia (Java, Sumatra), Malaysia.

Food plant. Unknown.

*Callispa andrewesi* (Weise 1897)

*Melissa andrewesi* Weise 1897: 116 (type: India, Madura, BMNH). Donckier 1899: 547 (catalog); Weise 1911a: 44 (catalog), 1911b: 64 (catalog); Maulik 1919: 74 (India species); Uhmann 1958e: 182 (catalog).

Distribution. India (Madras).

Food plant. Unknown.

*Callispa angonina* Spaeth 1935b

*Callispa angonina* Spaeth 1935b: 260 (type: Nyasaland, Dedza, Zentral Angoniland, BMNH). Uhmann 1953b: 11 (faunal list), 1958e: 171 (catalog); Staines 2005: 47 (Spaeth species list).

Distribution. Zambia.

Food plant. Unknown.

*Callispa angusta* Gressitt 1950

*Callispa angusta* Gressitt 1950: 67 (type: China, Fukien, Kwan-in-han, CASC). Gressitt 1953: 121 (distribution); Gressitt & Kimoto 1963a: 900 (China species); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Fukien).

Food plant. Unknown.

*Callispa angusticollis* Maulik 1919

*Callispa angusticollis* Maulik 1919: 54 (type: India, Madras, Nilgiri Hills, BMNH). Uhmann 1952b: 359 (catalog), 1958e: 171 (catalog).

Distribution. India (Madras).

Food plant. Unknown.

*Callispa apicalis* Pic 1924b

*Callispa apicalis* Pic 1924b: 99 (type: China, Fukien, MNHN). Winkler 1929: 1352 (catalog); Wu 1937: 911 (faunal list); Gressitt 1939c: 132 (distribution), 1950: 68 (China species);

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

Uhmman 1952b: 359 (catalog), 1954a: 187 (faunal list), 1958e: 171 (catalog); Gressitt & Kimoto 1963a: 900 (China species); Descarpentries & Villiers 1959b: 500 (types); Yu 1992: 347 (faunal list); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Chekiang, Fukien, Hunan, Kiangsu).

Food plant. Unknown.

*Callispa arcana* Duvivier 1892

*Callispa arcana* Duvivier 1892: 446 (type: India, Konbir, ISNB). Donckier 1899: 543 (catalog); Weise 1911a: 42 (catalog), 1911b: 62 (catalog); Maulik 1919: 55 (India species); Uhmman 1958e: 171 (catalog); Abdullah & Qureshi 1969: 99 (Bangladesh species).

Distribution. Bangladesh, India (Bengal).

Food plant. Unknown.

*Callispa assama* Maulik 1919

*Callispa assama* Maulik 1919: 68 (type: India, Assam, BMNH). Uhmman 1952b: 359 (catalog), 1958e: 171 (catalog); Abdullah & Qureshi 1969: 99 (Bangladesh species).

Distribution. Bangladesh, India (Assam), Myanmar.

Food plant. Unknown.

*Callispa australis* (Péringuey 1898)

*Amblispa australis* Péringuey 1898: 114 (type: Zambesia, Salisbury, SAMC). Donckier 1899: 546 (catalog); Gestro 1905b: 543 (catalog); Weise 1911a: 44 (catalog), 1911b: 64 (catalog).

*Callispa australis* (Péringuey). Gestro 1914: 276 (transfer); Spaeth 1935b: 260 (note); Uhmman 1953b: 11 (faunal list), 1956f: 338 (catalog), 1958e: 171 (catalog).

Distribution. Mozambique, South Africa.

Food plant. Unknown.

*Callispa beccarii* Gestro 1909(1910)

*Callispa beccarii* Gestro 1909(1910): 126 (type: Borneo, Sarawak, MCSN). Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Uhmman 1958e: 172 (catalog); Mohamedsaid 2004: 166 (Malaysian species).

Distribution. Malaysia.

Food plant. Unknown.

*Callispa biarcuata* Chen & Yu 1961

*Callispa biarcuata* Chen & Yu 1961: 460 (type: China, Kwangtung, Canton, IZAS). Gressitt & Kimoto 1963b: 931 (note); Yang & Sun 1991: 58 (type); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Kwangtung).

Food plant. Unknown.

*Callispa bicolor* Gestro 1909(1910)

*Callispa bicolor* Gestro 1909(1910): 127 (type: Borneo, Sarawak, MCSN). Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Uhmman 1930-1932: 11 (faunal list), 1933a: 61 (faunal

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

list), 1952b: 354 (key), 1958e: 172 (catalog), 1959d: 8 (scutellum), 1964a: 439 (catalog), 1964(1965): 254 (faunal list); Mohamedsaid 2004: 166 (Malaysian species).  
Distribution. Indonesia (Borneo), Malaysia, Philippines (Palawan).  
Food plant. Unknown.

*Callispa bicoloripes* Pic 1930d

*Callispa bicoloripes* Pic 1930d: 8 (type: Congo, Pangala, MNHN). Spaeth 1935b: 256 (note); Uhmman 1958e: 172 (catalog), 1964a: 439 (catalog); Descarpentries & Villiers 1959b: 500 (types).  
Distribution. Congo.  
Food plant. Unknown.

*Callispa bijaya* Basu 1999

*Callispa bijaya* Basu 1999: 154 (type: India, West Bengal, Darjeeling District, Tarkhola, ZUIC). Borowiec & Sekerka 2010: 371 (catalog).  
Distribution. India (West Bengal).  
Food plant. Unknown.

*Callispa bioculata* Uhmman 1939c

*Callispa bioculata* Uhmman 1939c: 38 (type: Indonesia, Java, Preanger, DEI). Uhmman 1952b: 356 (key), 1958e: 172 (catalog), 1964a: 439 (catalog); Kalshoven 1957: 8 (host plant); Gaedike & Döbler 1971: 366 (types); Staines 1997b: 413 (Uhmman species list); Reid 1998: 300 (faunal list); Steiner 2001: 81 (host plants).  
Distribution. Indonesia (Java).  
Food plant. Rattan (Arecaceae) (Kalshoven 1957); *Calamus* sp. (Araceae) (Reid 1998).

*Callispa bipartita* Kung & Yu 1961

*Callispa bipartita* Kung & Yu 1961: 461 (type: China, Yunnan, IZAS). Yang & Sun 1991: 58 (type); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).  
Distribution. China (Yunnan).  
Food plant. Unknown.

*Callispa boettcheri* Uhmman 1930-1932

*Callispa boettcheri* Uhmman 1930-1932: 34 (type: Philippines, Mindoro, DEI). Uhmman 1933a: 62 (faunal list), 1952b: 356 (key), 1958e: 172 (catalog), 1959d: 8 (scutellum), 1964a: 439 (catalog), 1964(1965): 254 (faunal list); Gaedike & Döbler 1971: 366 (types); Staines 1997b: 413 (Uhmman species list).  
Distribution. Philippines (Mindoro).  
Food plant. Unknown.

*Callispa bottegi* Gestro 1898c

*Callispa bottegi* Gestro 1898c: 713 (type: Sancurar, Amarr dal Febbraio, MCSN). Donckier 1899: 543 (catalog); Gestro 1905b: 542 (catalog); Weise 1911a: 42 (catalog), 1911b: 64 (catalog); Spaeth 1935b: 255 (note); Uhmman 1958e: 172 (catalog).  
Distribution. Somalia.  
Food plant. Unknown.

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)




*Amblispa laevigata*



*Callispa brettinghami*



*Callispa cumingii*



*Callispa delauneyi*



*Callispa dimidiatipennis*



*Callispa duodecimmaculata*

*Callispa bowringii* Baly 1858

*Callispa bowringii* Baly 1858: 5 (type: Hong Kong, BMNH). Weise 1893: 1060 (note), 1897: 115 (note), 1911a: 42 (catalog), 1911b: 63 (catalog); Uhmann 1927b: 59 (key), 1952b: 349 (note), 1954a: 187 (faunal list), 1958e: 172 (catalog), 1959d: 9 (scutellum), 1961a: C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

- 20 (note), 1964a: 439 (catalog); Chen 1928: 39 (biology), 1929: 515 (host plants); Gressitt 1938: 321 (distribution), 1939a: 163 (China species), 1939b: 197 (distribution), 1939c: 133 (distribution), 1950: 69 (China species); Kalshoven 1957: 8 (host plant); Chen et al. 1961: 457 (faunal list); Gressitt & Kimoto 1963a: 901 (China species); Maddison 1993: 271, 365, 367, 369, 370, 374, 406 (host plant); Cox 1996a: 167 (pupa); Kimoto 1999: 95 (southeast Asia species); Staines & Staines 1999: 522 (Baly species list); Hua 2002: 288 (faunal list); Yu & Li 2002: 461 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).
- Callispa bowringi* Baly. Gemminger & Harold 1876: 3599 (lapsus, catalog); Weise 1897: 115 (key); Donckier 1899: 543 (catalog); Maulik 1937: 144 (host plants); Liu 1936: 252 (China species); Wu 1937: 911 (faunal list); Uhmann 1940h: 126 (faunal list); L. Medvedev 1992b: 145 (Vietnam species); Yu 1992: 347 (faunal list); Chaboo 2007: 150 (phylogeny).
- Callispa bowringi atripes* Pic 1924c: 27 (type: China, Fukien, MNHN).
- Callispa bowringii atripes* Pic. Wu 1937: 911 (faunal list); Gressitt 1939: 163 (note); Uhmann 1958e: 172 (catalog); Descarpentries & Villiers 1959b: 500 (types).
- Callispa proxima* Baly 1869b: 364 (type: Siam, Mountains of Laos, BMNH). Gemminger & Harold 1876: 3599 (catalog); Donckier 1899: 544 (catalog); Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Uhmann 1958e: 179 (catalog); L. Medvedev 1992: 145 (synonymy); Kimoto 1999: 95 (synonymy); Staines & Staines 1999: 523 (Baly species list).
- Chrysomelid pest of bamboo. Chen 1931: 515 (biology); Gressitt 1939a: 163 (identification).  
Distribution. China (Fukien, Hainan, Hupeh, Kwangtung, Szechuan, Yunnan), Laos, Philippines, Thailand, Vietnam.  
Food plants. *Bambusa arundinacea* Willd., *B. beecheyana* Munro, *B. glaucescens* (Willdenow) Siebold ex. Holttum, *B. oldahmi* Munro, *B. muliplex* (Lour.) Raeusch, *B. sinospinosa* McClure, *B. tuldoidea* Munro, *Dendrocalamis latiflorus* Munro, *Phyllostachys aurea* Riv., *Arundinaria* sp., *Lingnania chungii* McClure, *L. cerosissima* McClure, *Sinobambusa tootsik* (Mak.) McClure, *Sinocalamus beecheyanus* (Munro) McClure (Poaceae) (Chen 1929, Gressitt 1950, Gressitt & Kimoto 1963a, Maddison 1993, Hutacharern & Tubtim 1995).
- Callispa bretteghami* Baly 1869b
- Callispa bretteghami* Baly 1869b: 365 (type: India, BMNH). Gemminger & Harold 1876: 3599 (catalog); Baly 1888b: 653 (faunal list); 1889: 489 (distribution); Gestro 1890: 231 (distribution), 1920: 393 (faunal list); Donckier 1899: 543 (catalog); Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Maulik 1919: 58 (India species); Pic 1924c: 27 (comparative note); Uhmann 1952b: 350 (note), 1957f: 306 (museum list), 1958e: 172 (catalog), 1964a: 436 (catalog); Chen et al. 1961: 457 (faunal list); L. Medvedev 1992b: 146 (Vietnam species); Maddison 1993: 362 (host plant); Cox 1996a: 167 (pupa); Basu 1999: 154 (distribution); Kimoto 1999: 95 (southeast Asia species); Staines & Staines 1999: 522 (Baly species list); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).
- Callispa mouhoti* Baly 1869b: 366 (type: Cambodia, BMNH). Gemminger & Harold 1876: 3599 (catalog); Donckier 1899: 544 (catalog); Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Uhmann 1958e: 178 (catalog); L. Medvedev 1992b: 146 (Vietnam species); Kimoto 1999: 95 (synonymy); Staines & Staines 1999: 523 (Baly species list).



*Callispa dimidiatipennis* var. B Baly 1888b: 365. Uhmann 1952b: 350 (note); L. Medvedev 1992b: 146 (synonymy).  
*Callispa delauneyi* Fleutiaux 1887: 67 (type: Hue, MNHN). Baly 1889: 489 (distribution); Donckier 1899: 543 (catalog); Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Gestro 1920: 392 (faunal list); Uhmann 1958e: 173 (catalog); L. Medvedev 1992b: 146 (Vietnam species); 2000a: 181 (distribution); Kimoto 1999: 95 (synonymy).  
*Callispa* near *brettinghami* Baly. Hutacharern & Tubtim 1995: 36 (host plants).  
 Distribution. Cambodia, China (Guangxi, Yunnan), India (Arunachal Pradesh, Sikkim), Laos, Myanmar, Thailand, Vietnam.  
 Food plants. *Bambusa arundinacea* Willd. (Maddison 1993); *Bambusa* sp. (Hua 2002) (Poaceae).

*Callispa brevicornis* Baly 1869b

*Callispa brevicornis* Baly 1869b: 365 (type: Penang, BMNH). Gemminger & Harold 1876: 3599 (catalog); Baly 1888b: 654 (faunal list); Gestro 1890: 232 (distribution), 1897b: 42 (distribution), 1920: 392 (faunal list); Donckier 1899: 543 (catalog); Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Maulik 1919: 68 (India species); Pic 1924c: 27 (comparative note); Uhmann 1958e: 172 (catalog); L. Medvedev 1992b: 145 (Vietnam species); Kimoto 1999: 96 (southeast Asia species); Staines & Staines 1999: 522 (Baly species list); Mohamedsaid 2000a: 358 (faunal list), 2004: 166 (Malaysian species); Hua 2002: 288 (faunal list); Schöller 2008: 318 (key); Borowiec & Sekerka 2010: 371 (catalog).  
 Distribution. China (Yunnan), Laos, Indonesia (Sumatra), Myanmar, Malaysia.  
 Food plant. Unknown.

*Callispa brihata* Basu 1999

*Callispa brihata* Basu 1999: 155 (type: India, Sikkim, Tadong, ZUIC). Borowiec & Sekerka 2010: 371 (catalog).  
 Distribution. India (Sikkim, West Bengal).  
 Food plant. Unknown.

*Callispa brevipes* Maulik 1919

*Callispa brevipes* Maulik 1919: 66 (type: Ceylon, BMNH). Uhmann 1952b: 360 (catalog), 1958e: 173 (catalog); Kimoto 2003: 41 (faunal list).  
 Distribution. Sri Lanka.  
 Food plant. Unknown.

*Callispa cassidoides* (Guérin-Méneville 1844a)

*Cephaloleia cassidoides* Guérin-Méneville 1844a: 284 (type: Java, depository unknown). Uhmann 1966d: 274 (note).  
*Calliaspis cassidoides* (Guérin-Méneville). Boheman 1856: 14 (redescription), 1862: 34 (catalog).  
*Melisa cassidoides* (Guérin-Méneville). Donckier 1899: 547 (catalog); Weise 1897: 116, 1911a: 44 (catalog), 1911b: 64 (catalog).

*Miltinaspis cassidoides* (Guérin-Ménéville). Weise 1904b: 433 (transfer); Spaeth 1914: 16 (catalog), 1929: 28 (nomenclature); Kalshoven 1957: 8 (host plant); Uhmann 1964a: 441 (catalog); Reid 1998: 302 (faunal list); Steiner 2001: 83 (host plants).

*Miltinaspis (Melispa) cassidoides* (Guérin-Ménéville). Uhmann 1935g: 144 (faunal list).

*Rhinocassis cassidoides* (Guérin-Ménéville). Spaeth 1905: 84 (transfer).

*Callispa cassidoides* (Guérin-Ménéville). Baly 1858: 10 (redescription).

*Calliaspis rufina* Boheman 1850: 83 (type: Indonesia, Java, depository unknown). Boheman 1856: 14 (synonymy).

Distribution. Indonesia (Java).

Food plant. Rattan (Arecaceae) (Kalshoven 1957).

*Callispa cavicollis* Spaeth 1935b

*Callispa cavicollis* Spaeth 1935b: 257 (type: South Africa, Pondoland, Port St. John, BMNH).

Uhmann 1955g: 456 (museum list), 1956f: 338 (catalog), 1958e: 173 (catalog), 1958f: 488 (faunal list), 1961b: 44 (note), 1964a: 439 (catalog); Staines 2005: 47 (Spaeth species list).

Distribution. South Africa.

Food plant. Unknown.

*Callispa coeruleodorsata* Maulik 1919

*Callispa coeruleodorsata* Maulik 1919: 65 (type: India, Madras, Nilgiri Hills, BMNH). Uhmann 1952b: 360 (catalog), 1958e: 173 (catalog); Shameem & Prathapan 2013: 8 (key).

Distribution. India (Madras).

Food plant. Unknown.

*Callispa contaminata* Weise 1913

*Callispa contaminata* Weise 1913: 109 (type: India, Shembaganur, ZMHB). Uhmann 1952b: 351 (note), 1957e: 173 (catalog).

Distribution. India.

Food plant. Unknown.

*Callispa conferta* Schöller 2007

*Callispa conferta* Schöller 2007: 338 (type: Malaysia, Ulu Gombak, NHMB). Schöller 2008: 317 (key).

Distribution. Malaysia.

Food plant. *Salacca conferta* Griff. (Arecaceae) (Schöller 2007).

*Callispa corpulenta* Uhmann 1954n

*Callispa corpulenta* Uhmann 1954n: 506 (type: Perak, Batang Penang, BMNH). Uhmann 1958e: 173 (catalog), 1959d: 8 (scutellum), 1964a: 440 (catalog); Staines 1997b: 413 (Uhmann species list); Mohamedsaid 2004: 166 (Malaysian species); Schöller 2008: 316 (key).

Distribution. Malaysia.

Food plant. Unknown.



*Callispa elegans*



*Callispa fallax*



*Callispa feae*



*Callispa flavescens*



*Callispa fortunii*



*Callispa guttata*

*Callispa cribrata* Gestro 1896

*Callispa cribrata* Gestro 1896: 202 (type: Natuna, MCSN). Donckier 1899: 543 (catalog); Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Uhmann 1931e: 2 (faunal list), 1952b: 355 (key), 1958e: 173 (catalog).

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

Distribution. Indonesia (Borneo, Natuna, Sumatra).  
Food plant. Unknown.

*Callispa cruentomarginata* Schöller 2007

*Callispa cruentomarginata* Schöller 2007: 334 (type: Malaysia, Kampong, Bongsu, Pahang, NHMB). Schöller 2008: 318 (key).

Distribution. Malaysia.

Food plant. *Calamus caeius* Blume, *C. manan* Miq., *Daemonorops didymophylla* Becc. (Araceae) (Schöller 2007).

*Callispa cumingii* Baly 1858

*Callispa cumingii* Baly 1858: 5 (type: Philippines, BMNH). Chapuis 1876: xvii (faunal list); Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Gestro 1917: 396 (faunal list), 1919: 343 (host plant), 1922: 100 (faunal list); Gressitt 1939c: 133 (distribution); Kalshoven 1957: 8 (host plant); Uhmann 1958e: 173 (catalog), 1964a: 440 (catalog), 1964(1965): 239 (faunal list); Würmli 1976f: 391 (note); Staines & Staines 1999: 522 (Baly species list).

*Callispa cumingi* Baly. Gemminger & Harold 1876: 3599 (lapsus, catalog); Donckier 1899: 543 (catalog); Schultze 1916: 100 (faunal list); Uhmann 1930-1932: 8 (faunal list), 1933: 60 (faunal list); Baltazar 1968: 221 (faunal list); L. Medvedev 1995: 19 (distribution); Lit & Caasi-Lit 2009: 106 (host plant).

*Callispa cummingii* Baly. Monrós 1959: 29 (lapsus, illustration).

Distribution. Philippines (Leyte, Luzon, Palawan, Panay).

Food plants. *Bambusa glaucescens* Siebold ex. Munro (Schultze 1916); *B. blumeana* Schult. (Gestro 1919) (Poaceae).

*Callispa curta* Weise 1897

*Callispa curta* Weise 1897: 116 (type: Perak, Malacca, ZMHB). Donckier 1899: 543 (catalog); Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Uhmann 1952b: 349 (note), 1958e: 173 (catalog); Mohamedsaid 2004: 166 (Malaysian species); Schöller 2008: 317 (key).

Distribution. Malaysia.

Food plant. Unknown.

*Callispa cyanea* Chen & Yu 1961

*Callispa cyanea* Chen & Yu 1961: 461 (type: China, Yunnan, IZAS). Gressitt & Kimoto 1963b: 931 (note); Chen et al. 1986: 617 (China species); Kimoto 1999: 96 (southeast Asia species); Yang & Sun 1991: 58 (type); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

*Callispa cyanea fukienica* Chen & Yu 1964: 108 (type: China, Fukien, Kien-yang, IZAS). Gressitt & Kimoto 1965: 805 (note); Yang & Sun 1991: 59 (type); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Fukien, Guangdong, Guangxi, Yunnan), Vietnam.

Food plant. Unknown.

*Callispa cyanipennis* Pic 1924c

*Callispa cyanipennis* Pic 1924c: 27 (type: China, MNHN). Winkler 1929: 1352 (catalog); Liu 1936: 252 (China species); Wu 1937: 911 (faunal list); Gressitt 1950: 69 (China species);

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

Uhmann 1952b: 360 (catalog), 1954a: 187 (faunal list), 1958e: 173 (catalog); Descarpentries & Villiers 1959b: 500 (types); Gressitt & Kimoto 1963a: 901 (China species); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).  
Distribution. China (Guangdong).  
Food plant. Unknown.

*Callispa debilis* Gressitt & Kimoto 1963b

*Callispa debilis* Gressitt & Kimoto 1963b: 929 (type: China, Hupeh, Lichuan Distr., Liang-ho-keu, CASC). Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).  
Distribution. China (Hupeh).  
Food plant. Unknown.

*Callispa dimidiatipennis* Baly 1858

*Callispa dimidiatipennis* Baly 1858: 7 (type: northern India, BMNH). Gemminger & Harold 1876: 3599 (catalog); Baly 1888b: 654 (faunal list); Gestro 1890: 231 (distribution), 1920: 393 (faunal list); Weise 1897: 113 (faunal list), 1911a: 42 (catalog), 1911b: 62 (catalog); Donckier 1899: 543 (catalog); Maulik 1919: 56 (India species); Pic 1924c: 27 (comparative note); Uhmann 1952b: 350 (note), 1958e: 173 (catalog), 1963b: 475 (museum list), 1964a: 440 (catalog); Chen et al. 1961: 457 (faunal list); L. Medvedev 1992b: 147 (Vietnam species); Basu 1999: 153 (distribution); Kimoto 1999: 96 (southeast Asia species); Staines & Staines 1999: 522 (Baly species list); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

*Callispa quadricollis* Weise 1897: 113 (type: Paungde, BMNH). Donckier 1899: 544 (catalog); Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Maulik 1919: 57 (synonymy).

*Callispa hypoenops* Maulik 1919: 60 (type: India, Assam, Naga Hills; Indochina (Ban Pan, Upper Mekong River), BMNH). Gestro 1920: 393 (faunal list); Uhmann 1952b: 360 (catalog), 1958e: 176 (catalog); L. Medvedev 1992: 147 (synonymy); Basu 1999: 154 (distribution); Kimoto 1999: 97 (synonymy).

*Callispa dimidiatipennis latior* Pic 1924c: 27 (type: Vietnam, Tonkin, Lac Tho, MNHN). Uhmann 1952b: 360 (catalog), 1958e: 174 (catalog); Descarpentries & Villiers 1959b: 500 (types).

*Callispa latior* Pic. Kimoto 1999: 98 (southeast Asia species).

*Callispa jeanvoinei* Pic 1927c: 25 (type: Vietnam, Tonkin, Chapa, MNHN). Uhmann 1952b: 360 (catalog), 1958e: 176 (catalog), 1964a: 440 (catalog); Descarpentries & Villiers 1959b: 500 (types); L. Medvedev 1992: 147 (synonymy).

*Callispa vicina* Pic 1927c: 25 (type: Vietnam, Tonkin, type destroyed). Uhmann 1952b: 361 (catalog), 1958e: 181 (catalog), 1964a: 441 (catalog); Descarpentries & Villiers 1959b: 500 (types); L. Medvedev 1992b: 148 (Vietnam species); Kimoto 1999: 97 (synonymy).

*Callispa vicina latithorax* Pic 1927c: 25 (type: Tonkin, Chapa, MNHN). Uhmann 1958e: 181 (catalog), 1964a: 441 (catalog); Descarpentries & Villiers 1959b: 500 (types).

*Callispa dimidiatipennis recticollis* Gressitt 1938: 321 (type: China, Hainan, Ta Han, near Red Mist Mountain, CASC). Gressitt 1939a: 163 (note), 1950: 70 (China species); Uhmann 1952b: 360 (catalog), 1958e: 174 (catalog); Gressitt & Kimoto 1963a: 901 (China species); Yu 1992: 610 (faunal list); Yu & Li 2002: 461 (faunal list).

Distribution. China (Hainan, Hunan, Yunnan), India (Assam, Meghalaya), Laos, Myanmar, Vietnam.

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

Food plants. *Bambusa* sp., *Phragmites communis* Trin. (Poaceae) (Hua 2002).

*Callispa donckieri* Pic 1924b

*Callispa donckieri* Pic 1924b: 99 (type: China, Fukien, MNHN). Winkler 1929: 1352 (catalog); Liu 1936: 252 (China species); Wu 1937: 911 (faunal list); Gressitt 1950: 70 (China species), 1953: 121 (distribution); Uhmann 1952b: 360 (catalog), 1954a: 187 (faunal list), 1958e: 174 (catalog); Descarpentries & Villiers 1959b: 500 (types); Gressitt & Kimoto 1963a: 901 (China species); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).  
Distribution. China (Fukien, Guangxi, Szechuan).  
Food plant. Unknown.

*Callispa doriae* Gestro 1909(1910)


*Callispa doriae* Gestro 1909(1910): 124 (type: Borneo, Sarawak, MCSN). Weise 1911a: 42 (catalog), 1911b: 62 (catalog); Uhmann 1958e: 174 (catalog); Mohamedsaid 2004: 166 (Malaysian species).  
Distribution. Malaysia.  
Food plant. Unknown.

*Callispa drescheri* Uhmann 1935g

*Callispa drescheri* Uhmann 1935g: 143 (type: Indonesia, West Java, Zuid Preanger, Patimoean, DEI). Uhmann 1952b: 354 (key), 1953h: 90 (faunal list), 1958e: 174 (catalog), 1959d: 8 (scutellum), 1964a: 440 (catalog); Gaedike & Döbler 1971: 371 (types); Staines 1997b: 413 (Uhmann species list).  
Distribution. Indonesia (Java).  
Food plant. Unknown.

*Callispa duodecimaculata* Chapuis 1876

*Callispa duodecimaculata* Chapuis 1876: xvii (type: Philippines, Bojol, ISNB). Gemminger & Harold 1876: 3599 (catalog); Donckier 1899: 543 (catalog); Weise 1911a: 42 (catalog), 1911b: 62 (catalog); Schultze 1916: 100 (faunal list); Gestro 1917: 397 (faunal list), 1922: 100 (faunal list); Leefmans 1918b: 78 (host plant), 1930: 11 (biology), 1935: 335 (biology); Maulik 1919: 50 (India species), 1937: 144 (host plant); Weise 1924: 78 (distribution); Uhmann 1928b: 61 (faunal list), 1930-1932: 35 (key), 1932d: 141 (faunal list), 1931e: 1 (faunal list), 1933a: 62 (faunal list), 1947c: 49 (immatures), 1952b: 350 (note), 1958e: 174 (catalog), 1959d: 8 (scutellum), 1961a: 20 (note), 1964a: 440 (catalog), 1964(1965): 239 (faunal list); Risbec 1950a: 394 (host plants); Kalshoven 1951: 741 (host plant), 1957: 8 (host plant), 1981: 447 (host plant); Speyer 1954: 365 (host plant); Kimoto 1997: 50 (distribution), 1999: 97 (southeast Asia species).  
*Callispa duodecimaculata confluens* Leefmans 1931: 274 (type: Indonesia, Java, depository unknown). Leefmans 1935: 335 (biology); Uhmann 1958e: 174 (catalog).  
Distribution. India (Bombay), Indonesia (Java, Sumatra), Philippines (Bohol), Thailand.  
Food plant. *Spathoglottis plicata* Ridl. (Orchidaceae) (Leefmans 1918b).



*Callispa karena*



*Callispa kilimana*



*Callispa mungphua*



*Callispa nigricornis*



*Callispa nigripes*



*Callispa nigrovittata*

### *Callispa elegans* Baly 1876

*Callispa elegans* Baly 1876: 126 (type: Indonesia, Sumatra, Pulo Penang, BMNH?). Gestro 1885: 156 (distribution), 1896a: 328 (distribution), 1897b: 41 (distribution), 1897e: 402 (faunal list), 1919: 342 (faunal list); Donckier 1899: 543 (catalog); Weise 1911a: 42

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

(catalog), 1911b: 63 (catalog); Uhmman 1927b: 60 (note), 1928e: 371 (faunal list), 1931e: 2 (faunal list), 1935g: 144 (faunal list), 1952b: 356 (key), 1958e: 174 (catalog), 1959d: 8 (scutellum), 1964a: 440 (catalog); Miller 1932: 8 (host plant); Kalshoven 1951: 741 (host plant), 1957: 8 (host plant); Staines & Staines 1999: 522 (Baly species list); Mohamedsaid 2000a: 358 (faunal list), 2004: 166 (Malaysian species); Schöller 2008: 315 (distribution).

Distribution. Indonesia (Java, Sumatra), Malaysia.

Food plants. *Zalacca conferta* Griff. (Miller 1932); *Cyrtostachys lacca* Becc. (Kalshoven 1951); *Salacca* spp. (Mohamedsaid 2004) (Arecaceae); *Calamus manan* Miq., *C. caesius* Blume, *C. scipionum* Lour. (Araceae), *Elaeis guineensis* Jacq., *Caryota mitis* Lour., *Iguanura geonomiformis* Mart., *Korthalsia rigida* Blume, *K. rostrata* Blume, *Pinanga disticha* Blume, *P. scortechinii* Becc. (Arecaceae) (Schöller 2008).

*Callispa elliptica* Gressitt 1939b

*Callispa elliptica* Gressitt 1939b: 198 (type: China, S. Kiangsi, Wong-se-shue, CASC). Gressitt 1950: 70 (China species); Uhmman 1952b: 361 (catalog), 1958e: 174 (catalog); Gressitt & Kimoto 1963a: 901 (China species); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Kiangsi).

Food plant. Unknown.

*Callispa elongata* Pic 1924

*Callispa elongata* Pic 1924: 24 (type: Vietnam, Tonkin, Lac-Thô, MNHN). Uhmman 1952b: 360 (catalog), 1958e: 175 (catalog), 1963b: 475 (museum list), 1964a: 440 (catalog); Descarpentries & Villiers 1959b: 500 (types).

Distribution. Vietnam.

Food plant. Unknown.

*Callispa errans* Péringuey 1908

*Callispa errans* Péringuey 1908: 334 (type: South Africa, Cape Colony; Natal, SAMC). Weise 1911a: 42 (catalog), 1911b: 64 (catalog); Spaeth 1935b: 256 (note); Uhmman 1956f: 338 (catalog), 1958e: 175 (catalog).

Distribution. South Africa.

Food plant. Unknown.

*Callispa expansicollis* Maulik 1919

*Callispa expansicollis* Maulik 1919: 55 (type: India, Assam, Sadiya, BMNH). Uhmman 1952b: 360 (catalog), 1958e: 175 (catalog).

Distribution. India (Assam).

Food plant. Unknown.

*Callispa fallax* Uhmman 1930-1932

*Callispa fallax* Uhmman 1930-1932: 8 (type: Philippines, Luzon, Benguet Mt. Santo Tomas, DEI). Uhmman 1933a: 61 (faunal list), 1952b: 349 (note), 1964(1965): 254 (faunal list); Descarpentries & Villiers 1959b: 500 (types); Gaedike & Döbler 1971: 372 (types);



Würlmli 1976f: 391 (note); Staines 1997b: 413 (Uhmman species list); Staines & Staines 1997: 8 (types).

Distribution. Philippines (Luzon, Mindanao).

Food plant. Unknown.

*Callispa feae* Baly 1888b

*Callispa feae* Baly 1888b: 654 (type: Upper Burma, MCSN, BMNH, ISNB). Gestro 1890: 232 (distribution), 1920: 392 (faunal list); Donckier 1899: 543 (catalog); Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Maulik 1919: 69 (India species), 1937: 144 (host plants); Uhmman 1927b: 59 (key), 1952b: 348 (note), 1958e: 175 (catalog), 1964a: 440 (catalog); Kalshoven 1957: 8 (host plant); Descarpentries & Villiers 1959b: 500 (types); Chen et al. 1961: 457 (faunal list); Takizawa 1989: 326 (faunal list); L. Medvedev 1990: 43 (faunal list), 1992b: 145 (Vietnam species); Maddison 1993: 383 (host plant); Kimoto 1999: 97 (southeast Asia species), 2005: 100 (faunal list); Medvedev & Sprecher-Uebersax 1999a: 343 (faunal list); Staines & Staines 1999: 522 (Baly species list); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog); Sprecher-Uebersax 2011: 487 (faunal list).

Distribution. China (Yunnan), Laos, Myanmar, Nepal, Thailand, Vietnam.

Food plant. *Bambusa* sp. (Poaceae) (Maulik 1919).

*Callispa filiformis* L. Medvedev 1992b

*Callispa filiformis* L. Medvedev 1992b: 149 (type: Vietnam, Buonloi, Medvedev).

Distribution. Vietnam.

Food plant. Unknown.

*Callispa flaveola* Uhmman 1931h

*Callispa flaveola* Uhmman 1931h: 193 (type: Indonesia, Sumatra, Medan, DEI). Uhmman 1952b: 353 (key), 1958e: 175 (catalog); Gaedike & Döbler 1971: 373 (types); L. Medvedev 1992b: 144 (Vietnam species); Staines 1997b: 413 (Uhmman species list); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

*Callispa flavescens* Uhmman (not Weise) 1930-1932: 10. Uhmman 1931e: 1 (faunal list), 1931: 193 (correction).

Distribution. China (Yunnan), Indonesia (Sumatra), Vietnam.

Food plant. *Bambusa* sp. (Poaceae) (Hua 2002).

*Callispa flavescens* Weise 1891

*Callispa flavescens* Weise 1891: 75 (type: Philippines, Luzon, Mantalban Gorge, ZMHB?). Weise 1911a: 43 (catalog), 1911b: 62 (catalog), 1911c: 75 (note), 1913: 237 (faunal list); Schultze 1916: 100 (faunal list); Gestro 1917: 398 (faunal list), 1919: 343 (host plant), 1922: 101 (faunal list), 1923: 16 (note); Uhmman 1930-1932: 9 (faunal list), 1933a: 61 (faunal list), 1952b: 349 (note), 1958e: 175 (catalog), 1964(1965): 240 (faunal list); Gressitt 1939c: 133 (distribution); Kalshoven 1957: 8 (host plant); Baltazar 1968: 221 (faunal list); Würlmli 1976f: 393 (note); Maddison 1993: 406 (host plant); L. Medvedev 1995: 18 (distribution); Lit & Caasi-Lit 2009: 106 (host plant).

*Callispa nigricornis* Chapuis 1876: xvii (not Baly) (type: Philippines, Mindanao, ISNB?). Weise 1911c: 75 (synonymy); Uhmman 1952b: 351 (note).

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

*Callispa flavescens arcuata* Uhmann 1930-1932: 10 (type: Philippines, Catanduanes, Virac, depository unknown). Uhmann 1952b: 359 (key), 1958e: 175 (catalog), 1964(1965): 254 (faunal list); Staines 1997b: 413 (Uhmann species list).  
Distribution. Philippines (Basilan, Catanduanes, Cebu, Leyte, Luzon, Mindanao, Mindoro, Palawan)  
Food plant. *Bambusa blumeana* Schult. (Poaceae) (Schultze 1916).

*Callispa flavonotata* Pic 1924b

*Callispa flavonotata* Pic 1924b: 100 (type: Indonesia, Sumatra, Palembang, MNHN). Uhmann 1952b: 360 (catalog), 1958e: 175 (catalog), 1964a: 440 (catalog); Descarpentries & Villiers 1959b: 500 (types).  
Distribution. Indonesia (Sumatra).  
Food plant. Unknown.

*Callispa fortunii* Baly 1858

*Callispa fortunii* Baly 1858: 6 (type: North China, BMNH). Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Spaeth 1935b: 255 (note); Gressitt 1939b: 198 (distribution), 1939c: 133 (distribution), 1950: 71 (China species); Uhmann 1949a: 3 (key), 1952b: 354 (key), 1954a: 187 (faunal list), 1958e: 175 (catalog); Gressitt & Kimoto 1963a: 901 (China species); L. Medvedev 1992b: 146 (Vietnam species); Staines & Staines 1999: 523 (Baly species list); Borowiec & Sekerka 2010: 371 (catalog).

*Callispa fortunei* Baly. Gemminger & Harold 1876: 3599 (lapsus, catalog); Donckier 1899: 543 (catalog); Winkler 1929: 1352 (catalog); Liu 1936: 252 (China species); Wu 1937: 911 (faunal list); Uhmann 1940h: 126 (faunal list).

*Callispa fortunei fortunei* Baly. Hua 2002: 288 (lapsus, faunal list)

*Callispa fortunii emarginata* Gressitt 1938: 322 (type: China, Hainan, Ta Han, USNM). Gressitt 1939a: 163 (note), 1950: 71 (China species); Uhmann 1952b: 360 (catalog), 1958e: 176 (catalog); Gressitt & Kimoto 1963a: 902 (China species); Staines & Staines 1997: 9 (types).

*Callispa fortuneii emarginata* Gressitt. Chen et al. 1961: 457 (lapsus, faunal list).

*Callispa fortunei emarginata* Gressitt. Hua 2002: 288 (lapsus, faunal list); Yu & Li 2002: 461 (faunal list).

*Callispa ruficeps* Pic 1929f: 139 (type: Vietnam. Tonkin, Hoa-Binh, MNHN). Uhmann 1952b: 361 (catalog), 1958e: 176 (catalog), 1964a: 441 (catalog); Descarpentries & Villiers 1959b: 500 (types); L. Medvedev 1992: 146 (synonymy).

Distribution. China (Anhui, Chekiang, Fukien, Guangdong, Hainan, Jiangxi, Kiangsi, Kwangtung), Vietnam.

Food plant. *Bambusa* sp. (Poaceae) (Hua 2002).

*Callispa fraudulenta* Würmli 1976f

*Callispa fraudulenta* Würmli 1976f: 393 (type: Philippines, Leyte, AMNH).

Distribution. Philippines (Leyte).

Food plant. Unknown.

*Callispa frontalis* L. Medvedev 1992b

*Callispa frontalis* L. Medvedev 1992b: 147 (type: Vietnam, Vihn fou, Tamdao, Medvedev).

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

Distribution. Vietnam.

Food plant. Unknown.

*Callispa fulva* Gestro 1897b

*Callispa fulva* Gestro 1897b: 41 (type: Si Oban, MCSN). Donckier 1899: 543 (catalog); Gestro 1901b: 434 (note); Weise 1911a: 43 (catalog), 1911b: 62 (catalog); Uhmann 1958e: 176 (catalog).

*Callispa* sp. Gestro 1896: 328 (faunal list).

Distribution. Indonesia (Sumatra).

Food plant. Unknown.

*Callispa fulvescens* Chen & Yu 1961

*Callispa fulvescens* Chen & Yu 1961: 461 (type: China, Yunnan, IZAS). Gressitt & Kimoto 1963b: 931 (note); Yang & Sun 1991: 59 (type); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Yunnan).

Food plant. Unknown.

*Callispa fulvipes* Spaeth 1935b

*Callispa fulvipes* Spaeth 1935b: 258 (type: Mashonaland, BMNH). Uhmann 1954f: 6 (faunal list), 1956f: 338 (catalog), 1958e: 176 (catalog); Staines 2005: 47 (Spaeth species list).

Distribution. Congo, Mozambique, Zimbabwe.

Food plant. Unknown.

*Callispa fulvonigra* Maulik 1919

*Callispa fulvonigra* Maulik 1919: 49 (type: Ceylon, Bogawantalawa, BMNH). Uhmann 1952b: 360 (catalog), 1958e: 176 (catalog).

Distribution. Sri Lanka.

Food plant. Unknown.

*Callispa galinae* L. Medvedev 1992b

*Callispa galinae* L. Medvedev 1992b: 143 (type: Vietnam, Darlak, BuouMetThuota, Buoniavam, Medvedev).

Distribution. Vietnam.

Food plant. Unknown.

*Callispa guttata* Uhmann 1933a

*Callispa guttata* Uhmann 1933a: 62 (type: Philippines, South Luzon, Mt. Bulusan, ZMHB). Uhmann 1952b: 356 (key), 1958e: 176 (catalog), 1964(1965): 254 (faunal list); Staines 1997b: 413 (Uhmann species list).

Distribution. Philippines (Luzon).

Food plant. Unknown.

*Callispa hessei* Uhmann 1934b

*Callispa hessei* Uhmann 1934b: 389 (type: Port. East Africa, Lourenço Marques, SAMC).

Spaeth 1935b: 255 (note); Uhmann 1952d: 350 (type), 1956f: 338 (catalog), 1958e: 176

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

(catalog); Gaedike & Döbler 1971: 375 (types); Staines 1997b: 413 (Uhmann species list).

Distribution. Mozambique.

Food plant. Unknown.

*Callispa himalayana* L. Medvedev 1993

*Callispa himalayana* L. Medvedev 1993: 375 (type: Nepal, Dandapkhar, NHMB). Medvedev & Sprecher-Uebersax 1999a: 343 (faunal list); Hartmann & Medvedev 2003: 179 (faunal list); Kimoto 2005: 101 (faunal list); Borowiec & Sekerka 2010: 371 (catalog); Sprecher-Uebersax 2011: 487 (faunal list).

Distribution. India, Nepal.

Food plant. Unknown.

*Callispa horni* Uhmann 1927b

*Callispa horni* Uhmann 1927b: 58 (type: India, Sikkim, DEI). Uhmann 1952b: 350 (note), 1958e: 176 (catalog); Gaedike & Döbler 1971: 375 (types); Würmli 1975b: 371 (faunal list); Staines 1997b: 413 (Uhmann species list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. India (Sikkim).

Food plant. Unknown.

*Callispa houjyai* Lee, Świętojańska, & Staines 2012

*Callispa houjyai* Lee, Świętojańska, & Staines 2012: 833 (type: Taiwan, Keelung, Tawulunshan, TARI).

Distribution. Taiwan.

Food plant. *Carex sociata* Boott (Cyperaceae) (Lee et al. 2012).

*Callispa ianthorufa* Schöller 2007

*Callispa ianthorufa* Schöller 2007: 337 (type: Malaysia, Sungai Buloh, Selangor, NHMB). Schöller 2008: 316 (key).

Distribution. Malaysia.

Food plant. *Calamus manan* Miq. (Araceae) (Schöller 2007).

*Callispa impressa* Uhmann 1942a

*Callispa impressa* Uhmann 1942a: 5 (type: Zaire, Parc National Albert, Rweru, MRAC).

Uhmann 1952b: 358 (note), 1955c: 242 (distribution), 1958e: 176 (catalog); Gaedike & Döbler 1971: 376 (types); Staines 1997b: 413 (Uhmann species list).

Distribution. Congo, Rwanda.

Food plant. Unknown.

*Callispa induta* Uhmann 1930a

*Callispa induta* Uhmann 1930a: 6 (type: Indonesia, North East Sumatra, Tebing Tinggi, DEI).

Uhmann 1952b: 354 (note), 1958e: 176 (catalog); Gaedike & Döbler 1971: 376 (types); Staines 1997b: 413 (Uhmann species list).

Distribution. Indonesia (Sumatra).


Food plant. Unknown.



*Callispa pallida*




*Callispa puella*



*Callispa raffaelli*



*Callispa ruficollis*



*Callispa silacea*



*Callispa splendidula*

*Callispa insignis* Baly 1858

*Callispa insignis* Baly 1858:4 (type: northern India, BMNH). Gemminger & Harold 1876: 3599 (catalog); Donckier 1899: 543 (catalog); Weise 1911a: 43 (catalog), 1911b: 63 (catalog);

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

Maulik 1919: 67 (India species); Uhmman 1958e: 176 (catalog); Basu 1999:156 (distribution); Staines & Staines 1999: 523 (Baly species list).  
Distribution. India (Meghalaya, North India).  
Food plant. Unknown.

*Callispa intermedia* Uhmman 1931i

*Callispa intermedia* Uhmman 1931i: 838 (type: Cameroon, Uamgebiet, Bosum, ZMHB). Spaeth 1935b: 256 (note); Uhmman 1952d: 239 (type), 1954b: 11 (faunal list), 1954h: 176 (key), 1958e: 176 (catalog), 1961a: 18 (distribution), 1964a: 440 (catalog); Descarpentries & Villiers 1959b: 500 (types); Gaedike & Döbler 1971: 376 (types); Staines 1997b: 413 (Uhmman species list).  
Distribution. Cameroon.  
Food plant. Unknown.

*Callispa jaya* Basu 1999

*Callispa jaya* Basu 1999: 152 (type: India, West Bengal, Darjeeling District, Lolegoan, ZUIC). Borowiec & Sekerka 2010: 371 (catalog).  
Distribution. India (West Bengal).  
Food plant. Unknown.

*Callispa kabakovi* L. Medvedev 1992b

*Callispa kabakovi* L. Medvedev 1992b: 145 (type: Vietnam, Khatuen, mts. North of Hasang, Medvedev).  
Distribution. Vietnam.  
Food plant. Unknown.

*Callispa kalshoveni* Uhmman 1955f

*Callispa kalshoveni* Uhmman 1955f: 135 (type: Indonesia, West Java, Mount Gede, Tijibodas, depository unknown). Kalshoven 1957: 8 (host plant); Uhmman 1958e: 176 (catalog), 1964a: 440 (catalog); Gaedike & Döbler 1971: 377 (types); Staines 1997b: 413 (Uhmman species list).  
Distribution. Indonesia (Java).  
Food plant. *Pinanga* sp. (Arecaceae) (Kalshoven 1957).

*Callispa karena* Maulik 1919

*Callispa karena* Maulik 1919: 62 (type: Burma, Karen Hills; Indo-China [Tonkin, Houeiko, Luang Praband], Laos [Kieng Kwang], BMNH). Gestro 1920: 393 (faunal list); Gressitt 1938: 323 (distribution), 1939a: 163 (key), 1950: 72 (China species); Uhmman 1952b: 360 (catalog), 1958e: 176 (catalog); Chen et al. 1961: 457 (faunal list); Gressitt & Kimoto 1963a: 902 (China species); Chen et al. 1986: 617 (China species); L. Medvedev 1992b: 146 (Vietnam species); Basu 1999: 154 (distribution); Kimoto 1999: 98 (southeast Asia species); Hua 2002: 288 (faunal list); Yu & Li 2002: 461 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).  
Distribution. China (Guangdong, Hainan, Yunnan), India (Meghalaya), Laos, Myanmar, Vietnam.  
Food plant. *Bambusa* sp. (Poaceae) (Hua 2002).

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)



*Callispa sunda*



*Callispa undulata*



*Callispa whitei*



*Hispodonta chapuisii*



*Hispodonta discalis*



*Hispodonta grandis*

*Callispa keram* Shameem & Prathapan 2013

*Callispa keram* Shameem & Prathapan 2013: 3 (type: India, Kerla, BMNH).

Distribution. India.

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

Food plant. *Cocos nucifera* L., *Livistona chinensis* R.Br., *Syagrus romanzoffiana* (Cham.) Glassman (Arecaceae) (Shameem & Prathapan 2013).

*Callispa kilimana* Kolbe 1891

*Callispa kilimana* Kolbe 1891: 28 (type: Kilimandscharo, ZMHB?). Donckier 1899: 544 (catalog); Gestro 1905b: 543 (catalog), 1914: 276 (faunal list); Weise 1910c: 240 (faunal list), 1911a: 43 (catalog), 1911b: 63 (catalog); Maulik 1919: 10 (note), 1937: 144 (host plants); Uhmman 1928g: 67 (faunal list), 1931b: 252 (note), 1931c: 1 (museum list), 1931i: 837 (museum list), 1938e: 117 (museum list), 1942a: 7 (faunal list), 1953b: 9 (note), 1958e: 176 (catalog), 1961a: 20 (note); Spaeth 1935b: 255 (note); Booth et al. 1990: 153 (note).

Distribution. Congo, Kenya, Sierra Leone, Rwanda.

Food plants. *Zea mays* L. (Maulik 1919); grasses (Maulik 1937) (Poaceae); *Coffea arabica* L. (Rubiaceae) (Booth et al. 1990).

*Callispa korthalsiae* Schöller 2008

*Callispa korthalsiae* Schöller 2008: 306 (type: Malaysia, Ulu Gombak, NHMB).

Distribution. Malaysia.

Food plant. Unknown. Adults collected on *Calamus manan* Miq., *C. scipionum* Lour. (Araceae), *Korthalsia rigida* Blume, *Iguanura geonomiformis* Mart., *I. wallichiana* Hook., *Orania sylvicola* (Griff.) H. E. Moore, *Pinanga scortechinii* Becc. (Arecaceae) (Schöller 2008).

*Callispa krishnashunda* Maulik 1919

*Callispa krishnashunda* Maulik 1919: 47 (type: Ceylon, BMNH). Uhmman 1952b: 360 (catalog), 1958e: 177 (catalog).

Distribution. Sri Lanka.

Food plant. Unknown.

*Callispa kuntzeni* Uhmman 1931i

*Callispa kuntzeni* Uhmman 1931i: 839 (type: Cameroon, Kamerunberg, ZMHB). Spaeth 1935b: 255 (note); Uhmman 1952d: 239 (type), 1954h: 177 (key), 1958e: 177 (catalog), 1964a: 440 (catalog); Gaedike & Döbler 1971: 378 (types); Staines 1997b: 413 (Uhmman species list).

*Callispa kuntzeni obscuripes* Uhmman 1961a: 83 (type: Bamenda, MRAC). Staines 1997b: 413 (Uhmman species list).

Distribution. Cameroon, Nigeria.

Food plant. Unknown.

*Callispa limbata* Gestro 1905b

*Callispa limbata* Gestro 1905b: 504 (type: Fernando Poo, Musola, ZMHU). Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Uhmman 1931i: 837 (museum list), 1954h: 177 (key), 1958e: 177 (catalog); Spaeth 1935b: 255 (note).

Distribution. Cameroon, Fernando Poo.

Food plant. Unknown.





*Hispodonta loriae*

*Hispodonta metroxylona*

*Hispodonta palmella*



*Hispodonta saccus*

*Hispodonta samarica*

*Callispa limbifera* Yu & Kang 1961

*Callispa limbifera* Yu & Kang 1961: 461 (type: China, Szechuan, Omeishan, IZAS). Gressitt & Kimoto 1963b: 931 (note); Yang & Sun 1991: 59 (type); Borowiec & Sekerka 2010: 371 (catalog).

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

Distribution. China (Szechuan).  
Food plant. Unknown.

*Callispa loxia* Weise 1897

*Callispa loxia* Weise 1897: 114 (type: Paungde, BMNH). Donckier 1899: 544 (catalog); Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Maulik 1919: 69 (India species); Uhmann 1952b: 351 (note), 1958e: 177 (catalog).  
Distribution. Myanmar.  
Food plant. Unknown.

*Callispa luzonica* Pic 1930d

*Callispa luzonica* Pic 1930d: 8 (type: Philippines, Luzon, Rangui, MNHN). Uhmann 1952b: 356 (key), 1958e: 177 (catalog), 1959d: 8 (scutellum), 1964a: 440 (catalog), 1964(1965): 254 (faunal list); Descarpentries & Villiers 1959b: 500 (types).  
*Callispa fatua* Uhmann 1930-1932: 14 (type: Philippines, North Luzon, Bangui, DEI). Uhmann 1933a: 62 (synonymy); Gaedike & Döbler 1971: 372 (types); Staines 1997b: 413 (Uhmann species list).  
Distribution. Philippines (Luzon).  
Food plant. Unknown.

*Callispa maculipennis* Gestro 1911a

*Callispa maculipennis* Gestro 1911a: 14 (type: India, Nilgiri Hills, BMNH, MCSN). Weise 1911a: 43 (catalog), 1911b: 62 (catalog); Maulik 1919: 53 (India species); Uhmann 1958e: 177 (catalog).  
Distribution. India (Madras, Malabar).  
Food plant. Unknown.

*Callispa maindoni* (Pic 1943)

*Hispa maindoni* Pic 1943: 3 (type: India, Mahe, MNHN). Descarpentries & Villiers 1959b: 500 (types).  
*Callispa maindoni* (Pic). Uhmann 1952d: 232 (transfer), 1958e: 177 (catalog), 1964a: 440 (catalog).  
Distribution. India (Malabar).  
Food plant. Unknown.

*Callispa marginipennis* Gestro 1899c

*Callispa marginipennis* Gestro 1899c: 315 (type: Indonesia, Sumatra, MCSN?). Donckier 1899: 544 (catalog); Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Uhmann 1931e: 2 (faunal list), 1935g: 144 (faunal list), 1952b: 354 (key), 1958e: 177 (catalog).  
Distribution. Indonesia (Batoe, Java, Sumatra).  
Food plant. Unknown.

*Callispa marshalli* Spaeth 1935b

*Callispa marshalli* Spaeth 1935b: 258 (type: Nyasaland, BMNH). Uhmann 1956f: 338 (catalog), 1958e: 177 (catalog); Staines 2005: 47 (Spaeth species list).  
Distribution. South Africa, Zimbabwe.

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

Food plant. Unknown.

*Callispa mashonensis* Spaeth 1935b

*Callispa mashonensis* Spaeth 1935b: 259 (type: Mashonaland, Salisbury, BMNH). Uhmman 1953b: 12 (faunal list), 1954f: 6 (faunal list), 1956f: 338 (catalog), 1958e: 177 (catalog), 1962b: 359 (faunal list); Staines 2005: 47 (Spaeth species list).  
Distribution. Congo, Zimbabwe.  
Food plant. Unknown.

*Callispa metroxylonis* Uhmman 1929a

*Callispa metroxylonis* Uhmman 1929a: 144 (type: Indonesia, Java, Buitenzorg, depository unknown). Maulik 1937: 144 (host plants); Lepesme 1947: 537 (host plants); Kalshoven 1951: 741 (host plant); Uhmman 1952b: 360 (catalog), 1958e: 177 (catalog), 1964a: 440 (catalog); Staines 1997b: 413 (Uhmman species list).  
*Callispa metroxylonidis* Uhmman. Kalshoven 1957: 8 (lapsus).  
Distribution. Indonesia (Java).  
Food plant. *Metroxylon* sp. (Arecaceae) (Uhmman 1929).

*Callispa minima* Gestro 1902a

*Callispa minima* Gestro 1902a: 51 (type: Ceylon, MCSN). Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Maulik 1919: 66 (India species); Uhmman 1958e: 177 (catalog); Anand 1989: 5 (India species); Shameem & Prathapan 2013: 8 (key).  
Distribution. India (Kerala), Sri Lanka.  
Food plant. *Zea mays* L. (Poaceae) (Anand 1989).

*Callispa minor* Gestro 1888b

*Callispa minor* Gestro 1888b: 175 (type: Myanmar, Thagata, MCSN). Baly 1888a: 653 (faunal list); Gestro 1890: 230 (distribution); Donckier 1899: 544 (catalog); Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Maulik 1919: 64 (India species); Uhmman 1958e: 177 (catalog).  
Distribution. Myanmar.  
Food plant. Unknown.

*Callispa montivaga* Maulik 1919

*Callispa montivaga* Maulik 1919: 63 (type: India, Assam, Patkai Hills, BMNH). Uhmman 1952b: 360 (catalog), 1958e: 178 (catalog); Maddison 1993: 362 (host plant); Medvedev & Sprecher-Uebersax 1999a: 343 (faunal list); Mohamedsaid 2000a: 358 (faunal list), 2004: 167 (Malaysian species); Kimoto 2005: 101 (faunal list); Schöller 2008: 316 (key); Borowiec & Sekerka 2010: 371 (catalog); Sprecher-Uebersax 2011: 487 (faunal list).  
Distribution. India (Assam), Malaysia, Nepal.  
Food plant. *Bambusa arundinacea* (Retzius) Willdenow (Poaceae) (Maddison 1993).

*Callispa mungphua* Maulik 1919

*Callispa mungphua* Maulik 1919: 59 (type: India, Sikkim, Mungphu, BMNH). Pic 1925c: 59 (note); Uhmman 1952b: 360 (catalog), 1958e: 178 (catalog); Abdullah & Qureshi 1969:

99 (Bangladesh species); Würmli 1975b: 371 (faunal list); L. Medvedev 1992b: 146 (Vietnam species); Borowiec & Sekerka 2010: 371 (catalog).  
*Callispa latipennis* Pic 1924b: 99 (type: India, Sikkim, MNHN). Maulik 1924: 217 (synonymy), 1925: 166 (synonymy); Pic 1925c: 59 (status); Uhmman 1952b: 360 (catalog), 1958e: 177 (catalog); Descarpentries & Villiers 1958b: 500 (type); Würmli 1975b: 371 (faunal list); L. Medvedev 1992: 146 (synonymy).  
Distribution. Bangladesh, India (Sikkim), Vietnam.  
Food plant. Unknown.

*Callispa nagaja* Maulik 1919

*Callispa nagaja* Maulik 1919: 62 (type: India, Assam, Naga Hills, BMNH). Uhmman 1952b: 360 (catalog), 1958e: 178 (catalog).  
Distribution. India (Assam).  
Food plant. Unknown.

*Callispa natalensis* Baly 1858

*Callispa natalensis* Baly 1858: 9 (type: Port Natal, BMNH). Gemminger & Harold 1876: 3598 (catalog); Péringuey 1898: 114 (faunal list); Donckier 1899: 544 (catalog); Gestro 1905b: 543 (catalog); Weise 1911a: 43 (catalog), 1911b: 64 (catalog); Uhmman 1931i: 838 (note), 1958e: 178 (catalog); Spaeth 1935b: 255 (note); Staines & Staines 1999: 523 (Baly species list).  
Distribution. South Africa.  
Food plant. Unknown.

*Callispa neavei* Spaeth 1935b

*Callispa neavei* Spaeth 1935b: 258 (type: Nyasaland, Mlanje, BMNH). Uhmman 1956f: 338 (catalog), 1958e: 178 (catalog); Staines 2005: 47 (Spaeth species list).  
Distribution. Zimbabwe.  
Food plant. Unknown.

*Callispa nigricollis* Chen & Yu 1961

*Callispa nigricollis* Chen & Yu 1961: 462 (type: China, Yunnan, IZAS). Gressitt & Kimoto 1963b: 931 (note); Yang & Sun 1991: 59 (type); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).  
Distribution. China (Yunnan).  
Food plant. Unknown.

*Callispa nigricornis* Baly 1858

*Callispa nigricornis* Baly 1858: 8 (type: Ceylon, BMNH). Chapuis 1876: 17 (faunal list); Gemminger & Harold 1876: 3598 (catalog); Donckier 1899: 544 (catalog); Weise 1897: 117 (note), 1905b: 113 (faunal list), 1911a: 43 (catalog), 1911b: 62 (catalog); Gestro 1902a: 51 (faunal list), 1922: 101 (faunal list); Maulik 1919: 48 (India species); Uhmman 1930-1932: 13 (note), 1952b: 351 (note), 1958e: 178 (catalog); Staines & Staines 1999: 523 (Baly species list); Kimoto 2003: 41 (faunal list).  
Distribution. Sri Lanka.  
Food plant. Unknown.

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

*Callispa nigripennis* Chen & Yu 1964

*Callispa nigripennis* Chen & Yu 1964: 109 (type: China, Kwangsi, Lung-Sheng, IZAS). Gressitt & Kimoto 1965: 805 (note); Yang & Sun 1991: 59 (type); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).  
Distribution. China (Kwangsi).  
Food plant. Unknown.

*Callispa nigripes* Baly 1858

*Callispa nigripes* Baly 1858: 9 (type: South Africa, BMNH). Gemminger & Harold 1876: 3598 (catalog); Péringuey 1898: 114 (faunal list); Donckier 1899: 544 (catalog); Gestro 1905b: 505 (faunal list); Weise 1911a: 43 (catalog), 1911b: 63 (catalog), 1913: 110 (note); Achard 1917: 63 (distribution); Uhmann 1931i: 838 (note), 1956f: 338 (catalog), 1958e: 178 (catalog), 1961a: 18 (note), 1964a: 440 (catalog), 1969: 297 (faunal list); Spaeth 1935b: 255 (note); Gomes Alves 1946: 116 (distribution); Briscoe 1947: 254 (faunal list); Staines & Staines 1999: 523 (Baly species list).  
*Callispa nigripes abdominalis* Uhmann 1961a: 18 (type: Congo, Parc Garamba, MRAC). Uhmann 1967c: 255 (faunal list); Staines 1997b: 413 (Uhmann species list).  
Distribution. Angola, Cameroon, Guinea, Liberia, Senegal, South Africa, Togo.  
Food plant. Cyperaceae (Uhmann 1969).

*Callispa nigritarsata* Maulik 1919

*Callispa nigritarsata* Maulik 1919: 46 (type: Ceylon, Dikoya, BMNH). Uhmann 1952b: 360 (catalog), 1958e: 178 (catalog).  
Distribution. Sri Lanka.  
Food plant. Unknown.

*Callispa nigronotata* (Pic 1943)

*Hispa nigronotata* Pic 1943: 3 (type: South India, Wallayar Forest, MNHN). Descarpentries & Villiers 1959b: 500 (types).  
*Callispa nigronotata* (Pic). Uhmann 1952d: 232 (transfer), 1958e: 178 (catalog), 1964a: 440 (catalog).  
Distribution. India.  
Food plant. Unknown.

*Callispa nigrovittata* Gestro 1917

*Callispa nigrovittata* Gestro 1917: 397 (type: Mt. Makiling, MCSN). Gestro 1922: 100 (faunal list); Uhmann 1930-1932: 35 (faunal list), 1933a: 62 (faunal list), 1952b: 356 (key), 1958e: 178 (catalog), 1964(1965): 240 (faunal list).  
Distribution. Philippines (Luzon).  
Food plant. Unknown.

*Callispa nyakaensis* Uhmann 1934b

*Callispa nyakaensis* Uhmann 1934b: 390 (type: Port. East Africa, Nyaka, SAMC). Spaeth 1935b: 259 (note); Uhmann 1952b: 357 ((noted), 1952d: 239 (type), 1956e: 566 (museum

list), 1956f: 338 (catalog), 1958e: 178 (catalog), 1964a: 440 (catalog); Gaedike & Döbler 1971: 382 (types); Staines 1997b: 413 (Uhmman species list).

Distribution. Mozambique, Zambia.

Food plant. Unknown.

*Callispa nyassica* Spaeth 1935b

*Callispa nyassica* Spaeth 1935b: 259 (type: Nyasaland, Mlanje, BMNH). Uhmman 1953b: 12 (faunal list), 1958e: 178 (catalog); Staines 2005: 47 (Spaeth species list).

Distribution. South Africa.

Food plant. Unknown.

*Callispa obliqua* Chen & Yu 1964

*Callispa obliqua* Chen & Yu 1964: 108 (type: China, Fukien, Kien-yang, IZAS). Gressitt & Kimoto 1965: 805 (note); Yang & Sun 1991: 59 (type); Hua 2002: 288 (catalog); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Fukien, Szechuan, Zhejiang).

Food plant. Unknown.

*Callispa octopunctata* Baly 1858

*Callispa octopunctata* Baly 1858: 8 (type: Ceylon, BMNH). Gemminger & Harold 1876: 3598 (catalog); Donckier 1899: 544 (catalog); Gestro 1902a: 51 (faunal list); Weise 1905b: 113 (faunal list), 1911a: 43 (catalog), 1911b: 62 (catalog); Maulik 1919: 51 (India species); Uhmman 1952b: 356 (key), 1958e: 178 (catalog); Staines & Staines 1999: 523 (Baly species list).

*Callispa octopunctata sexmaculata* Weise 1905b: 113 (type: India, ZMHB?). Weise 1911a: 43 (catalog), 1911b: 62 (catalog); Uhmman 1952b: 350 (note), 1958e: 178 (catalog).

Distribution. India (Madras), Sri Lanka.

Food plant. Unknown.

*Callispa ovata* Gestro 1899c

*Callispa ovata* Gestro 1899c: 316 (type: Indonesia, Sumatra, MCSN?). Donckier 1899: 544 (catalog); Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Uhmman 1958e: 178 (catalog).

Distribution. Indonesia (Sumatra).

Food plant. Unknown.

*Callispa paharia* Basu 1999

*Callispa paharia* Basu 1999: 158 (type: India, West Bengal, Darjeeling District, Ghoombhanjang, ZUIC). Borowiec & Sekerka 2010: 371 (catalog).

Distribution. India (West Bengal).

Food plant. Unknown.

*Callispa palawanica* Uhmman 1931

*Callispa palawanica* Uhmman 1931: 10 (type: Philippines, Palawan, Bacuit, depository unknown). Uhmman 1964(1965): 254 (faunal list); Staines 1997b: 413 (Uhmman species list).

Distribution. Philippines (Palawan).

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

Food plant. Unknown.

*Callispa pallida* Gestro 1888a

*Callispa pallida* Gestro 1888a: 130 (type: Birmania, Bhamo, MSCN). Baly 1888a: 653 (faunal list); Gestro 1890: 230 (distribution); Donckier 1899: 544 (catalog); Weise 1911a: 43 (catalog), 1911b: 62 (catalog); Maulik 1919: 46 (India species); Uhmman 1958e: 179 (catalog); Chen et al. 1961: 457 (faunal list); L. Medvedev 1992b: 143 (Vietnam species); Kimoto 1999: 99 (southeast Asia species); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

*Callispa fleutiauxi* Baly 1889: 489 (type: Hue, MNHN). Gestro 1890: 227 (synonymy), 1901b: 434 (note); Donckier 1899: 543 (catalog); Staines & Staines 1999: 522 (Baly species list).

*Callispa curtippennis* Pic 1926f: 324 (type: Vietnam, Saigon, MNHN). Uhmman 1952b: 360 (catalog), 1958e: 173 (catalog); Descarpentries & Villiers 1959b: 500 (types); L. Medvedev 1992: 144 (Vietnam species); Kimoto 1999: 99 (synonymy).

Distribution. Cambodia, China (Yunnan), Laos, Myanmar, Thailand, Vietnam.

Food plant. *Bambusa* sp. (Poaceae) (Hua 2002).

*Callispa parva* Schöller 2008

*Callispa parva* Schöller 2008: 311 (type: Malaysia, Sungai Buloh, Selangor, NHMB).

Distribution. Malaysia.

Food plant. Adults collected on *Calamus caesius* Blume, *C. javensis* Blume, *C. manan* Mia., *C. scipionum* Lour. (Araceae), *Daemonorops angustifolia* Mart. (Arecaceae) (Schöller 2008).

*Callispa pelengana* Uhmman 1954f

*Callispa pelengana* Uhmman 1954f: 6 (type: Belgium Congo, Parc National de l'Upemba, MRAC). Uhmman 1958e: 179 (catalog); Gaedike & Döbler 1971: 384 (types); Staines 1997b: 413 (Uhmman species list).

Distribution. Congo.

Food plant. Unknown.

*Callispa penangana* Uhmman 1953e

*Callispa penangana* Uhmman 1953e: 871 (type: Malaysia, Penang, BMNH). Uhmman 1958e: 179 (catalog); Gaedike & Döbler 1971: 384 (types); Staines 1997b: 413 (Uhmman species list); Mohamedsaid 2004: 167 (Malaysian species); Schöller 2008: 316 (key).

Distribution. Malaysia.

Food plant. Unknown.

*Callispa philippinica* Uhmman 1930-1932

*Callispa philippinica* Uhmman 1930-1932: 13 (type: Philippines, Mindanao, Zamboanga, MCSN). Uhmman 1952b: 356 (key), 1958e: 179 (catalog), 1964(1965): 240 (faunal list); Staines 1997b: 413 (Uhmman species list).

*Callispa nigricornis* Gestro (not Baly) 1917: 398. Uhmman 1931: 13 (synonymy); Lit & Caasi-Lit 2009: 106 (host plant).

Distribution. Philippines (Mindanao).

Food plant. Unknown.

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

*Callispa picitarsis* Uhmann 1930-1932

*Callispa picitarsis* Uhmann 1930-1932: 9 (type: Philippines, Luzon, Imugan, DEI). Uhmann 1933a: 61 (faunal list), 1952b: 353 (key), 1958e: 179 (catalog), 1964(1965): 254 (faunal list); Gaedike & Döbler 1971: 385 (types); Würmli 1976f: 392 (note); Staines 1997b: 413 (Uhmann species list).  
Distribution. Philippines (Luzon).  
Food plant. Unknown.

*Callispa pita* Maulik 1919

*Callispa pita* Maulik 1919: 48 (type: Ceylon, BMNH). Uhmann 1952b: 360 (catalog), 1958e: 179 (catalog).  
Distribution. Sri Lanka.  
Food plant. Unknown.

*Callispa popovi* Chen & Yu 1961

*Callispa popovi* Chen & Yu 1961: 463 (type: China, Yunnan, IZAS). Gressitt & Kimoto 1963b: 931 (note); Yang & Sun 1991: 59 (type); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).  
Distribution. China (Yunnan).  
Food plant. Unknown.

*Callispa procedens* Uhmann 1939a

*Callispa procedens* Uhmann 1939a: 1 (type: North Burma, Kambaiti, NHRS). Uhmann 1952b: 355 (key), 1958e: 179 (catalog), 1959d: 8 (scutellum), 1964a: 440 (catalog); Chen et al. 1961: 457 (faunal list); Gaedike & Döbler 1971: 385 (types); Staines 1997b: 413 (Uhmann species list); Hua 2002: 288 (faunal list).  
Distribution. China (Yunnan), Myanmar.  
Food plant. Unknown.

*Callispa pseudapicalis* Yu 1985

*Callispa pseudapicalis* Yu 1985: 4 (type: China, Yunnan, IZAS). Yang & Sun 1991: 59 (type); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).  
Distribution. China (Yunnan).  
Food plant. *Phragmites communis* Trin. (Poaceae) (Hua 2002).

*Callispa puella* Gestro 1919

*Callispa puella* Gestro 1919: 338 (type: Malaysia, Sarawak, MCSN). Uhmann 1952b: 360 (catalog), 1958e: 179 (catalog); Mohamedsaid 2004: 167 (Malaysian species).  
Distribution. Malaysia.  
Food plant. Unknown.

*Callispa puellaris* Pic 1930d

*Callispa puellaris* Pic 1930d: 8 (type: Philippines, Mindanao, Surigao, MNHN). Uhmann 1952b: 356 (key), 1958e: 179 (catalog), 1964a: 441 (catalog), 1964(1965): 254 (faunal list); Descarpentries & Villiers 1959b: 500 (types).

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)



*Callispa raffaeli* Uhmann 1930-1932: 12 (type: Philippines, North Mindanao, Prov. Surigao, DEI). Uhmann 1933a: 62 (synonymy); Gaedike & Döbler 1971: 386 (types); Staines 1997b: 413 (Uhmann species list).

Distribution. Philippines (Luzon, Mindanao, Samar, Siargao).

Food plant. Unknown.

*Callispa pusilla* Gestro 1896a

*Callispa pusilla* Gestro 1896a: 328 (type: Sereinu (Sipora), MCSN). Gestro 1897b: 41 (distribution), 1901b: 434 (note); Donckier 1899: 544 (catalog); Weise 1911a: 43 (catalog), 1911b: 62 (catalog); Uhmann 1935g: 144 (faunal list), 1952b: 356 (key), 1958e: 179 (catalog), 1959d: 8 (scutellum), 1964a: 441 (catalog); Reid 1998: 300 (faunal list); Schöller 2008: 315 (distribution).

Distribution. Indonesia (Java, Sumatra); Malaysia.

Food plants. Adults collected on *Calamus caesius* Blume, *C. castaneus* Griff., *C. insignis* Griff., *C. manan* Miq., *C. ornatus* Blume ex. Schult., *C. scipionum* Lam., *C. subangulatus* Miq. (Araceae), *Daemonorops didymophylla* Becc., *D. angustifolia* Mart., *Eugeissona triste* Griff., *Iguanura geonomiformis* Mart., *I. wallichiana* Hook., *Korthalsia rigida* Blume, *K. rostrata* Blume, *Orania sylvicola* (Griff.) H. E. Moore, *Salacca* sp. (Arecaceae) (Schöller 2008).

*Callispa quadricollis* Yu & Li 2002

*Callispa quadricollis* Yu & Li 2002: 461 (type: China, Hainan, Danzhou, IZAS).

Distribution. China (Hainan).

Food plant. Unknown.

*Callispa recticollis* L. Medvedev 1992b

*Callispa recticollis* L. Medvedev 1992b: 144 (type: Vietnam, Sialai-Koutum, Buonloi, Medvedev).

Distribution. Vietnam.

Food plant. Unknown.

*Callispa regularis* Uhmann 1953b

*Callispa regularis* Uhmann 1953b: 10 (type: Belgian Congo, Mayidi, MRAC). Uhmann 1958e: 179 (catalog), 1961a: 18 (distribution), 1964a: 441 (catalog), 1967c: 255 (faunal list); Gaedike & Döbler 1971: 386 (types); Staines 1997b: 413 (Uhmann species list).

Distribution. Congo.

Food plant. Unknown.

*Callispa rhodesiaca* Spaeth 1935b

*Callispa rhodesiaca* Spaeth 1935b: 260 (type: S. Rhodesia, Salisbury, BMNH). Uhmann 1953b: 12 (faunal list), 1956f: 338 (catalog), 1958e: 179 (catalog); Staines 2005: 47 (Spaeth species list).

Distribution. Zimbabwe.

Food plant. Unknown.



*Callispa houjayi*



*Callispa keram*



*Callispa tsoui*

*Callispa roepkei* Uhmann 1929a

*Callispa roepkei* Uhmann 1929a: 144 (type: Indonesia, Java, Buitenzorg, DEI). Maulik 1937: 145 (host plants); Lepesme 1947: 536 (host plants); Uhmann 1952b: 353 (key), 1958e:

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

179 (catalog), 1964a: 441 (catalog); Kalshoven 1957: 8 (host plant); Gaedike & Döbler 1971: 386 (types); Staines 1997b: 413 (Uhmman species list).  
Distribution. Indonesia (Java).  
Food plant. *Metroxylon* sp. (Arecaceae) (Uhmman 1929).

*Callispa ruficollis* Fairmaire 1889

*Callispa ruficollis* Fairmaire 1889: 84 (type: China, Muping, MNHN). Donckier 1899: 544 (catalog); Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Winkler 1929: 1352 (catalog); Liu 1936: 252 (China species); Wu 1937: 911 (faunal list); Uhmman 1949a: 3 (key), 1958e: 179 (catalog); Gressitt 1950: 72 (China species), 1953: 121 (distribution); Chen et al. 1961: 457 (faunal list); Gressitt & Kimoto 1963a: 902 (China species); Yu 1992: 611 (faunal list); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 372 (catalog).  
*Callispa rugicollis* Fairmaire. Yu 1992: 347 (lapsus, faunal list).  
Distribution. China (Fukien, Guangxi, Guizhou, Hunan, Hupeh, Sikang, Szechuan).  
Food plant. *Phyllostachys viridis* (R. A. Young) McClure (Poaceae) (Hua 2002).

*Callispa rufiventris* Uhmman 1928g

*Callispa rufiventris* Uhmman 1928g: 66 (type: British East Africa, Ramissi, DEI). Spaeth 1935b: 256 (museum list); Uhmman 1943b: 119 (note), 1958e: 180 (catalog), 1960d: 373 (faunal list), 1964a: 441 (catalog); Gaedike & Döbler 1971: 387 (types); Staines 1997b: 413 (Uhmman species list).  
Distribution. Tanzania.  
Food plant. Unknown.

*Callispa salaccae* Schöller 2008

*Callispa salaccae* Schöller 2008: 308 (type: Malaysia, Ulu Gombak, NHMB).  
Distribution. Malaysia.  
Food plant. Adults collected on *Salacca conferta* Griff. (Arecaceae) (Schöller 2008).

*Callispa scipionae* Schöller 2008

*Callispa scipionae* Schöller 2008: 309 (type: Malaysia, Sungai Buloh, Selangor, NHMB).  
Distribution. Malaysia.  
Food plant. Adults collected on *Calamus scipionum* Lam. (Araceae) (Schöller 2008).

*Callispa scutellaris* Weise 1897

*Callispa scutellaris* Weise 1897: 115 (type: Burma, Tenasserim, ZMHB). Donckier 1899: 544 (catalog); Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Maulik 1919: 64 (India species); Uhmman 1952b: 352 (note), 1958e: 180 (catalog); Schöller 2008: 317 (key).  
Distribution. Myanmar.  
Food plant. Unknown.

*Callispa sebakue* Péringuey 1908

*Callispa sebakue* Péringuey 1908: 335 (type: Southern Rhodesia, Sebakwe, SAMC). Uhmman 1956f: 338 (catalog), 1958e: 180 (catalog), 1961c: 503 (note), 1964a: 441 (catalog).  
*Callispa sebakue* Péringuey. Weise 1911a: 43 (lapsus, catalog), 1911b: 64 (catalog).

*Callispa sebakuensis* Spaeth 1935b: 255 (unnecessary replacement name); Staines 2005: 47 (Spaeth species list).  
Distribution. Mozambique, Southern Rhodesia.  
Food plant. Unknown.

*Callispa semirufa* Kraatz 1895

*Callispa semirufa* Kraatz 1895: 189 (type: Togo, DEI). Donckier 1899: 544 (catalog); Gestro 1905b: 542 (catalog); Weise 1911a: 43 (catalog), 1911b: 64 (catalog); Uhmann 1927b: 60 (note), 1931b: 253 (note), 1931i: 838 (note), 1953j: 653 (lectotype), 1954h: 177 (key), 1958e: 180 (catalog), 1961a: 18 (faunal list), 1964a: 441 (catalog), 1969: 297 (faunal list); Spaeth 1935b: 255 (note); Gaedike & Döbler 1971: 389 (types).  
Distribution. Cameroon, Congo, Senegal, Togo.  
Food plant. Unknown.

*Callispa septemmaculata* Weise 1908

*Callispa septemmaculata* Weise 1908: 213 (type: India, Nilgiri Hills, BMNH). Weise 1911a: 43 (catalog), 1911b: 62 (catalog); Maulik 1919: 52 (India species); Uhmann 1958e: 180 (catalog).  
Distribution. India (Madras).  
Food plant. Unknown.

*Callispa silacea* Weise 1901

*Callispa silacea* Weise 1901: 225 (type: Congo, Matadi, ZMHU). Gestro 1905b: 542 (catalog); Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Uhmann 1931b: 252 (note), 1931c: 1 (museum list), 1931i: 837 (museum list), 1936a: 433 (faunal list), 1937g: 370 (museum list), 1942a: 5 (faunal list), 1953b: 10 (distribution), 1954f: 8 (faunal list), 1955g: 456 (museum list), 1956f: 338 (catalog), 1958e: 180 (catalog), 1958f: 488 (faunal list), 1960d: 373 (faunal list), 1961c: 503 (note), 1964a: 441 (catalog), 1966b: 210 (faunal list), 1967c: 255 (faunal list); Spaeth 1935b: 255 (as synonym of *C. kilimana*).  
Distribution. Congo, Kenya, Mozambique, South Africa, Tanzania, Uganda.  
Food plant. Unknown.

*Callispa simillima* Würmli 1976f

*Callispa simillima* Würmli 1976f: 391 (type: Philippines, Leyte, AMNH).  
Distribution. Philippines (Leyte).  
Food plant. Unknown.

*Callispa similis* Uhmann 1931b

*Callispa similis* Uhmann 1931b: 254 (type: Elisabethville, MRAC). Spaeth 1935b: 255 (note); Uhmann 1947a: 134 (type), 1953b: 10 (distribution), 1954f: 8 (faunal list), 1958e: 180 (catalog), 1961a: 18 (faunal list), 1964a: 441 (catalog); Gaedike & Döbler 1971: 389 (types); Staines 1997b: 413 (Uhmann species list).  
Distribution. Congo.  
Food plant. Unknown.

*Callispa spaethi* Uhmann 1930-1932

*Callispa spaethi* Uhmann 1930-1932: 11 (type: Philippines, Luzon, St. Thomas, NMW).  
Uhmann 1933a: 62 (faunal list), 1952b: 354 (key), 1958e: 180 (catalog), 1964(1965): 254 (faunal list); Staines 1997b: 413 (Uhmann species list).  
Distribution. Philippines (Luzon).  
Food plant. Unknown.

*Callispa specialis* Yu 1985

*Callispa specialis* Yu 1985: 2 (type: China, Yunnan, IZAS). Yang & Sun 1991: 59 (type); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 372 (catalog).  
Distribution. China (Yunnan).  
Food plant. Unknown.

*Callispa splendidula* Gestro 1897b

*Callispa splendidula* Gestro 1897b: 116 (type: Borneo, Brunei, MCSN). Donckier 1899: 544 (catalog); Gestro 1902b: 135 (faunal list), 1909(1910): 141 (faunal list), 1917: 397 (faunal list), 1919: 338 (faunal list), 1922: 100 (faunal list); Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Uhmann 1930-1932: 11 (faunal list), 1933a: 61 (faunal list), 1935g: 144 (faunal list), 1952b: 354 (distribution), 1958e: 180 (catalog), 1960c: 24 (faunal list), 1964a: 441 (catalog), 1964(1965): 240 (faunal list); Kalshoven 1957: 8 (host plant); Reid 1998: 300 (faunal list); Mohamedsaid 2004: 167 (Malaysian species).  
Distribution. Indonesia (Borneo, Celebes, Java), Malaysia, Philippines (Palawan).  
Food plant. *Metroxylon* sp. (Arecaceae) (Kalshoven 1957).

*Callispa steineri* Schöller 2007

*Callispa steineri* Schöller 2007: 335 (type: Malaysia, Ulu Gombak, NHMB). Schöller 2008: 317 (key).  
Distribution. Malaysia.  
Food plant. *Calamus caesius* Blume (Araceae) (Schöller 2007).

*Callispa submarginata* L. Medvedev 1993

*Callispa submarginata* L. Medvedev 1993: 374 (type: China, Sichuan, Mt. Emei, MNHB). Borowiec & Sekerka 2010: 372 (catalog).  
Distribution. China (Sichuan).  
Food plant. Unknown.

*Callispa sundara* Maulik 1919

*Callispa sundara* Maulik 1919: 61 (type: Burma, Tavoy, Tenasserim, BMNH). Gressitt 1939a: 164 (distribution), 1950: 73 (China species); Uhmann 1952b: 361 (catalog), 1958e: 180 (catalog); Gressitt & Kimoto 1963a: 903 (China species); Chen et al. 1986: 619 (China species); Kimoto 1999: 99 (southeast Asia species); Hua 2002: 288 (faunal list); Yu & Li 2002: 462 (faunal list); Borowiec & Sekerka 2010: 372 (catalog).  
*Callispa elongata* Pic 1924: 24 (type: Vietnam, Tonkin, MNHN). L. Medvedev 1992b: 148 (Vietnam species); Kimoto 1999: 100 (synonymy).  
Distribution. China (Guangxi, Hainan, Yunnan), Laos, Myanmar, Thailand, Vietnam.  
Food plant. Unknown.

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

*Callispa tarsata* Baly 1869b

*Callispa tarsata* Baly 1869b: 366 (type: India, BMNH). Gemminger & Harold 1876: 3599 (catalog); Donckier 1899: 544 (catalog); Weise 1911a: 43 (catalog), 1911b: 62 (catalog); Maulik 1919: 58 (India species); Uhmman 1958e: 180 (catalog); Staines & Staines 1999: 523 (Baly species list).  
Distribution. India.  
Food plant. Unknown.

*Callispa testacea* Kraatz 1895

*Callispa testacea* Kraatz 1895: 189 (type: Togo, DEI). Donckier 1899: 544 (catalog); Weise 1901: 225 (note), 1911a: 43 (catalog), 1911b: 63 (catalog); Gestro 1905b: 542 (catalog); Uhmman 1931b: 253 (note), 1931i: 837 (museum list), 1936a: 433 (faunal list), 1937g: 370 (museum list), 1953b: 12 (distribution), 1954h: 178 (faunal list), 1958e: 180 (catalog), 1961a: 19 (distribution), 1964a: 441 (catalog), 1966b: 211 (faunal list), 1967c: 255 (faunal list); Spaeth 1935b: 255 (note); Gaedike & Döbler 1971: 392 (types).  
Distribution. Cameroon, Congo, Guinea, Togo, Uganda.  
Food plant. Unknown.

*Callispa testaceicornis* Pic 19226f

*Callispa testaceicornis* Pic 1926f: 234 (type: Congo, Benito, MNHN). Uhmman 1958e: 181 (catalog), 1964a: 441 (catalog); Descarpentries & Villiers 1959b: 500 (types).  
Distribution. Congo.  
Food plant. Unknown.

*Callispa testaceipes* Pic 1924c

*Callispa testaceipes* Pic 1924c: 27 (type: Burma, Paungole, MNHN). Uhmman 1952b: 361 (catalog), 1958e: 181 (catalog), 1964a: 441 (catalog); Descarpentries & Villiers 1959b: 500 (types).  
Distribution. Myanmar.  
Food plant. Unknown.

*Callispa tibangana* Uhmman 1939d

*Callispa tibangana* Uhmman 1939d: 2 (type: East Borneo, Mt. Tibang, NHRS). Uhmman 1948d: 1 (type), 1952b: 354 (key), 1958e: 181 (catalog); Gaedike & Döbler 1971: 392 (types); Staines 1997b: 413 (Uhmman species list); Mohamedsaid 2004: 167 (Malaysian species).  
Distribution. Malaysia.  
Food plant. Unknown.

*Callispa tsoui* Lee, Świętojańska, & Staines 2012

*Callispa tsoui* Lee, Świętojańska, & Staines 2012: 846 (type: Taiwan, Taipei, Wulai, TARI).  
*Callispa ruficollis* Lee & Cheng (not Fairmaire) 2007: 152 (misidentification).  
Distribution. Taiwan.  
Food plant. *Phyllostachys makinoi* Hayata, *Yushania niitakayamensis* (Hayata) Keng (Poaceae) (Lee et al. 2012).

*Callispa ugandina* Spaeth 1935b

*Callispa ugandina* Spaeth 1935b: 256 (type: Uganda, Tero Forest, BMNH). Uhmman 1942a: 5 (faunal list), 1958e: 181 (catalog); Staines 2005: 47 (Spaeth species list).  
Distribution. Congo, Uganda.  
Food plant. Unknown.

*Callispa uhmanni* Chen & Yu 1961

*Callispa uhmanni* Chen & Yu 1961: 463 (type: China, Yunnan, IZAS). Gressitt & Kimoto 1963b: 931 (note); Yang & Sun 1991: 59 (type); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 372 (catalog).  
Distribution. China (Yunnan).  
Food plant. Unknown.

*Callispa umtalina* Péringuey 1908

*Callispa umtalina* Péringuey 1908: 335 (type: Southern Rhodesia, Umtali, SAMC). Weise 1911a: 43 (catalog), 1911b: 64 (catalog); Uhmman 1928g: 66 (note), 1934b: 391 (museum list), 1953b: 12 (faunal list), 1956f: 338 (catalog), 1958e: 181 (catalog); Spaeth 1935b: 256 (note).  
Distribution. Zimbabwe.  
Food plant. Unknown.

*Callispa undulata* Uhmman 1933a

*Callispa undulata* Uhmman 1933a: 61 (type: Philippines, Mindanao, Surigao, DEI). Uhmman 1952b: 353 (key), 1958e: 181 (catalog), 1964(1965): 255 (faunal list); Gaedike & Döbler 1971: 393 (types); Würmli 1976f: 391 (note); Staines 1997b: 413 (Uhmman species list); Staines & Staines 1997: 22 (types).  
Distribution. Philippines (Luzon, Mindanao, Panaon, Samar, Siargao).  
Food plant. Unknown.

*Callispa unicolor* Weise 1904

*Callispa unicolor* Weise 1904: 171 (type: Rhodesia, ZMHU). Weise 1911a: 43 (catalog), 1911b: 64 (catalog); Uhmman 1928g: 66 (note), 1931i: 838 (note), 1956f: 338 (catalog), 1958e: 181 (catalog); Spaeth 1935b: 255 (note).

*Callispa gestroi* Péringuey 1908: 335 (type: Southern Rhodesia, Umtali, SAMC).

*Callispa sulcicollis* Weise 1911a: 43 (nomen nudum). Weise 1911b: 64 (catalog).  
Distribution. Rhodesia.  
Food plant. Unknown.

*Callispa uniformis* Uhmman 1943b

*Callispa uniformis* Uhmman 1943b: 119 (type: Belgian Congo, Elisabethville, BMNH). Uhmman 1950b: 337 (type), 1953b: 12 (faunal list), 1954f: 8 (faunal list), 1958e: 181 (catalog), 1967c: 255 (faunal list); Gaedike & Döbler 1971: 393 (types); Staines 1997b: 413 (Uhmman species list).  
Distribution. Congo.  
Food plant. Unknown.

*Callispa vietnamica* Kimoto 1998

*Callispa vietnamica* Kimoto 1998: 4 (type: Vietnam, Fryan, BPBM). Kimoto 1999: 100 (southeast Asia species).  
Distribution. Vietnam.  
Food plant. Unknown.

*Callispa violaceicornis* Pic 1937f

*Callispa violaceicornis* Pic 1937f: 109 (type: south India, MNHN). Uhmman 1952b: 361 (catalog), 1958e: 181 (catalog); Descarpentries & Villiers 1959b: 500 (types); Shameem & Prathapan 2013: 8 (key).  
Distribution. India.  
Food plant. Unknown.

*Callispa vittata* Baly 1858

*Callispa vittata* Baly 1858: 7 (type: India, BMNH). Gemminger & Harold 1876: 3599 (catalog); Donckier 1899: 544 (catalog); Weise 1905b: 114 (faunal list), 1911a: 43 (catalog), 1911b: 62 (catalog); Maulik 1919: 52 (India species); Uhmman 1952b: 349 (note), 1958e: 181 (catalog), 1961c: 508 (note); Takizawa 1985b: 571 (faunal list), 1987: 525 (faunal list); Basu 1999: 153 (distribution); Staines & Staines 1999: 523 (Baly species list); Mukunthan & Nirmala 2002: 158 (biology).  
Distribution. India (Karnataka, Tamilnadu, West Bengal).  
Food plants. *Saccharum barberi*, *S. officinarum*, *S. robustum*, *S. sinense*, *Erianthus* spp. (Poaceae) (Mukunthan & Nirmala 2002).

*Callispa voronovae* L. Medvedev 1992b

*Callispa voronovae* L. Medvedev 1992b: 148 (type: Vietnam, Vihn fou, Tamdao, Medvedev).  
Distribution. Vietnam.  
Food plant. Unknown.

*Callispa weigeli* L. Medvedev 2009

*Callispa weigeli* L. Medvedev 2009: 412 (type: Nepal, Mahakali-Darchula, NME). Sprecher-Uebersax 2011: 487 (faunal list).  
Distribution. Nepal.  
Food plant. Unknown.

*Callispa whitei* Baly 1858

*Callispa whitei* Baly 1858: 6 (type: Borneo, BMNH). Gemminger & Harold 1876: 3599 (catalog); Donckier 1899: 544 (catalog); Gestro 1899c: 316 (note), 1902b: 135 (faunal list), 1909(1910): 141 (faunal list), 1919: 338 (faunal list); Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Uhmman 1952b: 349 (note), 1958e: 181 (catalog); Staines & Staines 1999: 523 (Baly species list); Mohamedsaid 2004: 167 (Malaysian species).  
Distribution. Indonesia (Borneo, Sumatra), Malaysia.  
Food plant. Unknown.



***Callispa (Callispella) Spaeth 1935b***

*Callispa (Callispella)* Spaeth 1935b: 255. Type species: *Callispa gracilicornis* Weise 1910b. Uhmann 1958e: 182 (catalog), 1964a: 441 (catalog); Würmli 1975a: 17 (genera).

***Callispa bayoni* Gestro 1911b**

*Callispa bayoni* Gestro 1911b: 24 (type: Bussu-Busoga, MCSN). Weise 1911a: 42 (catalog), 1911b: 64 (catalog); Uhmann 1927b: 59 (note), 1953b: 9 (faunal list), 1954h: 176 (key), 1955c: 241 (distribution), 1956f: 338 (catalog), 1958e: 182 (catalog), 1962b: 359 (faunal list); Spaeth 1935b: 255.

*Callispa schoutedeni* Uhmann 1931b: 253 (type: Belgian Congo, Haut-Uele; Elisabethville, MRAC). Uhmann 1931i: 838 (note), 1936a: 433 (faunal list), 1942a: 6 (faunal list), 1947a: 134 (type), 1953b: 9 (distribution), 1958e: 182 (catalog); Spaeth 1935b: 255 (note); Gaedike & Döbler 1971: 388 (types); Medler 1980: 261 (faunal list); Staines 1997b: 413 (Uhmann species list).

Distribution. Cameroon, Congo, Mozambique, Rwanda, Uganda.

Food plant. Unknown.

***Callispa gracilicornis* Weise 1910b**

*Callispa gracilicornis* Weise 1910c: 160 (type: German East Africa, Kilossa, ZMHB?). Weise 1911a: 43 (catalog), 1911b: 64 (catalog); Uhmann 1931i: 838 (note), 1956f: 338 (catalog), 1958e: 182 (catalog), 1964a: 441 (catalog); Spaeth 1935b: 255 (note); Gomes Alves 1949: 116 (distribution).

*Callispa gracilicornis garambae* Uhmann 1961a: 19 (type: Congo, Mont Ndogo, MRAC). Uhmann 1964a: 441 (catalog); Staines 1997b: 413 (note).

Distribution. Congo, Guinea, Mozambique, Tanzania.

Food plant. Unknown.

***Callispa lamottei* Uhmann 1954h**

*Callispa lamottei* Uhmann 1954h: 177 (type: French Guinea, Nimba, MNHN). Uhmann 1958e: 182 (catalog), 1964a: 441 (catalog); Gaedike & Döbler 1971: 379 (types); Staines 1997b: 413 (Uhmann species list).

Distribution. French Guinea.

Food plant. Unknown.

**Incerte Sedis**

***Callispa daurica* Mannerheim**

*Callispa daurica* Mannerheim. Hua 2002: 288 (faunal list).

Distribution. China (Sichuan).

***Callispa pretiosum* Baly**

*Callispa pretiosum* Baly. Hua 2002: 288 (faunal list).

Distribution. China (Sichuan).

***Callispa signata* (Motschulsky)**

*Callispa signata* (Motschulsky). Hua 2002: 288 (faunal list).

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

Distribution. China (Sichuan).

***Echinocallispa* Zhang et al. 1994**

*Echinocallispa* Zhang et al. 1994: 133. Type species: *Echinocallispa flavida* Zhang et al., by monotypy.

*Echinocallispa flavida* Zhang et al. 1994

*Echinocallispa flavida* Zhang et al. 1994: 134 (type: China, Shandong, Shanwang, IZAS?).  
Distribution. Miocene fossil (China, Shandong).

***Hispodonta* Baly 1858**

*Hispodonta* Baly 1858: 78. Type species: *Hispodonta nigricornis* Baly, by original designation. Baly 1869b: 374 (note); Chapuis 1875: 284 (redescription), 1876:xviii (faunal list); Gemminger & Harold 1876: 3602 (catalog); Donckier 1899: 552 (catalog); Gestro 1905a: 130 (note), 1917: 395 (faunal list); Weise 1911a: 41 (catalog), 1911b: 61 (redescription); Schultze 1916: 100 (faunal list); Maulik 1919: 42 (India species); Liu 1936: 249 (China species); Uhmann 1940g: 121 (claws), 1958e: 169 (catalog), 1959d: 8 (scutellum), 1964a: 438 (catalog); Gressitt 1957b: 211 (South Pacific species), 1959a: 72 (host plants), 1961: 78 (biogeography), 1963: 594 (New Guinea species), 1982: 711 (ecology); Würmli 1975a: 16 (genera); Seeno & Wilcox 1982: 162 (catalog); Anand 1984: 11 (note); Gressitt & Samuelson 1988: 51 (New Guinea species); Jolivet 1989b: 308 (host plants); Jolivet & Hawkeswood 1995: 150 (host plants); Staines & Staines 1999: 526 (Baly species list); Cayabyab et al. 2000: 101 (host plant); Staines 2004a: 311 (host plants); Chaboo 2007: 141 (note); García-Robledo et al. 2010: 64 (noted).

*Spilispa* Chapuis 1875: 285. Type species: *Spilispa balyi* Chapuis 1875 (= *Oxycephala imperialis* Baly 1859), by monotypy. Gemminger & Harold 1876: 3603 (catalog); Donckier 1899: 553 (catalog); Gahan 1900: 436 (stridulation); Weise 1911a: 35 (catalog), 1911b: 61 (catalog); Uhmann 1940g: 121 (claws), 1958e: 170 (catalog), 1959d: 8 (scutellum), 1964a: 439 (catalog); Gressitt 1957b: 214 (South Pacific species), 1961: 78 (biogeography); Würmli 1975a: 16 (genera, as full genus); Seeno & Wilcox 1982: 162 (catalog, as full genus); Gressitt & Samuelson 1988: 51 (synonymy); Jolivet 1989b: 298 (note); Chaboo 2007: 54 (note).

*Hispodonta bicolor* Gressitt 1963

*Hispodonta bicolor* Gressitt 1963: 597 (type: New Guinea, Nabire, BPBM). Gressitt & Samuelson 1988: 56 (New Guinea species); Staines 2004a: 311 (host plants); García-Robledo et al. 2010: 64 (noted).

Distribution. New Guinea.

Food plant. Large-leafed ginger (Zingiberaceae) (Gressitt & Samuelson 1988).

*Hispodonta bifasciata* Gestro 1906b

*Hispodonta bifasciata* Gestro 1906b: 469 (type: Batchian, MNHN). Weise 1911a: 41 (catalog), 1911b: 61 (catalog); Gestro 1913: 14 (comparative note); Gressitt 1957b: 214 (South Pacific species); Uhmann 1958e: 169 (catalog), 1964a: 438 (catalog); Gressitt & Samuelson 1988: 56 (New Guinea species).

Distribution. Moluccas.

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

Food plant. Unknown.

*Hispodonta chapuisii* Gestro 1885

*Hispodonta chapuisii* Gestro 1885: 156 (type: New Guinea, Andai, MCSN). Gestro 1892: 1020 (distribution), 1897d: 453 (distribution), 1907: 81 (museum list); Donckier 1899: 552 (catalog); Weise 1911a: 41 (catalog), 1911b: 61 (catalog); Gressitt 1957b: 213 (South Pacific species), 1960a: 4 (larva), 1963: 604 (New Guinea species); Uhmman 1958e: 169 (catalog), 1964a: 438 (catalog); Gressitt & Samuelson 1988: 59 (New Guinea species); Chaboo 2007: 150 (phylogeny).

Distribution. New Guinea.

Food plants. *Pinanga?*, *Heterospathe?*, *Areca* sp. (Arecaceae) (Gressitt 1963).

*Hispodonta cyperaceae* Gressitt 1988

*Hispodonta cyperaceae* Gressitt 1988: 62 (type: New Guinea, Aiyura, BPBM). García-Robledo et al. 2010: 64 (noted).

Distribution. New Guinea.

Food plant. Unidentified sedge (Cyperaceae) (Gressitt & Samuelson 1988).

*Hispodonta delkeskampi* Uhmman 1952b

*Hispodonta delkeskampi* Uhmman 1952b: 346 (type: New Guinea, Sattelberg, ZMHB). Gressitt 1957b: 213 (South Pacific species), 1960a: 4 (New Guinea species), 1963: 596 (distribution); Uhmman 1958e: 169 (catalog), 1964a: 438 (catalog); Gaedike & Döbler 1971: 370 (types); Gressitt & Samuelson 1988: 53 (New Guinea species); Staines 1997b: 417 (Uhmman species list).

Distribution. New Guinea.

Food plant. Unknown.

*Hispodonta depressa* Gestro 1905a

*Hispodonta depressa* Gestro 1905a: 130 (type: New Guinea, MNHN). Gestro 1907: 81 (museum list); Weise 1911a: 41 (catalog), 1911b: 61 (catalog); Gressitt 1957b: 214 (South Pacific species), 1960a: 6 (New Guinea species), 1963: 595 (New Guinea species); Uhmman 1958e: 169 (catalog), 1964a: 438 (catalog); Gressitt & Samuelson 1988: 59 (New Guinea species).

Distribution. New Guinea.

Food plant. Unknown.

*Hispodonta discalis* Gressitt 1957b

*Hispodonta discalis* Gressitt 1957b: 212 (type: New Guinea, Maffin Bay, CASC). Gressitt 1960a: 5 (New Guinea species), 1963: 600 (New Guinea species); Uhmman 1964a: 438 (catalog); Gressitt & Samuelson 1988: 59 (New Guinea species).

Distribution. New Guinea.

Food plant. *Metroxylon sagu* Rottb. (Arecaceae) (Gressitt 1963).

*Hispodonta elegantula* Baly 1869b

*Hispodonta elegantula* Baly 1869b: 374 (type: Amboyna, BMNH). Gemminger & Harold 1876: 3603 (catalog); Donckier 1899: 552 (catalog); Weise 1911a: 41 (catalog), 1911b: 61

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

(catalog); Gressitt 1957b: 213 (South Pacific species); Uhmann 1958e: 169 (catalog), 1964a: 438 (catalog); Gressitt & Samuelson 1988: 56 (New Guinea species); Staines & Staines 1999: 526 (Baly species list).

Distribution. Moluccas.

Food plant. Unknown.

*Hispodonta feliciae* Samuelson 1988

*Hispodonta feliciae* Samuelson 1988: 58 (type: New Guinea, Olsobip, BPBM).

Distribution. New Guinea.

Food plant. Unknown.

*Hispodonta forticornis* Heller 1916

*Hispodonta forticornis* Heller 1916: 115 (type: Celebes, Kolaka, depository unknown). Weise 1911a: 41 (catalog), 1911b: 61 (catalog); Gressitt 1957b: 214 (South Pacific species); Uhmann 1952b: 361 (catalog), 1958e: 169 (catalog), 1960c: 23 (faunal list); Würmli 1976e: 361 (note).

Distribution. Indonesia (Celebes).

Food plant. Unknown.

*Hispodonta grandis* Gressitt 1963

*Hispodonta grandis* Gressitt 1963: 596 (type: New Guinea, Waris, BPBM). Gressitt & Samuelson 1988: 56 (New Guinea species).

Distribution. New Guinea.

Food plant. Unknown.

*Hispodonta imperialis* (Baly 1859)

*Oxycephala imperialis* Baly 1859: 88 (type: Celebes, Moluccas, ISNB). Gestro 1897: 157; Gahan 1900: 436 (stridulation); Mann & Crowson 1996: 301 (internal sac); Staines & Staines 1999: 526 (Baly species list).

*Spilispa imperialis* (Baly). Gemminger & Harold 1876: 3603 (catalog); Heyden 1879: 549 (faunal list); Gestro 1885: 157 (distribution); Donckier 1899: 553 (catalog); Gahan 1900: 436 (stridulation); Weise 1911a: 42 (catalog), 1911b: 62 (catalog); Sharp & Muir 1912: 567 (male genitalia); Maulik 1919: 8 (India species), 1936b: 401 (redescription); Uhmann 1952b: 347 (note), 1958e: 170 (catalog), 1959d: 7 (scutellum), 1960c: 24 (faunal list), 1964a: 439 (catalog); Gressitt 1957b: 214 (South Pacific species); Monrós 1959: 28 (illustration); Schmitt 1991: 266 (stridulation), 1994: 323 (stridulation); Santiago-Blay 2004: 78 (host plants).

*Spilispa balyi* Chapuis 1875: 286 (type: Moluccas, ISNB). Chapuis 1875b: 43, plate 128, fig. 4 (illustration); Weise 1911a: 42 (synonymy).

*Hispodonta imperialis* (Baly). Gressitt & Samuelson 1988: 56 (transfer).

Distribution. Indonesia (Celebes), Moluccas, New Guinea.

Food plant. Unknown.

*Hispodonta janthina* (Blanchard 1853)

*Cephaloleia janthina* Blanchard 1853: 314 (type: Celebes, MNHN).

*Hispodonta janthina* (Blanchard). Baly 1858: 79 (note); Gemminger & Harold 1876: 3603 (catalog); Gestro 1885: 156 (distribution); Donckier 1899: 552 (catalog); Weise 1911a: 41 (catalog), 1911b: 61 (catalog); Heller 1916: 114 (note); Uhmann 1952b: 345 (note), 1958e: 169 (catalog), 1964a: 439 (catalog); Gressitt 1957b: 213 (South Pacific species); García-Robledo et al. 2010: 64 (noted).

*Hispodonta unicolor* Heller 1916: 115 (type: Celebes, Sakedi, depository unknown). Uhmann 1952b: 361 (catalog), 1958e: 170 (catalog), 1960c: 23 (faunal list), 1964a: 439 (catalog); Gressitt 1957b: 214 (South Pacific species); Kalshoven 1957: 8 (host plant); Würmli 1976e: 361 (synonymy); Staines 2004a: 311 (host plants).  
Distribution. Indonesia (Celebes), New Guinea.  
Food plant. *Musa* sp. (Musaceae) (Kalshoven 1957).

*Hispodonta loriae* Gestro 1913

*Hispodonta loriae* Gestro 1913: 13 (type: Purari River, Papua New Guinea, MCSN). Uhmann 1952b: 361 (catalog), 1958e: 170 (catalog), 1964a: 439 (catalog); Gressitt 1957b: 214 (South Pacific species), 1960a: 6 (New Guinea species), 1963: 604 (distribution); Gressitt & Samuelson 1988: 62 (New Guinea species).  
Distribution. New Guinea.  
Food plant. *Metroxylon sagu* Rottb. (Arecaceae) (Gressitt & Samuelson 1988).

*Hispodonta metroxylona* Gressitt 1960a

*Hispodonta metroxylona* Gressitt 1960a: 5 (type: New Guinea, Madang, BPBM). Gressitt 1963: 602 (distribution); Uhmann 1964a: 439 (catalog); Gaedike & Döbler 1971: 381 (types); Gressitt & Samuelson 1988: 63 (New Guinea species); Staines & Staines 1997: 14 (types).  
Distribution. New Guinea.  
Food plant. *Metroxylon sagu* Rottb. (Arecaceae) (Gressitt 1963).

*Hispodonta nigricornis* Baly 1858

*Hispodonta nigricornis* Baly 1858: 79 (type: Philippine Islands, BMNH). Chapuis 1876: xviii (faunal list); Gemminger & Harold 1876: 3603 (catalog); Donckier 1899: 553 (catalog); Weise 1911a: 41 (catalog), 1911b: 61 (catalog); Schultze 1916: 100 (faunal list); Gestro 1917: 395 (faunal list), 1922: 100 (faunal list); Uhmann 1958e: 170 (catalog), 1964(1965): 239 (faunal list); Staines & Staines 1999: 526 (Baly species list).  
Distribution. Philippines (Luzon, Mindanao).  
Food plant. Unknown.

*Hispodonta nitida* Gressitt 1988

*Hispodonta nitida* Gressitt 1988: 53 (type: New Guinea, West Sepik Prov., Samoro, BPBM).  
Distribution. New Guinea.  
Food plant. *Heterospathe* sp.? (Arecaceae) (Gressitt & Samuelson 1988).

*Hispodonta palmella* Gressitt 1963

*Hispodonta palmella* Gressitt 1963: 602 (type: New Guinea, Dreikikir, BPBM). Uhmann 1964a: 439 (catalog); Gressitt 1982: 712 (illustration), Gressitt & Samuelson 1988: 63 (New Guinea species).

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

*Hispodonta subrotunda* Gressitt 1963: 603 (type: New Guinea, Nabire, BPBM). Gressitt & Samuelson 1988: 63 (synonymy).  
Distribution. New Guinea.  
Food plant. *Calamus* sp. (Araceae) (Gressitt 1963).

*Hispodonta palmicola* Gressitt 1960a

*Hispodonta palmicola* Gressitt 1960a: 6 (type: New Guinea, Biak, BPBM). Gressitt 1963: 599 (distribution); Gressitt & Kimoto 1988: 57 (New Guinea species).  
Distributing. New Guinea.  
Food plant. *Metroxylon* sp. and other palms (Arecaceae) (Gressitt 1960a).

*Hispodonta plagiata* Baly 1887a

*Hispodonta plagiata* Baly 1887a: 270 (type: India, BMNH). Donckier 1899: 553 (catalog); Weise 1911a: 42 (catalog), 1911b: 61 (catalog); Maulik 1919: 42 (India species); Uhmann 1958e: 170 (catalog); Staines & Staines 1999: 526 (Baly species list).  
Distribution. India.  
Food plant. Unknown.

*Hispodonta sacasc* Gressitt 1963

*Hispodonta sacasc* Gressitt 1963: 604 (type: New Guinea, Cape Rodney, BPBM). Gressitt & Samuelson 1988: 60 (New Guinea species); Samuelson 1996: 290 (morphology).  
Distribution. New Guinea.  
Food plant. *Metroxylon* sp. (Arecaceae); *Calamus* sp. (Araceae) (Gressitt & Samuelson 1988).

*Hispodonta samarica* Uhmann 1930-1932

*Hispodonta samarica* Uhmann 1930-1932: 5 (type: Philippines, Samar, DEI). Uhmann 1933a: 60 (faunal list), 1952b: 347 (note), 1958e: 170 (catalog), 1964a: 439 (catalog), 1964(1965): 254 (faunal list); Monrós 1959: 28 (illustration); Gaedike & Döbler 1971: 388 (types); Staines 1997b: 417 (Uhmann species list); Staines & Staines 1997: 19 (types).  
Distribution. Philippines (Luzon, Samar).  
Food plant. Unknown.

*Hispodonta sagu* Gressitt 1963

*Hispodonta sagu* Gressitt 1963: 600 (type: New Guinea, Dreikikir, BPBM). Gressitt & Samuelson 1988: 58 (New Guinea species).  
Distribution. New Guinea.  
Food plant. *Metroxylon sagu* Rottb. (Arecaceae) (Gressitt 1963).

*Hispodonta semperi* Chapuis 1876

*Hispodonta semperi* Chapuis 1876: xviii (type: Philippines, Luzon, ISNB). Gemminger & Harold 1876: 3603 (catalog); Donckier 1899: 553 (catalog); Weise 1911a: 42 (catalog), 1911b: 61 (catalog); Schultze 1916: 100 (faunal list); Gestro 1917: 396 (faunal list), 1922: 100 (faunal list); Uhmann 1930-1932: 5 (faunal list), 1933a: 60 (faunal list), 1952b: 345 (note), 1958e: 170 (catalog), 1964(1965): 239 (faunal list).  
Distribution. Philippines (Luzon).

C. L. Staines. 2015. Catalog of the hispines of the world (Coleoptera: Chrysomelidae: Cassidinae). Callispini. [http://entomology.si.edu/Collections\\_Coleoptera-Hispines.html](http://entomology.si.edu/Collections_Coleoptera-Hispines.html)

Food plant. Unknown.

*Hispodonta semipallida* Gressitt 1988

*Hispodonta semipallida* Gressitt 1988: 57 (type: New Guinea, Olsobip, BPBM).

Distribution. New Guinea.

Food plant. Unknown.

*Hispodonta tarsata* Chapuis 1876

*Hispodonta tarsata* Chapuis 1876: xviii (type: Philippines, Mindanao, ISNB). Gemminger & Harold 1876: 3603 (catalog); Donckier 1899: 553 (catalog); Weise 1911a: 42 (catalog), 1911b: 61 (catalog); Schultze 1916: 100 (faunal list); Gestro 1917: 396 (faunal list), 1922: 100 (faunal list); Uhmann 1958e: 170 (catalog), 1964(1965): 239 (faunal list).

Distribution. Philippines (Mindanao).

Food plant. Unknown.

*Hispodonta vicina* Gressitt 1963

*Hispodonta vicina* Gressitt 1963: 599 (type: New Guinea, Maprik, BPBM). Gressitt & Samuelson 1988: 57 (New Guinea species).

Distribution. New Guinea.

Food plant. *Metroxylon* sp. (Arecaceae) (Gressitt 1963).

***Pseudocallispa* Uhmann 1930-1932**

*Pseudocallispa* Uhmann 1930-1932: 6. Type species: *Pseudocallispa schultzei* Uhmann 1930-1932, by monotypy. Uhmann 1940g: 121 (claws), 1952b: 361 (catalog), 1958e: 170 (catalog), 1959d: 8 (scutellum); Würmli 1975a: 16 (genera); Seeno & Wilcox 1982: 162 (catalog); Staines 1997b: 418 (Uhmann species list).

*Pseudocallispa schultzei* Uhmann 1930-1932

*Pseudocallispa schultzei* Uhmann 1930-1932: 7 (type: Philippines, Dinagat Island, DEI, ZMHB). Uhmann 1933a: 60 (faunal list), 1940e: 143 (type species), 1952b: 361 (catalog), 1958e: 170 (catalog), 1964(1965): 254 (faunal list); Gaedike & Döbler 1971: 388 (types); Staines 1997b: 418 (Uhmann species list).

Distribution. Philippines (Panaon, Mindanao, Nonoc).

Food plant. Unknown.