

## Beetles (Coleoptera) of Peru: A Survey of the Families. Chrysomelidae: Alticinae (Flea Beetles)

DAVID G. FURTH,<sup>1</sup> VILMA SAVINI,<sup>2</sup> AND CAROLINE S. CHABOO<sup>3,4</sup>

**Diversity in Peru:** 84 genera, 370 species.

**Classification:** Flea beetles (Alticinae in this work) are regarded by some as a tribe of Galerucinae (Alticini) based on lack of larval differences and some molecular evidence (see review in Hua *et al.*, 2014). One significant problem with available phylogenetic datasets is the small taxon sampling relative to the group's extraordinary diversity (estimated 10,000 species and over 600 genera); we are far from reasonable estimates of the true phylogeny. The present work treats flea beetles as a subfamily, i.e., Alticinae (following Furth and Suzuki, 1994; Furth and Suzuki, 1998; Mohamedsaid and Furth, 2011). The Galerucinae (*sensu stricto*) are treated separately in the Beetles of Peru series (Chaboo and Clark, 2015).

**Recognition:** Flea beetles are recognized by their enlarged hind femora (metafemora) that contain a metafemoral spring (Furth, 1980; Furth, 1982; Furth, 1988; Furth and Suzuki, 1998).

**Habitat:** The larvae are rather poorly known, but the majority of those that are known are root-feeding; some are also foliar-feeders (e.g., *Altica*, *Blepharida*, some *Disonycha*, *Macrohaltica*). Larvae and adults are usually on the same host plants. Most species are oligophagous, with the species in most genera feeding on related plant families, presumably because of the secondary chemical compounds that often serve as feeding attractants or stimulants for adults. Adult feeding damage on host leaves appears like many tiny round holes on the leaf surface ("shot gun pattern").

The following is a list of species based solely on the literature, especially using Heikertinger and Csiki (1939, 1940), Blackwelder (1946), Bechyné and Bechyné (1971a/unpubl.), and Alata (1973). Seeno and Wilcox (1982) is a good reference for genera, as well as Nadein (2012–2014) (<http://www.zin.ru/Animalia/Coleoptera/rus/alticinw.htm>). Some of the species in this checklist are endemic to Peru; however, the distribution of the species is so poorly known at this point that it would not be reliable to indicate these now. According to Seeno and Wilcox (1982), only two genera (*Conocochoa* Bechyné, *Eugoniola* Csiki) are known from Peru. A "?" after a species name indicates that there is some question about the report of the species or about it being found in Peru. The genus *Aphthona* (in the true sense) does not exist in the Western Hemisphere; therefore, the species listed in the present checklist from Peru need to be transferred to other related genera as was pointed out in Furth and Savini (1996) and as was done for Mexican *Aphthona* in Furth (2006).

<sup>1</sup> Department of Entomology, National Museum of Natural History, Smithsonian Institution, 10<sup>th</sup> Street & Constitution Avenue, Washington, DC 20560, USA.

<sup>2</sup> Museo del Instituto de Zoología Agrícola, Facultad de Agronomía, Universidad Central de Venezuela, Apartado 4579, Maracay 2101-A, Venezuela. E-mail: vsgioia@gmail.com

<sup>3</sup> Division of Entomology, Biodiversity Institute, 1501 Crestline Drive, Suite 140, University of Kansas, Lawrence, Kansas 66045, USA.

<sup>4</sup> Corresponding author. E-mail: cschaboo@ku.edu

There is one nomenclatural issue discovered during the preparation of this checklist that requires an explanation. The species *Ocnoscelis peruana* was attributed by Bechyné (1955:115–116) to Erichson (1847:174); however, Erichson only described two species in this publication, *O. cyanoptera* and *O. purpurata*. Bechyné (1955) provided a key and a morphological description of *O. peruana*, apparently confusing it with *O. purpurata* (later recognized as a synonym of *O. cyanoptera* by von Harold (1876:28)). Therefore, at this point, *O. peruana* must be attributed to Bechyné (1955) rather to Erichson (1847); we reference this issue with a “?” before the species name. Further research into this must be conducted in the future by checking for any specimens in Erichson’s collection; however, for the purpose of this checklist, both *O. cyanoptera* and *O. peruana* are considered to be valid.

Alata (1973) reported *Epitrix parvula* (Fabricius), *Epitrix subcrinita* (LeConte), and *Epitrix ubaquensis* Harold as pests of tobacco, tomato, tomatillo, and potatoes. Undoubtedly, there are many more pest flea beetles to be reported in Peru.

Bechyné and Bechyné (1971b), in a paper presented at the First Latin American Congress of Entomology, held in Cusco, Peru, indicated that entomological exploration in Peru was initiated by Erichson (1847) based on the material coming mostly from Pozuzo. They also noted that many of the later contributions of Erichson lack geographical accuracy, and others are geographically misunderstood, being confused with localities in Ecuador, Brazil and Bolivia. For example, the material of Río Napo (Banks of Río Napo) and Nauta, localities that were considered to be from Brazil or Ecuador, were actually Peruvian localities. Another example is Río Madre de Dios which has been interpreted as Bolivian territory.

This Peru checklist is only the third checklist for Alticinae from a single country located within the hyperdiverse Neotropical Region. There are checklists of Alticinae for Costa Rica, (Furth *et al.*, 2003) with 89 genera and 350 species, and Mexico (Furth, 2006) with 89 genera and 524 species and an update for Mexico (Furth, 2013) with 90 genera and 625 species. There was also a relevant checklist for Central America as a whole by Furth and Savini (1996 and 1998). In the case of Mexico, based exclusively on historical literature published until 2002, the Alticinae diversity was thought to be composed of 74 genera and 435 species (Furth, 2004) but Furth (2013) subsequently increased these numbers from material preserved in entomological collections and some fieldwork. As a point of comparison, the faunal diversity of butterflies from Peru is composed of 7 families, 741 genera, and 4324 species (G. Lamas, pers. comm., 2015) and the bird fauna is represented by 89 families, 810 genera, and 1847 species (Birding in South America, <http://www.potoococha.net>); however, these numbers came from museum and fieldwork data and represent two very well known groups.

Symbols Used: 1 = Some species were listed by Blackwelder (1946) as *Oedionychus*, but are actually *Alagoasa*; their endings are changed from the “us” to “a” to agree in gender (Bechyné & Bechyné, 1971a). 2 = New Combinations from Bechyné & Bechyné (1971a). 3 = Listed in Bechyné & Bechyné (1971a) as *Tetragonotes sericea*. 4 = Listed in Blackwelder (1946) as *Omophoita* but listed in Bechyné & Bechyné (1971a) as *Asphaera*. 5 = Synonym of *O. prosternalis*. 6 = Aberration of *O. abendrothi*. 7 = Listed in Bechyné & Bechyné (1971a) as *Asphaera*. 8 = Listed in Blackwelder (1946) *Pseudoepitrix*, but in Bechyné & Bechyné (1971a) as *Epitrix*.

### Checklist:

- Acallepitrix boliviana* Bechyné, 1959  
*Acallepitrix carinata* (Baly, 1879)  
*Acallepitrix erichsoni* (Jacoby, 1902)  
*Acallepitrix huallagensis* Bechyné, 1959  
*Acallepitrix inaequalis* (Harold, 1877)  
*Acallepitrix lima* Bechyné, 1959  
*Acallepitrix pachiteensis* Bechyné, 1959  
*Acanthonycha dimidiata* Jacoby, 1904 (1905)  
*Acanthonycha elegantula* (Baly, 1879)  
*Acanthonycha geniculata* Jacoby, 1904 (1905)  
*Acanthonycha hermesia* Bechyné, 1959  
*Acanthonycha inca* Bechyné, 1955  
*Acanthonycha laevissima* Bechyné, 1959  
*Acanthonycha lucifuga* Bechyné, 1959  
*Acanthonycha oberthuri* Bechyné, 1959  
*Acanthonycha peruana* Jacoby, 1904 (1905)  
*Acanthonycha sinistra* Bechyné, 1959  
*Acanthonycha violescens* Bechyné, 1959  
*Acanthonycha weyrauchi* Bechyné, 1959  
*Agasicles connexa* (Boheman, 1859)  
*Alagoasa bipartita* (Jacoby, 1905)<sup>1</sup>  
*Alagoasa bisbinotata* (Jacoby, 1905)<sup>1</sup>  
*Alagoasa bistrifasciata* (Jacoby, 1905)  
*Alagoasa cardinalis* (Jacoby, 1905)  
*Alagoasa cinctipennis* (Jacoby, 1905)  
*Alagoasa consimilis* (Jacoby, 1905)  
*Alagoasa difficilis* (Jacoby, 1905)  
*Alagoasa dissepta* (Erichson, 1847)  
*Alagoasa imperialis* (Jacoby, 1905)<sup>1</sup>  
*Alagoasa insepia* (Harold, 1877)<sup>1</sup>  
*Alagoasa norbertina* Bechyné, 1959  
*Alagoasa obscuripennis* (Jacoby, 1880)<sup>1</sup>  
*Alagoasa posticalis* (Kirsch, 1883)  
*Alagoasa praecincta* (Erichson, 1847)  
*Alagoasa prompta* (Erichson, 1847)<sup>1</sup>  
*Alagoasa pulchra* (Baly, 1879)  
*Alagoasa quadrifasciata* (Jacoby, 1879)<sup>1</sup>  
*Alagoasa sagulata* (Erichson, 1847)  
*Alagoasa scissa* (Germar, 1824)  
*Alagoasa serrulata* (Kirsch, 1883)  
*Alagoasa sordida* (Harold, 1877)  
*Alagoasa tippmanni* (Bechyné, 1951)  
*Alagoasa trifasciata* (Fabricius, 1801)  
*Alagoasa xanthoviolacea grossisoma* Bechyné, 1959  
*Altica blancasi* Bechyné, 1955 ?  
*Altica convexa* Harold 1877 ?  
*Altica facialis* (Baly, 1879) ?  
*Apalotrius flavofasciatus* Jacoby, 1879  
*Aphthona carmen* Bechyné, 1955  
*Aphthona ecuadoriensis* Jacoby, 1891  
*Aphthona erythroderma* Bechyné, 1955  
*Aphthona marcapata* Bechyné, 1955  
*Aphthona rita* Bechyné, 1955  
*Aphthona trapezifera* Bechyné, 1955  
*Asphaera albomarginata* (Latreille, 1833)<sup>2</sup>  
*Asphaera basimaculata* Jacoby, 1905  
*Asphaera brevicollis* Jacoby, 1905  
*Asphaera dejeani* Jacoby, 1905  
*Asphaera discofasciata* Baly, 1879  
*Asphaera divisa* Jacoby, 1905  
*Asphaera elegantula* Jacoby, 1905  
*Asphaera glabripennis* Jacoby, 1905  
*Asphaera granulosa* Harold, 1877  
*Asphaera limitata* Harold, 1877  
*Asphaera maculicollis* Jacoby, 1905  
*Asphaera mylabroides* Harold, 1877  
*Asphaera neglecta* Harold, 1877  
*Asphaera octopunctata* (Jacoby, 1879)  
*Asphaera quadrifasciata quadrifasciata* (Fabricius, 1787)  
*Asphaera separata* Jacoby, 1905  
*Asphaera thammi* Baly, 1879  
*Bellacincta rufolimbata* (Jacoby, 1879)  
*Brasilaphthona conchita* (Bechyné, 1955)  
*Brasilaphthona dilutiventris naniuscula* Bechyné, 1959  
*Brasilaphthona lomía* Bechyné, 1959  
*Brasilaphthona pachitea* (Bechyné, 1955)  
*Brasilaphthona scylla* (Bechyné, 1955)  
*Cacoscelis jacobyi* Csiki, 1939  
*Cacoscelis lucens* (Erichson, 1847)  
*Cacoscelis marginata binotata* (Illiger, 1807)  
*Cacoscelis marginata compta* Erichson, 1847  
*Callangaltica batesi* (Baly, 1859)  
*Caloscelis jansoni* (Baly, 1879)  
*Capraita callifera* Bechyné, 1959  
*Capraita elke* (Bechyné, 1955)  
*Capraita motschulskyi* (Jacoby, 1905)  
*Capraita olivaceonotata* Bechyné, 1959  
*Capraita pallescens* (Jacoby, 1905)  
*Capraita perpendicularis* Bechyné, 1959  
*Capraita turpis acuta* Bechyné, 1959  
*Cerichrestus allardi* Duvivier, 1889  
*Cerichrestus curvilinea* Bowditch, 1915  
*Cerichrestus jacobyi* Bowditch, 1915  
*Chaetocnema daphne* Bechyné, 1955  
*Chaetocnema kimi* Bechyné, 1955  
*Chaetocnema margherita* Bechyné, 1955  
*Chaetocnema melania* Bechyné, 1955  
*Chaparena limbata* (Baly, 1879)  
*Chaparena sericea* (Bowditch, 1915)  
*Chorodecta peruana* Bechyné, 1959  
*Chrysomila cycloeides* Savini, Escalona & Furth, 2008  
*Chrysomila dichroa* Savini, Escalona & Furth, 2008  
*Chrysomila erwini* Savini, Escalona & Furth, 2008  
*Conocochoa blancasi* (Bechyné, 1955)  
*Conocochoa parva* Bechyné, 1958  
*Conocochoa weyrauchi* Bechyné, 1958  
*Coroicona bilineata* (Jacoby, 1902)

- Coroicona cinderella* (Bechyné, 1959)  
*Coroicona jacobyi* (Baly, 1879)  
*Crepidodera alwina* Bechyné, 1955  
*Crepidodera longicornis* Jacoby, 1905  
*Crepidodera magistralis* Jacoby, 1902  
*Crepidodera peruviana* Harold, 1877  
*Crepidodera vagabunda* Boheman, 1859  
*Crimissa cruralis* Stål, 1859  
*Dinaltica cephalica* (Bechyné, 1959)  
*Dinaltica discicollis* (Jacoby, 1904 (1905))  
*Dinaltica hetaera* (Bechyné, 1959)  
*Dinaltica melanopoeclia* Bechyné, 1958  
*Dinaltica zenona* (Bechyné, 1959)  
*Diosyphraea gradualis* Bechyné, 1959  
*Diosyphraea homogena* Bechyné, 1959  
*Diosyphraea kuscheli* Bechyné, 1959  
*Diosyphraea subcostata* Bechyné, 1959  
*Diphaltica peruviana* (Harold, 1877)  
*Diphaltica posticata* (Jacoby, 1905)  
*Diphaltica sulcifrons* (Harold, 1877)  
*Diphaltica weyrauchi* Bechyné, 1956  
*Diphaulaca aulica arguta* Erichson, 1847  
*Disonycha glabrata* (Fabricius, 1781)  
*Disonycha imitans* (Jacoby, 1902)  
*Disonycha peruana* Jacoby, 1904 (1905)  
*Disonycha verticalis* (Boheman, 1859)  
*Disonycha vittipennis* Boheman, 1859  
*Disonycha yurimaguensis* Blake, 1955  
*Elithia grossa* Chapuis, 1875  
*Epitrix apicicornis* Baly, 1876  
*Epitrix mercuria* Bechyné, 1955  
*Epitrix ocobamba* Bechyné, 1955  
*Epitrix parvula* (Fabricius, 1801)  
*Epitrix ranquela* Bechyné, 1955  
*Epitrix sejuncta* Baly, 1876  
*Epitrix subcrinita* (LeConte, 1857)  
*Epitrix ubaquensis* Harold, 1875  
*Epitrix weyrauchi* Bechyné, 1959  
*Epitrix yanazara* Bechyné, 1959  
*Eugoniola dimidiatipennis* (Baly, 1879)  
*Exartematopus bicolor* Harold, 1875  
*Exartematopus guttipennis* Harold, 1875  
*Forsterita brachyptera* Bechyné, 1959  
*Forsterita punensis* Bechyné, 1960  
*Glenidion peruanum* (Bechyné, 1955)  
*Glenidion piceolum* (Bechyné, 1955)  
*Heikertingerella adusta* (Harold, 1877)  
*Heikertingerella capitata* Bechyné, 1959  
*Heikertingerella dimorpha* Bechyné, 1959  
*Heikertingerella homosculpta homosculpta*  
 Bechyné, 1959  
*Heikertingerella integra* Bechyné, 1955  
*Heikertingerella iridescens* Bechyné, 1959  
*Heikertingerella labialis* Bechyné, 1959  
*Heikertingerella limbalis* Bechyné, 1959  
*Heikertingerella quincemilensis* Bechyné, 1959  
*Heikertingerella simillima* (Duvivier, 1889)  
*Heikertingerella subordinata* Bechyné, 1955  
*Heikertingerella boliviana* (Bryant, 1944)  
*Homotyphus aureonotatus* Bechyné, 1959  
*Homotyphus bolivianus* Bowditch, 1915  
*Homotyphus cellularius* Bechyné, 1959  
*Homotyphus cleroides* Harold, 1875  
*Homotyphus dextrosus* Bechyné, 1959  
*Homotyphus erichsoni* Baly, 1879  
*Homotyphus flexibilis* Bechyné, 1959  
*Homotyphus granulosus* Bechyné, 1959  
*Homotyphus pachiteensis* Bechyné, 1959  
*Homotyphus roseobrunneus* Bechyné, 1959  
*Homotyphus spinipennis* Bowditch, 1915  
*Homotyphus xanthochlorus* Bechyné, 1959  
*Hypolampsis mimulus* (Harold, 1875)  
*Hypolampsis thamni* (Baly, 1879)  
*Iphitrea dilatipennis* Bechyné, 1959  
*Iphitrea peruana* Bryant, 1944  
*Kuschelina adjuncta* (Jacoby, 1905)  
*Lacpatica monacha* (Illiger, 1807)  
*Lactina callagensis* Bechyné, 1959  
*Lactina laevicollis* Jacoby, 1879  
*Longitarsus peruvianus* Baly, 1879  
*Longitarsus substrangulatus* Bechyné, 1959  
*Lysathia limana* (Bechyné, 1955)<sup>2</sup>  
*Macrohaltica amethystina amethystina* (Olivier,  
 1808)  
*Macrohaltica costata costata* (Erichson, 1847)  
*Macrohaltica languida* (Harold, 1875)  
*Macrohaltica plicata* (Erichson, 1847)  
*Macrohaltica weyrauchi* Bechyné, 1956  
*Marcapatia longicornis* (Jacoby, 1905)  
*Monomacra aeneonotata* Bechyné, 1959  
*Monomacra apicicornis brachydera* (Harold, 1877)  
*Monomacra bicolorata* (Jacoby, 1902)  
*Monomacra caprai* Bechyné, 1959  
*Monomacra clypeata* (Baly, 1879)  
*Monomacra decorata* (Jacoby, 1904 (1905))  
*Monomacra elisa* Bechyné, 1959  
*Monomacra fumerea* (Jacoby, 1902)  
*Monomacra hispostoma* Bechyné, 1959  
*Monomacra inca* Bechyné, 1959  
*Monomacra kirschi* (Harold, 1877)  
*Monomacra limbatipennis* (Jacoby, 1902)  
*Monomacra marcatensis* Bechyné, 1959  
*Monomacra matucana* Bechyné, 1955  
*Monomacra melaleuca* (Erichson, 1847)  
*Monomacra peruviana* (Baly, 1879)  
*Monomacra physostoma* Bechyné, 1959  
*Monomacra piela* Bechyné, 1959  
*Monomacra rufobrunnea* (Jacoby, 1904 (1905))  
*Monomacra sesquifasciata* Bechyné, 1956  
*Monomacra viridis* (Weise, 1921) ?  
*Monoplatus sericeus* Bowditch, 1915<sup>3</sup>  
*Nasigona cruentata* Bechyné, 1955  
*Nasigona pallida* Jacoby, 1902

- Neodiphaulaca janthinipennis* (Latreille, 1833)  
*Nephrica basalis* (Baly, 1879)  
*Nephrica kirschi* Harold, 1877  
*Nephrica unifasciata* Jacoby, 1902  
*Notozona bivittata* Jacoby, 1879  
*Ocnoscelis boliviana* Jacoby, 1902  
*Ocnoscelis callangensis* Bechyné, 1955  
*Ocnoscelis cornuta* Bechyné, 1955  
*Ocnoscelis cyanoptera* Erichson, 1847  
*Ocnoscelis peruana* ? Erichson, 1847  
*Omophoita abendrothi* (Harold, 1877)  
*Omophoita aequatorialis variabilis* (Jacoby, 1879)  
*Omophoita aequinoctialis aequinoctialis*  
(Linnaeus, 1758)  
*Omophoita albicincta* (Jacoby, 1905)  
*Omophoita albicollis* (Fabricius, 1787)  
*Omophoita angustolineata* (Jacoby, 1905)  
*Omophoita apicata* (Csiki, 1940)<sup>4</sup>  
*Omophoita balyi* (Jacoby, 1879)<sup>4</sup>  
*Omophoita biconcava* Bechyné, 1955<sup>7</sup>  
*Omophoita chapuisi* (Harold, 1877)<sup>4</sup>  
*Omophoita clavareaui* (Jacoby, 1905)<sup>4</sup>  
*Omophoita clerica* (Erichson, 1847)  
*Omophoita curialis* (Erichson, 1847)<sup>4</sup>  
*Omophoita discicollis* (Schaufuss, 1874)<sup>4</sup>  
*Omophoita elegantissima elegantissima* (Schaufuss,  
1874)  
*Omophoita erichsoni* (Jacoby, 1905) ?<sup>4/5</sup>  
*Omophoita ernesta* Bechyné, 1959<sup>7</sup>  
*Omophoita funerea* (Jacoby, 1905) ?<sup>6</sup>  
*Omophoita fuscifasciata* (Jacoby, 1905)<sup>4</sup>  
*Omophoita hilaris* (Jacoby, 1905)<sup>4</sup>  
*Omophoita homolimbica* Bechyné, 1955<sup>7</sup>  
*Omophoita inaequalis* (Erichson, 1847)<sup>4</sup>  
*Omophoita inca* Bechyné, 1955<sup>7</sup>  
*Omophoita jessiae* (Hincks, 1950)<sup>4</sup>  
*Omophoita lima* Bechyné, 1959  
*Omophoita limbifera* (Baly, 1879)<sup>4</sup>  
*Omophoita longicollis* (Schaufuss, 1874)  
*Omophoita maculipennis* (Jacoby, 1879)<sup>4</sup>  
*Omophoita magistralis* (Harold, 1877)  
*Omophoita meticulosa* (Harold, 1877)<sup>4</sup>  
*Omophoita pauperata* (Harold, 1877)<sup>4</sup>  
*Omophoita personata* (Illiger, 1807)  
*Omophoita peruviana* (Jacoby, 1905)  
*Omophoita praedestinata* Bechyné, 1955<sup>7</sup>  
*Omophoita prosternalis* (Kirsch, 1883)<sup>4</sup>  
*Omophoita quadrinotata* (Fabricius, 1798)  
*Omophoita reflexicollis* Bechyné, 1955<sup>7</sup>  
*Omophoita sarigüea* Bechyné, 1955<sup>7</sup>  
*Omophoita succincta rubens* Bechyné, 1958<sup>7</sup>  
*Omophoita variegata* (Jacoby, 1905)<sup>7</sup>  
*Omophoita vermiculosa* Bechyné, 1955<sup>7</sup>  
*Omophoita weyrauchi* Bechyné, 1955<sup>7</sup>  
*Omophoita zonulata* (Jacoby, 1905)<sup>4</sup>  
*Omototus rubripennis* Jacoby, 1879  
*Palopoda tersa* Erichson, 1847  
*Paranaita opulenta* (Erichson, 1847)  
*Parasyphraea homolimbica* Bechyné, 1959  
*Parasyphraea isolda* Bechyné, 1959  
*Parasyphraea llama* Bechyné, 1956  
*Parasyphraea ultrasimilis sublaevis* Bechyné, 1959  
*Parchicola brevicollis* (Jacoby, 1902)  
*Pedilia albicornis* (Baly, 1879)<sup>2</sup>  
*Phenrica aemula reticulata* Bechyné & Bechyné,  
1966  
*Phenrica aequinoctialiformis* (Bechyné, 1955)  
*Phenrica albicincta* (Jacoby, 1904 (1905)  
*Phenrica austriaca* (Schaufuss, 1874)  
*Phenrica bolera* (Bechyné, 1955)  
*Phenrica boliviana* (Jacoby, 1902)  
*Phenrica erichsoni* (Jacoby, 1879)  
*Phenrica fulcrata* (Erichson, 1847) ?  
*Phenrica fulvicornis* (Jacoby, 1902)  
*Phenrica helmina* Bechyné, 1956  
*Phenrica inclusa obscurior* Bechyné, 1958  
*Phenrica marginata* (Jacoby, 1879)  
*Phenrica mathani* Bechyné, 1956  
*Phenrica obsolescens* Bechyné, 1959  
*Phenrica ornata* (Baly, 1876)  
*Phenrica perichroma* Bechyné & Bechyné, 1966  
*Phenrica petra* Bechyné, 1959  
*Phenrica plagosa* Bechyné & Bechyné, 1966  
*Phenrica pulchella* (Baly, 1879)  
*Phenrica punctifera* Bechyné, 1959  
*Phenrica ucayalensis* Bechyné & Bechyné, 1966  
*Phenrica vicina grandis* Bechyné & Bechyné, 1966  
*Physimerus foveolatus* Harold, 1875  
*Physimerus mimulus* Harold, 1875  
*Physimerus murinus* Harold, 1875  
*Physimerus plumbeus* Harold, 1875  
*Physimerus sobrinus* Harold, 1875  
*Physimerus soricinus* (Harold, 1875)<sup>2</sup>  
*Prasona freyi* Bechyné, 1951  
*Prasona peruviana* Jacoby, 1904 (1905)  
*Prasona prasina* Bryant, (1944)  
*Pseudoepitrix apicicornis* (Baly, 1876)<sup>8</sup>  
*Psilapha varians* Bechyné, 1959  
*Ptocadica straminea* Harold, 1877  
*Resistenciana baeri* (Jacoby, 1905)  
*Rhynchaspheara basisticta* Bechyné, 1958  
*Rhynchaspheara latipleura* Bechyné, 1956  
*Roicus trifasciatus* Jacoby, 1878  
*Rosalactica maculicollis* (Jacoby, 1904 (1905)  
*Rosalactica roseonotata* (Bechyné, 1959)  
*Sophræna peruviana* Harold, 1877  
*Sparnus bicolor* Scherer, 1964  
*Sphaeronychus fulvus* (Baly, 1879)  
*Stegnea nigripes* Baly, 1879  
*Strabala weyrauchi* Bechyné, 1957  
*Syphrea adpressa* Bechyné, 1955  
*Syphrea basicostata*, Bechyné, 1959  
*Syphrea calcarifera* Bechyné, 1955

- Syphrea clavitibialis* Bechyné, 1955  
*Syphrea conciliata* Bechyné, 1959  
*Syphrea convexa* (Harold, 1877)  
*Syphrea facialis* (Baly, 1879)  
*Syphrea kuscheli kuscheli* (Bechyné, 1951)  
*Syphrea nitidissima* (Baly, 1879)<sup>2</sup>  
*Syphrea pachiteensis* Bechyné, 1955  
*Syphrea punctatostriata* Bechyné, 1959  
*Syphrea viridilucens* Bechyné, 1955  
*Syphrea viridis* (Weise, 1921)  
*Syphrea zena* Bechyné, 1955  
*Systema marcapatensis* Bechyné, 1955  
*Systema melanocephala* Jacoby, 1904 (1905)  
*Systema s-littera colligata* Weise, 1921  
*Systema s-littera s-littera* (Linnaeus, 1758)  
*Tetragonotes flexuosus* Harold, 1875  
*Trichaltica thamni* Baly, 1879  
*Utingaltica malliciosa* (Bechyné, 1956)  
*Utingaltica plagiata* (Bowditch, 1921)  
*Utingaltica spinifera* (Bowditch, 1921)  
*Utingaltica tingomariana* (Bechyné, 1955)
- Varicoxa grossa* Bechyné, 1958  
*Walterianella amabilis* (Jacoby, 1905)  
*Walterianella callipoda* Bechyné, 1955  
*Walterianella copelia* Bechyné, 1959  
*Walterianella decora* (Jacoby, 1905)  
*Walterianella hypervariata* Bechyné, 1955  
*Walterianella lucia* Bechyné, 1958  
*Walterianella marginata* (Csiki, 1940)  
*Walterianella nasalis* (Jacoby, 1905)  
*Walterianella nigrimana* (Jacoby, 1905)  
*Walterianella ophthalmica* (Harold, 1879)  
*Walterianella peruviana* (Jacoby, 1894)  
*Walterianella plagiata* (Erichson, 1847)  
*Walterianella prominula* (Jacoby, 1905)  
*Walterianella propugnaculum septemmaculata* (Jacoby, 1879)  
*Walterianella tarsata* (Jacoby, 1905)  
*Walterianella terminata* (Harold, 1879)  
*Walterianella triloba* (Jacoby, 1905)  
*Walterianella variata* (Jacoby, 1905)  
*Yungaltica schindleri* Bechyné, 1959  
*Zeteticus bifasciatus* Jacoby, 1879

### Acknowledgements

We acknowledge NSF-EPSCoR #66928 (PI: CS Chaboo) for supporting the Peru beetle project and the University of Kansas Department of Ecology and Evolutionary Biology-General Research Fund (PI: CS Chaboo) for funding this publication.

### Literature Cited

- Alata, C. J. 1973. Lista de los insectos y otros animales dañinos a la agricultura en el Perú. Ministerio de Agricultura, Estación Experimental Agrícola de la Molina, Manual No. 38, 176 pp.
- Bechyné, J. 1955. Reise des Herrn Georg Frey in Südamerika: Alticidae (Col. Phytophaga). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing 6:74–266.
- Bechyné, J. 1959. Beiträge zur Kenntnis der Alticidenfauna Boliviens (Coleopt. Phytoph.). Beiträge Zur Neotropischen Fauna 1(4):269–388.
- Bechyné, J., and B. Bechyné. 1971a. Catalogue of Neotropical Alticinae. Unpublished copy deposited at the Museo del Instituto de Zoología Agrícola, Universidad Central de Venezuela, Maracay.
- Bechyné, J., and B. Bechyné. 1971b. Reconocimiento Faunístico de los Coleoptera Phytophaga en el Perú. Primer Congreso Latinoamericano de Entomología, Cusco – Perú. Anales 1er Congreso Latinoamericano de Entomología. Revista Peruana de Entomología 14(1):195–196.
- Blackwelder, R. E. 1946. Checklist of the coleopterous insects of Mexico, Central America, The West Indies, and South America. Part 4. U.S. National Museum, Bulletin 185. Smithsonian Institution, Washington, DC. 763 pp.
- Chaboo, C. S., and S. Clark. 2015. Beetles (Coleoptera) of Peru: A Survey of the Families. Chrysomelidae: Galerucinae (not including Alticini). Journal of the Kansas Entomological Society 88(3):000–000.
- Erichson, W. F. 1847. Conspectus Coleopterorum quae in Republica Peruana observata sunt. Archiv für Naturgeschichte 13:67–185.
- Furth, D. G. 1980. Inter-generic differences in the metafemoral apodeme of flea beetles (Chrysomelidae: Alticinae). Systematic Entomology 5:263–271.
- Furth, D. G. 1982. The metafemoral spring of flea beetles (Chrysomelidae: Alticinae). Spixiana, Supplement 7:11–27.

- Furth, D. G. 1988. The jumping apparatus of Flea Beetles - the metafemoral spring. *In* Jolivet, P., E. Petitpierre, and T. Hsiao (eds.). *Biology of Chrysomelidae*, pp. 285–297 (Chapter 17). Kluwer Academic Publishers, Dordrecht, the Netherlands.
- Furth, D. G. 2006. The current status of knowledge of the Alticinae of Mexico (Coleoptera: Chrysomelidae). *Proceedings of the Sixth International Symposium on the Chrysomelidae. Bonner Zoologische Beiträge* 54(4):197–225.
- Furth, D. G. 2013. Diversity of Alticinae in Oaxaca, Mexico: A preliminary study (Coleoptera: Chrysomelidae). *Proceedings of the 8th International Symposium on the Chrysomelidae, Daegu, South Korea, 2012. ZooKeys* 332:1–32.
- Furth, D. G., J. T. Longino, and M. Paniagua. 2003. Survey and quantitative assessment of flea beetle diversity in a Costa Rican rainforest (Coleoptera: Chrysomelidae: Alticinae). *In* Furth, D. G. (ed.). *Special Topics in Leaf Beetle Biology: Proceedings of the Fifth International Symposium on the Chrysomelidae*, pp. 1–23. Pensoft Publishers, Sofia-Moscow.
- Furth, D. G., and V. Savini. 1996. Checklist of the Alticinae of Central America, including Mexico (Coleoptera: Chrysomelidae). *Insecta Mundi* 10(1–4):45–68.
- Furth, D. G., and V. Savini. 1998. Corrections, clarifications, and additions to the checklist of the Alticinae of Central America, including Mexico (Coleoptera: Chrysomelidae). *Insecta Mundi* 12 (1–2):133–138.
- Furth, D. G., and K. Suzuki. 1994. Character correlation studies of problematic genera of Alticinae in relation to Galerucinae (Coleoptera: Chrysomelidae). *In* Furth, D. G. (ed.). *Proceedings of the Third International Symposium on the Chrysomelidae, Beijing, 1992*, pp. 116–135. Backhuys Publishers, Leiden.
- Furth, D. G., and K. Suzuki. 1998. Studies on Oriental and Australian Alticinae genera, based on the comparative morphology of the metafemoral spring, genitalia, and hind wing venation. *In* Biondi, M., M. Daccordi, and D. G. Furth (eds.). *Proceedings of the Fourth International Symposium on the Chrysomelidae*, pp. 91–124. *Atti Museo Regionale Scienze Naturali Torino* 1998.
- Harold, E. Von. 1876. I. Beiträge zur Kenntniss de Fauna von Neu-Granada, vom Herausgeber. *Halticinae* (Zweites Stück.). *Coleopterische Hefte* XV:1–36.
- Heikertinger, F., and E. Csiki. 1939–1940. *Chrysomelidae, Halticinae. Coleopterorum Catalogus. Volume XXV, Pars 166:1–336, Pars 169:337–635. Uitgeverij Dr.W. Junk, Gravenhage.*
- Hua, Y., R. G. Beutel, S.-Q. Ge, R.-E. Nie, and X.-K. Yang. 2014. The morphology of galerucine and alticine larvae (Coleoptera: Chrysomelidae) and its phylogenetic implications. *Arthropod Systematics and Phylogeny* 72(2):75–94.
- Mohamedsaid, M. S., and D. G. Furth. 2011. Secondary sexual characteristics in the Galerucinae (sensu stricto) (Coleoptera: Chrysomelidae). *International Scholarly Research Network, Zoology* 2011:1–60.
- Nadein, K. S. 2012–2014. *Catalogue of Alticini genera of the World (Coleoptera: Chrysomelidae)*. <http://www.zin.ru/Animalia/Coleoptera/rus/alticinw.htm>.
- Seeno, T. N., and J. A. Wilcox. 1982. *Leaf Beetle Genera (Coleoptera: Chrysomelidae)*. *Entomography* 1:1–221.